

26WCT767HM12PE
Item #: S9167360

2.6 MIL TC WHITE BOPP/ HOT MELT PERMANENT / 1.2 MIL PET LINER

Approximate weight per MMSI: 154 lbs. Standard core size is 6 inches. Total caliper: 4.5 mils +/- 10%

FACESTOCK (26WCT)

A 2.6 mil glossy white BOPP. It is top coated for dependable ink adhesion. Excellent compatibility with UV and water-based flexo ink systems, as well as UV inkjet. A perfect look for use on health and beauty aids, household care products, and beverages.

Test Property	Units	Typical Value	Test Method
Yield	In ² /lb.	15500	ASTM E252
Caliper Average (Films)	mil	2.6	ASTM D374
Tensile Film - MD	psi	14500	ASTM D882
Tensile Film - TD	psi	29000	ASTM D882
Elongation – MD	%	170	ASTM D882
Elongation - TD	%	35	ASTM D882

ADHESIVE (767HM – Hot Melt)

767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces.

Test Property	Units	Typical Value	Test Method
Caliper – Calculated	mils	0.7	TAPPI T411
Shear (1 x ½ x 1 kg)	hours	14	CPD-55
Peel – 180° SS 20 min	lb./inch	4.5	CPD-52
Loop Tack Stainless Steel	oz/sq. inch	85	CPD-16
Min. Application Temp.	F	20	Supplier
Service Temp.	F	-65 to 165	Supplier

LINER (12PE)

Clear 1.2 mil polyester with an excellent surface for die-cutting. Great strength for high-speed converting and application

Test Property	Units	Typical Value	Test Method
Caliper – Average	mil	1.2	ASTM D374
Tensile – MD	lb./in	26300	ASTM D882
Tensile – CD	lb./in.	28400	ASTM D882
Haze	%	4	ASTM D1003
Yield	In ² /lb.	16452	Supplier

Notes –

Issued: 3/31/2023.

- Minimum Order is 3 MMSI
- Wind – Liner In, Unless Specified
- Produced with a 1/8" dry edge on each side of the finished rolls in the machine direction.
- Overrun/Underrun Tolerance +/- 10%
- 5,000' or 10,000' rolls (5,000' Poker Chip. 10,000' On the round).

The information presented in this publication is believed to be accurate and is not intended to constitute a specification. The values given reflect average material characteristics. All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose. No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. – Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.