

GREEN BAY PACKAGING INC.

Smart Partners ... Smarter Solutions



Product Guide

Coated Products Operations

www.gbpc coated.com

1-800-445-4269 USA and Canada

001-920-337-1800 *Outside USA*



Green Bay Packaging Inc.
COATED PRODUCTS OPERATIONS

PRESSURE-SENSITIVE LABEL STOCK STORAGE CONDITIONS AND SHELF LIFE

Storage Conditions

- The storage and converting conditions should be as close to TAPPI standards of 73°F (23°C) and 50% relative humidity as possible.
- Products should be stored in their original stretch wrap until the time they will be used on press.
- The material should be allowed to acclimate to your press room's environment for 24 hours before the stretch wrap is removed and the roll is loaded onto the press.
- Keep rolls off the concrete floors and away from any other sources of moisture contamination.
- Rotate your stock. Use the oldest inventory first.

Shelf Life

- Pressure-sensitive label material should be used within one year from date of purchase, unless otherwise stated on the data sheet.
- The one-year shelf life is part of our standard conditions of sale on all products. Green Bay Packaging will not accept any claims for pressure-sensitive material older than one year.
- The label stock should retain its functional performance after a year. The acrylic adhesive is chemically stable and will not oxidize or lose tack, and the silicone release level should remain the same.
- After application, the adhesive should not degrade or lose tack over time. However, in some applications, including very high moisture and temperature for example, adhesive performance may suffer.

LAYFLAT LABEL MATERIAL RECOMMENDATIONS

- Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60°F and 80°F (16°C and 27°C) and the relative humidity is between 40% and 60%.
- The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- Rotate your stock. Use oldest inventory first.
- Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- We are not able to guarantee layflat performance of labelstock produced with some removable adhesives.

CAN'T FIND IT ? CALL 1 - 800 - 445 - 4269



Green Bay Packaging Inc.
COATED PRODUCTS OPERATIONS

ORDERING INFORMATION: U.S. STANDARD

MINIMUM ORDER QUANTITY

INVENTORY 1 MMSI
CUSTOM 3 MMSI

TAILORED INVENTORY PROGRAM (TIP)
(delivery only within the continental USA)

3" Minimum on all TIP Items

SHORT LENGTH UPCHARGE

For items not on the Short-Length TIP program, master rolls may be cut into shorter rolls *if* the order meets the minimum quantity of 1 MMSI for inventoried products or 3 MMSI for custom runs.

Roll Length	Charge
1,250' to 2,499'	\$.05/MSI
500' to 1,249'	\$.10/MSI
150' to 499'	\$.15/MSI

CUSTOM REWINDING/SPLICING UPCHARGE

.03/MSI

SLITTING UPCHARGE

0-17 cuts, no upcharge
18+ cuts .02/MSI
2" minimum slit width

SLITTING TOLERANCE

+/- 1/32"

CORE SIZES

For core size, see the Data Sheet for your specific item.

OVERRUN / UNDERRUN FINISHING ALLOWANCES

TIP	+/- 5%
Inventory	+/- 5%
Custom Single Pass	+/- 10%
Piggybacks	+/- 15%
Special Materials	+/- 20%

Product shelf life is one year unless otherwise stated on the component data sheet.

In addition to +/- % on overall order quantity, roll length may also be +/- % of ordered length. Customers may designate "exact roll length" on non-trimless items only. Additional splices may be required to meet exact roll length requests.

CAN'T FIND IT ? CALL 1 - 800 - 445 - 4269



Green Bay Packaging Inc.
COATED PRODUCTS OPERATIONS

ORDERING INFORMATION: METRIC SYSTEM

MINIMUM ORDER QUANTITY

INVENTORY 645 sq. Mts
CUSTOM 1935 sq. Mts

TAILORED INVENTORY PROGRAM (TIP)
(delivery only within the continental USA)

76.2mm Minimum on all TIP Items

SHORT LENGTH UPCHARGE

For items not on the Short-Length TIP program, master rolls may be cut into shorter rolls *if* the order meets the minimum quantity of 1 MMSI for inventoried products or 3 MMSI for custom runs.

Roll Length	Charge
380 to 761 Meters	\$.05/MSI
152 to 379 Meters	\$.10/MSI
45.7 to 151 Meters	\$.15/MSI

CUSTOM REWINDING/SPLICING UPCHARGE

.05/sq. Mts

SLITTING UPCHARGE

0-17 cuts, no upcharge
18+ cuts .03/sq. Mts
51mm minimum slit width

SLITTING TOLERANCE

+/- 0.7mm

CORE SIZES

For core size, see the Data Sheet for your specific item.

OVERRUN / UNDERRUN FINISHING ALLOWANCES

Inventory	+/- 5%
Custom Single Pass	+/- 10%
Piggybacks	+/- 15%
Special Materials	+/- 20%

Product shelf life is one year unless otherwise stated on the component data sheet.

In addition to +/- % on overall order quantity, roll length may also be +/- % of ordered length. Customers may designate "exact roll length" on non-trimless items only. Additional splices may be required to meet exact roll length requests.

CAN'T FIND IT ? CALL 1 - 800 - 445 - 4269

TERMS AND CONDITIONS

- Entire Agreement.** These Terms and Conditions shall constitute the entire agreement (the "Agreement" or "Terms and Conditions") of Green Bay Packaging Inc. ("Seller") and Buyer with respect to the subject matter hereof. These Terms and Conditions are controlling and shall supersede any prior or contemporaneous agreements, understandings or representations, oral or written, relating to the subject matter hereof. These Terms and Conditions shall govern in the event of any conflict between these Terms and Conditions and any provision contained in any subsequent Purchase Order or otherwise, the terms of which, whether conflicting, supplemental or otherwise, are hereby expressly rejected.
- Shipment, Title and Risk of Loss.** Unless otherwise mutually agreed in writing, shipment shall be F.O.B. Origin. Title and risk of loss pass from Seller to Buyer upon delivery to a carrier.
- Freight.** Shipments are F.O.B. Origin, with full freight allowed on shipments of 9 MMSI or more. Inventory and non-inventory items may be combined to meet the 9 MMSI minimum requirement for full freight allowed shipments, provided entire order is shipped at one time from one location to one destination. For all shipments fewer than 9 MMSI terms are F.O.B. Origin, freight prepaid and added, in which the shipping and handling charges shall be added to the face amount of the invoice.
- Payment.** Net 30 days following the date of invoice. 1% discount on payments received within 10 days of date of invoice. Amounts not paid in full within 30 days of date of invoice will be subject to a service charge of 1% per month on the unpaid balance to be included on each month's statement until paid in full.
- Taxes and Other Charges.** In addition to any price herein provided, Buyer shall be liable for any tax, fee or other charge imposed on Seller at any time upon the sale and/or shipment of the goods sold hereunder, now imposed by federal, state, municipal or any other governmental authorities or hereafter becoming effective for or during the period hereof.
- Cancellation or Default by Buyer.** This order may not be cancelled in whole or in part by Buyer except with Seller's written consent. If at any time, in Seller's opinion, Buyer's credit is impaired, or if Buyer shall fail to pay to Seller any amount when due, under this Agreement or any other agreement, or if at any time Buyer shall indicate an intention to refuse to perform or on an inability to perform its obligation hereunder, Seller may at its option terminate this Agreement as regards further shipments and thereupon all obligations of Buyer with respect to shipments previously made shall become immediately due and payable. In the event of such termination, Buyer shall remain liable to Seller for any and all loss or damage sustained due to Buyer's default.
- Force Majeure.** Seller shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by any event beyond its reasonable control, including, without limitation, accident, fire, actual or threatened strike or riot, explosion, mechanical breakdown (including technological or information systems), plant shutdown, unavailability of or interference with necessary transportation, any raw material or power shortage, compliance with any law, regulation or order, acts of God or public enemy, prior orders from others, or limitations on Seller's or its suppliers' products or marketing activities or any other cause or contingency beyond Seller's control. If by reason of any such circumstance, Seller's supply of the goods herein specified shall be insufficient to meet all requirements, including its own, Seller shall have the right, at its option and without liability, to allocate its available supply of goods among its present and future customers, including Seller's affiliated divisions and companies, in such manner as Seller deems equitable.
- Limitation on Warranty and Remedies.** Seller warrants that the goods to be sold hereunder will conform to the description on the face hereof, and any specifications provided in writing to Buyer and will be of Seller's standard quality. Buyer represents that it has used its own independent skill and expertise in connection with the selection and use of the goods purchased pursuant to this Agreement, and that it will independently determine the suitability for each use for which it is purchased. When UL recognition is provided to Buyer, goods will meet applicable guidelines of Underwriting Laboratories. **THIS WARRANTY IS EXCLUSIVE, AND EXCEPT AS EXPRESSLY SET OUT IN THIS AGREEMENT, SELLER MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN THE EVENT THE GOODS ARE NOT IN COMPLIANCE WITH SELLER'S WARRANTY HEREUNDER, BUYER'S SOLE REMEDY SHALL BE A CREDIT FOR THE COST OF SUCH GOODS OR, AT SELLER'S OPTION, REPLACEMENT OF SUCH GOODS. SELLER SHALL UNDER NO CIRCUMSTANCES, WHETHER FOR A FAILURE OF ITS LIMITED REMEDY OR OTHERWISE, BE LIABLE TO BUYER OR OTHERWISE FOR SPECIAL, INCIDENTAL, DIRECT, PUNITIVE, OR CONSEQUENTIAL DAMAGES. NO WAIVER, ALTERATION, ADDITION OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AN OFFICER OF SELLER. All warranties and certifications are made by Seller to Buyer and to no other parties including, but not limited to, Buyer's customers and any other end users.**
- Limitation of Actions.** Any claim must be made in writing within 10 days after receipt of goods, if for quantity, or within 30 days after receipt of goods, if for quality, loss of or damage to goods, and the goods must be held available at Buyer's place of business for Seller's inspection. Any action for breach of this Agreement, other than for non-payment hereunder, must be commenced within one year of the date of shipment, or due date of delivery in the event of non-delivery, of the particular shipment upon which such claim is based. No claim may in any event be made after goods have in any way been used or processed by the Buyer. Buyer's remedies set forth herein are exclusive and the total liability of Seller for damages with respect to this Agreement, or anything done in connection therewith, shall be limited to the purchase price of the particular shipment with respect to which such damages are claimed.
- Returns and Transit Damage Claims.** No goods may be returned to Seller without Seller's written consent. Goods returned without Seller's prior written authorization will be refused. Buyer must note any shortage or damage on the delivery receipt at the time of delivery. Any concealed damage must be reported to the delivering carrier within 5 days, and the entire package must be retained at Buyer's place of business until after a damage inspection report is issued by the carrier. The following documents must accompany any transit damage claim: original paid freight bill; original or certified copy of the original bill of lading; copy of the invoice for the shipment; copy of the destination inspection report or delivery receipt noting the shortage or damage.
- Governing Law.** This Agreement shall be governed by and construed in accordance with the internal laws of the state of Wisconsin, U.S.A.
- Amendment.** This Agreement shall not be amended except by a writing signed by an officer of the Seller and specifically stating that it is an amendment.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
WHITE PAPERS - HIGH-GLOSS				
57# CAST COATED HIGH-GLOSS OPAQUE	057HA	57# (85 g/m ²) high-gloss paper (057HG) with a gray barrier opaque coating for use as cover-up labels. Use this facer when covering images on a glossy surface.	3.7 95.0	<input type="checkbox"/>
57# CAST COATED HIGH-GLOSS	057HG	57# (85 g/m ²) high-gloss sheet with a smooth, reflective surface designed for top-quality graphic reproduction.	3.7 95.0	<input type="checkbox"/>
ENCORE GLOSS	060EG	61# (89 g/m ²) super calendered high-gloss sheet. This C1S paper is designed for premium labeling applications. Non-cast coated paper featuring excellent gloss and suitable for process printing.	2.8 72.0	<input type="checkbox"/>
WHITE PAPERS - SEMI-GLOSS				
53# SEMI-GLOSS OPAQUE	054SA	53# (78 g/m ²) semi-gloss with a gray opaque barrier coating on the back. Designed for cover up labels. Excellent opacity, so the errors will not be visible. Smooth print surface for attractive graphic reproduction. FSC®-certified paper.	2.6 66.0	<input checked="" type="checkbox"/>
53# SEMI-GLOSS	054SG	53# (78 g/m ²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.	2.6 66.0	<input checked="" type="checkbox"/>
54# WET STRENGTH SEMI-GLOSS	054WS	54# (80 g/m ²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	2.9 80.0	<input checked="" type="checkbox"/>
SEMI-GLOSS PREFERRED OPAQUE	060PA	60# (88.8/m ²) Semi-Gloss Preferred (060PR) with a gray opaque barrier coating. Designed for cover up labels. Excellent print surface with flexo, toner, or offset. FSC®-certified paper.	3.1 79.0	<input checked="" type="checkbox"/>
SEMI-GLOSS PREFERRED	060PR	60# (88.8/m ²) semi-gloss, multi-purpose paper with superior gloss and print qualities. A warm white color. Excellent print surface for flexo, toner, or offset. FSC®-certified paper.	3.1 79.0	<input checked="" type="checkbox"/>
58# SEMI-GLOSS	060SG	58# (87 g/m ²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent graphic results with flexo, offset, or toner-based printing. FSC®-certified paper.	3.0 76.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
WHITE PAPERS - SEMI-GLOSS (cont.)				
80# SEMI-GLOSS	080SG	80# (118 g/m ²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent print surface for flexo, toner, or offset. This heavier sheet offers greater stiffness and opacity. FSC®-certified paper.	4.2 107.0	<input checked="" type="checkbox"/>
FSC® CERTIFIED 53# SEMI-GLOSS PAPER	F54SG	53# (78 g/m ²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.	2.9 74.0	<input checked="" type="checkbox"/>
60# SEMI-GLOSS WITH 30% POST-CONSUMER WASTE	R60SG	A 60# (89 g/m ²) semi-gloss face stock with 30% post-consumer recycled fiber. Excellent strength characteristics enhance label converting and application. Smooth print surface for outstanding graphics. FSC®-certified paper.	2.7 68.6	<input checked="" type="checkbox"/>
WHITE PAPERS - MATTE				
60# LITHO MATTE	060LM	A 60# (89 g/m ²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses.	3.8 97.0	<input checked="" type="checkbox"/>
60# DULL LITHO	061DL	60# (89 g/m ²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper.	3.0 76.0	<input checked="" type="checkbox"/>
WHITE PAPERS - INDIGO TOPCOATED				
INDIGO TOPCOATED 55# SEMI-GLOSS	D55SG	55# (81 g/m ²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper.	3.0 76.0	<input checked="" type="checkbox"/>
TAG STOCK				
8 POINT GLOSS WHITE CLAY COATED TAG	008GB	A glossy, bright white, 130# (192 g/m ²) board with excellent print characteristics. Coated on both sides, allowing for multiple uses - as a tag, or in a pressure-sensitive structure. FSC®-certified paper.	8.0 203.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
EDP				
50# EDP SMUDGE RESISTANT	050ED	A 50# (74 g/m ²) general purpose uncoated paper. Bright white with excellent smudge resistance. Designed for high performance. FSC®-certified paper.	3.5 88.9	<input checked="" type="checkbox"/>
PHARMACEUTICAL				
PHENOL-FREE DIRECT THERMAL PRESCRIPTION VIAL LABEL	021RX	This 48# (71 g/m ²), phenol-free, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.	3.1 78.0	<input checked="" type="checkbox"/>
40# PHARMACEUTICAL LITHO	040PL	40# (60 g/m ²) lightweight C1S semi-gloss litho with good ink holdout. Candidate for pharmaceutical and nutritional labeling.	2.0 52.0	<input checked="" type="checkbox"/>
FLUORESCENT PAPERS				
BLUE FLUORESCENT	054BZ	57# (84 g/m ²) blue matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
GREEN FLUORESCENT	054GZ	57# (84 g/m ²) green matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
ORANGE FLUORESCENT	054OZ	57# (84 g/m ²) orange matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
PINK FLUORESCENT	054PZ	57# (84 g/m ²) pink matte fluorescent coated paper. Designed for laser, price marking, inkjet, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
RED FLUORESCENT	054RZ	57# (84 g/m ²) red matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
FLUORESCENT PAPERS (cont.)				
YELLOW CHARTREUSE FLUORESCENT	054YZ	57# (84 g/m ²) yellow chartreuse matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
BEER & WINE LABEL				
54# WET STRENGTH SEMI-GLOSS	054WS	54# (80 g/m ²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	2.9 80.0	<input checked="" type="checkbox"/>
CLASSIC CREST* SOLAR WHITE SMOOTH	0WCSW	60# (89 g/m ²) smooth, uncoated white paper with an excellent printing surface, high strength, and dimensional stability. Perfect for wine labels and other upscale products. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc.	4.4 112.0	<input checked="" type="checkbox"/>
ESTATE LABEL* #4 WHITE LAID	0WEL4	60# (89 g/m ²) white, laid, uncoated, wet strength paper. Maintains its visual integrity when wet. Perfect for wine and beer labels. Its high-end look matches well with upscale products. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper.	5.5 140.0	<input checked="" type="checkbox"/>
ESTATE LABEL* #8 WHITE SMOOTH	0WEL8	60# (89 g/m ²) uncoated, white, wet strength paper. Maintains its integrity when wet. Designed for wine and other high-end labels, such as gourmet foods and cosmetics. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper.	4.8 122.0	<input checked="" type="checkbox"/>
ESTATE LABEL* #9 CREAM LAID	0WEL9	60# (89 g/m ²) uncoated cream wet strength paper. Maintains its integrity when wet. Perfect for wine and other upscale labels, such as gourmet foods and cosmetics. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc.	5.4 137.0	<input checked="" type="checkbox"/>
SILVER METALIZED WET STRENGTH PAPER	56MSW	56# (83 g/m ²) top coated silver metalized paper. Wet strength for use in moist environments including refrigerated foods and chilled beverages. The metallic look makes a product's graphics stand out.	2.8 71.0	<input type="checkbox"/>
70# BRIGHT WHITE FELT	70BWF	70# (103 g/m ²) uncoated bright white, wet strength paper. Perfect for wine, beer, and other beverage labels. The rich weight and texture makes it ideal for upscale food, home, and personal care products. FSC®-certified paper.	5.7 145.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
BEER & WINE LABEL (cont.)				
60# BLACK VELLUM	BKVLM	60# (89 g/m ²) uncoated, black, smooth, wet strength paper. Maintains its integrity when wet. While it was designed for wine, beer, and other beverage labels, its unique look will make any product stand out on store shelves. FSC®-certified paper.	4.8 122.0	<input checked="" type="checkbox"/>
50# KONA LIGHT ROAST	KONAL	KONAL is a 50# (74g/m ²), 100% PCW recycled wet strength product. A blend of repurposed coffee bean bag fiber and post-consumer waste material. Perfect for labeling any coffee-related product, or environmentally-friendly packaging. FSC®-certified paper.	4.1 104.0	<input checked="" type="checkbox"/>
60# 100% PCW WET STRENGTH PAPER	PLRNB	A 60# (89 g/m ²) FSC®-certified, 100% post-consumer waste paper with wet strength. Resistant to moisture, it's perfect for beverage applications, like wine, beer and chilled spirits. Its luxurious look will enhance upscale food and personal care products.	4.3 109.0	<input checked="" type="checkbox"/>
SPECIALTY PAPERS				
54# WET STRENGTH SEMI-GLOSS	054WS	54# (80 g/m ²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	2.9 80.0	<input checked="" type="checkbox"/>
BROWN NATURAL KRAFT	060GM	60# (89 g/m ²) brown natural kraft paper. The natural look makes it perfect for labeling organic or other earth-friendly products. It can also be used for cover-up labels on corrugated containers.	5.5 140.0	<input checked="" type="checkbox"/>
60# HEMP PAPER	1HEMP	A 60# (89 g/m ²) paper made with 25% hemp fibers and 75% post-consumer waste. Designed for labeling cannabis and other hemp products. With no virgin wood content and a natural look it is also a perfect match for organic and other eco-friendly products.	5.0 127.0	<input checked="" type="checkbox"/>
TRANSLUCENT PAPER	1TRCT	A 42# (62 g/m ²) ultra-clear translucent paper. It is well-suited for wafer seal mailing tabs. Can be used for tamper-evident seals. Also provides a unique look for primary package decoration.	2.3 58.4	<input type="checkbox"/>
DISSOLVABLE PAPER	H2ODP	A water-soluble paper. Coated with the dissolvable adhesive, 611, it disappears in seconds under running water. Leaves no residue on the container. Best dissolvable performance when printed with water-based inks. Keep wrapped until used. FSC®-certified.	3.5 89.0	<input type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
SPECIALTY PAPERS (cont.)				
50# KONA LIGHT ROAST	KONAL	KONAL is a 50# (74g/m ²), 100% PCW recycled wet strength product. A blend of repurposed coffee bean bag fiber and post-consumer waste material. Perfect for labeling any coffee-related product, or environmentally-friendly packaging. FSC®-certified paper.	4.1 104.0	<input checked="" type="checkbox"/>
LAMINATED FOILS				
BRIGHT GOLD FOIL	055BG	Top coated 70# (104 g/m ²) bright gold laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0	<input checked="" type="checkbox"/>
BRIGHT SILVER FOIL	055BS	Top coated 70# (104 g/m ²) bright silver laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0	<input checked="" type="checkbox"/>
DULL GOLD FOIL	055DG	Top coated 70# (104 g/m ²) dull gold laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0	<input checked="" type="checkbox"/>
DULL SILVER FOIL	055DS	Top coated 70# (104 g/m ²) dull silver laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0	<input checked="" type="checkbox"/>
FOIL SUBSTITUTES				
1.85 MIL SILVER METALIZED BOPP	018MT	1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.	1.9 47.0	<input type="checkbox"/>
2.0 MIL SILVER METALIZED BOPP	021MU	A 2.0 mil BOPP metalized on the back side for a shiny silver appearance. Top coated for printability with a wide range of ink systems.	2.0 51.0	<input type="checkbox"/>
HOLOGRAM PRISMATIC DIFFRACTION: RAINBOW	056H5	64# (94 g/m ²) decorative prismatic diffraction paper. Shim lines/seams are present in holographic material. This gap in the pattern will be up to 1/32" wide. The area between the shim lines measures 30" machine direction (MD) and 48" cross direction (CD).	3.3 84.0	<input checked="" type="checkbox"/>
HOLOGRAM PRISMATIC DIFFRACTION: LOTS-O-DOTS	056H7	60# (89 g/m ²) decorative prismatic diffraction paper. Shim lines/seams are present in holographic material. This gap in the pattern will be up to 1/32" wide. The area between the shim lines measures 30" machine direction (MD) and 48" cross direction (CD).	3.2 81.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
FOIL SUBSTITUTES (cont.)				
56# SILVER METALIZED PAPER	057MS	56# (83 g/m ²) top coated silver metalized paper. Not recommended for HP Indigo Presses.	2.5 64.0	<input checked="" type="checkbox"/>
SILVER METALIZED WET STRENGTH PAPER	56MSW	56# (83 g/m ²) top coated silver metalized paper. Wet strength for use in moist environments including refrigerated foods and chilled beverages. The metallic look makes a product's graphics stand out.	2.8 71.0	<input type="checkbox"/>
THERMAL TRANSFER				
2.6 MIL THERMAL TRANSFER WHITE LABEL-LYTE™	026TT	2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is required. Label-Lyte is a trademark of Jindal Films America.	2.6 66.0	<input checked="" type="checkbox"/>
THERMAL TRANSFER WHITE LABEL-LYTE™	030TT	3.0 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is important. Label-Lyte is a Trademark of Jindal Films America.	3.0 76.0	<input checked="" type="checkbox"/>
HIGH SPEED COATED THERMAL TRANSFER	050HS	47# (70 g/m ²) premium bright white, coated, ultra-smooth thermal transfer paper stock offering broad ribbon compatibility. FSC®-certified paper.	3.0 76.0	<input checked="" type="checkbox"/>
3.0 MIL TC MATTE WHITE BOPP	075WP	A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used with thermal transfer, flexography, screen, letterpress, and other print methods. It is moisture, chemical and tear resistant.	3.0 75.0	<input type="checkbox"/>
TOP COATED KIMDURA® FPG 95	095TK	A 4.2 mil Kimdura® BOPP specially top coated for thermal transfer, dot matrix, ion deposition and digital printing. Registered Trademark of Neenah Paper, Inc. © 2007 NPI All Rights Reserved.	4.2 107.0	<input checked="" type="checkbox"/>
SELECT THERMAL TRANSFER OPAQUE	0TTFA	A 44# (65 g/m ²) gray opaque multi-purpose thermal transfer sheet. Designed for cover up labels, with excellent opacity. Premium coating for enhanced flexo graphics. FSC®-certified paper.	2.9 72.0	<input checked="" type="checkbox"/>
SELECT THERMAL TRANSFER	0TTFP	A 44# (65 g/m ²) multi-purpose thermal transfer sheet. Premium coating for enhanced flexo-printed graphics. FSC®-certified paper.	2.9 72.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
THERMAL TRANSFER (cont.)				
MATTE WHITE BOPP	100WP	A 3.7 mil top coated matte white BOPP. UV resistant. A synthetic paper, it can be printed by thermal transfer, flexography, screen, and letterpress. Moisture, chemical and tear resistant. For drum label, outdoor and other demanding applications.	3.7 95.0	<input type="checkbox"/>
VALUE THERMAL TRANSFER	VALUT	A 42# (62 g/m ²) top-coated, thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.	2.8 71.0	<input checked="" type="checkbox"/>
DIRECT THERMAL				
TOP COATED DIRECT THERMAL PAPER	015DT	A 38# (56.2 g/m ²) high sensitivity, top coated direct thermal paper. This thinner caliper facer allows more labels per roll. Ideal for hand-applied mobile printing applications. FSC®-certified paper.	2.3 58.4	<input checked="" type="checkbox"/>
NON-TOP COATED DIRECT THERMAL PAPER	024NT	A 47# (69.9 g/m ²) medium sensitivity non-top coated direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.	3.1 78.7	<input type="checkbox"/>
PHENOL-FREE DIRECT THERMAL PRESCRIPTION VIAL LABEL	021RX	This 48# (71 g/m ²), phenol-free, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.	3.1 78.0	<input checked="" type="checkbox"/>
RED FLUORESCENT DIRECT THERMAL	022FT	A 54# (80 g/m ²) bright red direct thermal coated paper. Images black. Intended for attention-grabbing promotional point-of-purchase labels, or color coded warehouse tracking. FSC®-certified paper.	3.1 79.0	<input checked="" type="checkbox"/>
3.4 MIL NEAR IR PACKAGE DELIVERY DIRECT THERMAL	022PD	A 50# (74 g/m ²) direct thermal paper top-coated for handling durability. Near IR designed for package delivery. PCS and scanning up to 670 nm. For high-heat environments. Resists imaging up to 100°C. Moderate to fast print speeds. FSC®-certified paper.	3.4 79.0	<input checked="" type="checkbox"/>
PREMIUM TOP COATED TD	022TD	A 53# (78 g/m ²) top coated direct thermal coated paper for more demanding applications and higher imaging speeds. FSC®-certified paper.	3.1 79.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
DIRECT THERMAL (cont.)				
ECONOMY TOP COATED DIRECT THERMAL PAPER	024DT	A 53# (78 g/m ²) top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	3.2 81.0	<input checked="" type="checkbox"/>
ECONOMY TOP COATED DIRECT THERMAL PAPER	025DT	A 47# (70 g/m ²) top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	3.1 79.0	<input checked="" type="checkbox"/>
NON-TOP COATED DIRECT THERMAL PAPER	025NT	A 51# (75 g/m ²) medium sensitivity non-top coated direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.	3.3 82.5	<input checked="" type="checkbox"/>
3.0 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	070MK	A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned.	3.0 76.0	<input type="checkbox"/>
3.3 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	084MB	A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium degree of sensitivity. Use when moisture and environmental resistance are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned.	3.3 84.0	<input type="checkbox"/>
SYNTHETIC MEDIUM SENSITIVITY FILM	095RK	4.1 mil white BOPP film with direct thermal coating. Top coated for durability. Medium degree of sensitivity.	4.1 104.0	<input type="checkbox"/>
SYNTHETIC MEDIUM SENSITIVITY FILM	096RK	4.1 mil white BOPP film with direct thermal coating. Produces a dark image. Top coated for durability. Water and environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling.	4.1 104.0	<input checked="" type="checkbox"/>
TOP-COATED VALUE DIRECT THERMAL OPAQUE	24VTA	A 48# (71 g/m ²) top coated direct thermal paper with a gray opaque backside coating. Designed for cover up labels. Good environmental resistance for weigh scale, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper.	3.2 80.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
DIRECT THERMAL (cont.)				
TOP COATED VALUE DIRECT THERMAL	24VTB	A 48# (71 g/m ²) top coated paper. Resists moisture, heat, humidity, fading, scuffing, chemicals, and plasticizers. Use for weigh scale applications, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper.	3.2 80.0	<input checked="" type="checkbox"/>
3.0 MIL CLEAR DIRECT THERMAL FILM	30CDT	A 3.0 mil top-coated direct thermal polypropylene film with exceptional clarity. Designed for variable image printed labels that highlight the product. Has environmental and water resistance. White should be printed behind any barcode for scannability.	3.0 76.0	<input type="checkbox"/>
INK JET / LASER				
SUPER BRIGHT LASER JET	050LJ	51# (75 g/m ²) Exceptionally bright, uncoated, multi-purpose sheet for both laser and ink jet printing. FSC®-certified paper.	4.0 102.0	<input checked="" type="checkbox"/>
BLUE FLUORESCENT	054BZ	57# (84 g/m ²) blue matte fluorescent coated paper. Designed for laser, price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
GREEN FLUORESCENT	054GZ	57# (84 g/m ²) green matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
ORANGE FLUORESCENT	054OZ	57# (84 g/m ²) orange matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
PINK FLUORESCENT	054PZ	57# (84 g/m ²) pink matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
RED FLUORESCENT	054RZ	57# (84 g/m ²) red matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
YELLOW CHARTREUSE FLUORESCENT	054YZ	57# (84 g/m ²) yellow chartreuse matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.	3.9 99.0	<input checked="" type="checkbox"/>
60# MATTE-COATED INK JET	06INK	A 60# (88 g/m ²) matte-coated, acid-free, inkjet sheet with an exceptionally bright, blue-white shade. It provides high resolution imaging, and excellent smear and water resistance. It is compatible with a broad array of inkjet printers. FSC®-certified.	4.4 113.0	<input type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
INK JET / LASER (cont.)				
PREMIUM COATED MATTE INK JET	06MIJ	A 61# (90 g/m ²) matte-coated ink jet sheet with good opacity. It is waterfast and provides an extremely high level of smear resistance. This facer offers high resolution imaging and is compatible with a broad array of inkjet printers.	4.6 107.0	<input checked="" type="checkbox"/>
60# MATTE-COATED INK JET	07INK	A 60# (88 g/m ²) matte-coated, acid-free, inkjet sheet with an exceptionally bright, blue-white shade. It provides high resolution imaging, and excellent smear and water resistance. It is compatible with a broad array of inkjet printers. FSC®-certified.	4.5 114.3	<input type="checkbox"/>
59# GLOSS INKJET PAPER	1GINK	A 59# (87 g/m ²) high gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. Not recommended for flexo printing. FSC®-certified.	4.1 104.0	<input type="checkbox"/>
65# SEMI-GLOSS INKJET PAPER	SG2NK	A 65# (97 g/m ²) semi gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. FSC®-certified.	4.5 97.0	<input type="checkbox"/>
3.4 MIL MATTE WHITE INK JET BOPP	34WIJ	A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.	3.4 86.0	<input type="checkbox"/>
47# FSC®-CERTIFIED SUPER BRIGHT LASER JET	F47LJ	47# (70 g/m ²) Exceptionally bright, uncoated, multi-purpose sheet for laser and ink jet printing. Lighter weight for shipping savings. Thinner caliper for space savings and reduced packaging. Offers the option of more labels on a roll. FSC®-certified.	3.5 89.0	<input checked="" type="checkbox"/>

FILMS: POLYPROPYLENES (CLEAR)

1.85 MIL CLEAR TOP COATED BOPP	018CT	1.85 mil clear top-coated BOPP is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Ultra clear for a no-label look. Perfect for health and beauty aid, household care, and beverage labeling.	1.9 47.0	<input checked="" type="checkbox"/>
2.0 MIL CLEAR TOP COATED BOPP	020CL	2.0 mil clear top-coated BOPP offers excellent print results with water-based and UV flexo ink systems, and hot stamping. Ultra clear for a no-label look. Perfect for health and beauty aid, household care, pharmaceutical, and beverage labeling.	2.0 51.0	<input type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
FILMS: POLYPROPYLENES (CLEAR) (cont.)				
2.2 MIL FLEXICLEAR™ TC CONFORMABLE BOPP	022FC	A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc.	2.2 56.0	<input type="checkbox"/>
3.6 MIL CLEAR TC BOPP	036CG	A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.	3.6 91.0	<input type="checkbox"/>
FILMS: POLYPROPYLENES (WHITE)				
2.2 MIL FLEXIWHITE™ TC CONFORMABLE BOPP	022FW	A 2.2 mil top coated white BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiWhite™ is a Trademark of Green Bay Packaging Inc.	2.2 56.0	<input type="checkbox"/>
2.3 MIL TOP COATED WHITE BOPP	023WB	A 2.3 mil white top coated BOPP, backside coated to aid in adhesive anchorage. Excellent compatibility using UV curing inks or water based flexo ink systems. High stiffness for conversion and automatic dispensing. Great choice for prime labeling.	2.3 58.0	<input type="checkbox"/>
2.3 MIL WHITE TOP COATED BOPP	023WP	A 2.3 mil white top coated BOPP with excellent compatibility using UV curing inks or water based flexo ink systems. High stiffness for conversion and automatic dispensing. Great choice for prime labeling.	2.3 58.0	<input type="checkbox"/>
2.3 MIL WHITE TOP-COATED BOPP	023WT	2.3 mil solid white top-coated BOPP. Compatible with UV and water-based flexo, and UV inkjet printing; also hot stamping. Exceptional opacity. Backside treated for adhesive anchorage. Great stiffness for auto application. Ideal for prime labeling.	2.3 58.0	<input type="checkbox"/>
2.4 MIL TOP COATED WHITE LABEL-LYTE™	024TL	A 2.4 mil glossy white BOPP top coated for ink adhesion. Has a distinctive pearlescent sheen. Excellent compatibility with UV curing inks and water based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.	2.4 61.0	<input checked="" type="checkbox"/>
2.6 MIL TOP COATED WHITE LABEL-LYTE™	026TL	A 2.6 mil glossy white BOPP top coated for ink adhesion. Has a distinctive pearlescent sheen. Excellent compatibility with UV curing inks and water based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.	2.6 69.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
FILMS: POLYPROPYLENES (WHITE) (cont.)				
3.6 MIL WHITE TC BOPP	036WG	A 3.6 mil white BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.	3.6 91.0	<input type="checkbox"/>
2.4 MIL WHITE TOP-COATED BOPP	24WCT	2.4 mil white top-coated BOPP. It is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling.	2.4 61.0	<input type="checkbox"/>
2.6 MIL WHITE TOP-COATED BOPP	26WCT	A 2.6 mil glossy white BOPP. It is top coated for dependable ink adhesion. Excellent compatibility with UV and water-based flexo ink systems, as well as UV inkjet. A perfect look for use on health and beauty aids, household care products, and beverages.	2.6 66.0	<input type="checkbox"/>
3.4 MIL MATTE WHITE INKJET BOPP	34WIJ	A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.	3.4 86.4	<input type="checkbox"/>

FILMS: POLYPROPYLENES (VARIABLE IMAGING)

2.6 MIL THERMAL TRANSFER WHITE LABEL-LYTE™	026TT	2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is required. Label-Lyte is a trademark of Jindal Films America.	2.6 66.0	<input type="checkbox"/>
THERMAL TRANSFER WHITE LABEL-LYTE™	030TT	White Label-Lyte BOPP with a thermal transfer top coat. Label-Lyte is a Trademark of Jindal Films America.	3.0 76.0	<input checked="" type="checkbox"/>
3.0 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	070MK	A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned.	3.0 76.0	<input type="checkbox"/>
3.0 MIL TC MATTE WHITE BOPP	075WP	A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used with thermal transfer, flexography, screen, letterpress, and other print	3.0 75.0	<input type="checkbox"/>
3.3 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	084MB	A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium degree of sensitivity. Use when moisture and environmental resistance are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned.	3.3 84.0	<input type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
FILMS: POLYPROPYLENES (VARIABLE IMAGING) (cont.)				
SYNTHETIC MEDIUM SENSITIVITY FILM	095RK	4.1 mil white BOPP film with direct thermal coating. Top coated for durability. Medium degree of sensitivity.	4.1 104.0	<input checked="" type="checkbox"/>
SYNTHETIC MEDIUM SENSITIVITY FILM	096RK	4.1 mil white BOPP film with direct thermal coating. Produces a dark image. Top coated for durability. Water and environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling.	4.1 104.0	<input type="checkbox"/>
MATTE WHITE BOPP	100WP	A 3.7 mil top coated matte white BOPP. UV resistant. For use with thermal transfer and other print methods. Consider for drum label, outdoor and other demanding applications.	3.7 95.0	<input type="checkbox"/>
FILMS: POLYPROPYLENES (METALIZED)				
1.85 MIL SILVER METALIZED BOPP	018MT	1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.	1.9 47.0	<input type="checkbox"/>
2.0 MIL SILVER METALIZED BOPP	021MU	A 2.0 mil BOPP metalized on the back side for a shiny silver appearance. Top coated for printability with a wide range of ink systems.	2.0 51.0	<input type="checkbox"/>
FILMS: POLYSTYRENES				
1.5 MIL CLEAR POLYSTYRENE	015PN	A 1.5 mil corona treated clear polystyrene. Perfect for use as a base for peel-off coupons and booklets.	1.5 38.0	<input checked="" type="checkbox"/>
2.0 MIL CLEAR POLYSTYRENE	020PN	A 2.0 mil corona treated clear polystyrene. Stiffness allows easy converting and dispensing.	2.0 51.0	<input checked="" type="checkbox"/>
2.5 MIL CLEAR POLYSTYRENE	025PN	A 2.5 mil corona treated clear polystyrene. Stiffness allows easy converting and dispensing. Great for use as a mailing tab.	2.5 64.0	<input checked="" type="checkbox"/>
3.5 MIL WHITE SQUEEZE OPTICITE®	035WZ	A 3.5 mil white squeezable OPTICITE® with a corona treated print surface. Trademark of The Dow Chemical Company	3.5 89.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
FILMS: POLYSTYRENES (cont.)				
2.5 MIL WHITE POLYSTYRENE	25PSW	A 2.5 mil corona treated white polystyrene. Stiffness allows easy converting and dispensing.	2.5 64.0	<input checked="" type="checkbox"/>
FILMS: POLYESTERS				
2 MIL CLEAR TOP COATED POLYESTER	020MY	A very clear, top coated polyester film. Top coating allows for printing with most standard flexo and UV letterpress inks.	2.0 51.0	<input checked="" type="checkbox"/>
1.0 MIL CLEAR NTC POLYESTER	1CLPT	A glossy, clear polyester overlamine film. Good clarity. Effective in durable applications – resistant to heat and chemicals. High tear strength.	1.0 23.0	<input checked="" type="checkbox"/>
2.0 MIL VALUE WHITE POLYESTER	2VWPT	A matte, white polyester film, top-coated for water-based and U.V. flexographic ink adhesion, and thermal transfer printing. Designed for durable applications – resistant to heat and chemicals. High tear strength.	2.0 50.0	<input type="checkbox"/>
FILMS: OVERLAMINATES				
1.0 MIL CLEAR NTC POLYESTER	1CLPT	A glossy, clear polyester overlamine film. Good clarity. Effective in durable applications – resistant to heat and chemicals. High tear strength.	1.0 23.0	<input type="checkbox"/>
FILMS: CLEAR SPECIALTY				
2 MIL CLEAR ACETATE	020AC	A 2.0 mil clear acetate film with good clarity and printability. It is compostable. Has relatively low tear resistance and is good for tamperproof applications. Meets the ASTM D6400 compost standard.	2.0 51.0	<input type="checkbox"/>
FILMS: INDIGO TOPCOATED				
2.3 MIL WHITE BOPP WITH INDIGO TOPCOATING	D23WP	A 2.3 mil glossy white BOPP optimized for use with HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. High stiffness for automatic dispensing. Great choice for prime labeling.	2.3 58.0	<input type="checkbox"/>
FILMS: WHITE SPECIALTY				
TYVEK®	046TV	DuPont™ Tyvek® (1073D) is a 7.5 mil, strong, translucent polyolefin with exceptional strength and moisture resistance. DuPont™ and Tyvek® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.	7.6 191.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

FACESTOCK SELECTION GUIDE

Title	Code	Description	Target (MILS) (Microns)	MADE IN USA
PIGGYBACKS				
60# DULL LITHO	061DL	60# (89 g/m ²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper.	3.0 76.0	<input type="checkbox"/>
VALUE THERMAL TRANSFER	VALUT	A 42# (62 g/m ²) top-coated, thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.	2.8 70.0	<input checked="" type="checkbox"/>



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

ADHESIVE SELECTION GUIDE

	Minimum Application Temp	Service Temp Range	Description
COLD-TEMP			
00552	-20°F -29°C	-65° to +120°F -54° to +49°C	Acrylic freezer adhesive used in many film wrapped meat and dairy applications, including the more difficult blast freeze environment.
00720	-20°F -29°C	-65° to +180°F -54° to + 82°C	A soft, general purpose, all-temperature acrylic adhesive for paper and film labels. Adheres to a variety of packages in a broad range of temperatures. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
00853	0°F -18°C	-50° to +125°F -46° to + 52°C	A cold-temperature acrylic adhesive, designed to run cleanly on press. Perfect for weigh scale applications.
0720M	-20°F -29°C	-65° to +180°F -54° to +82°F	A versatile cold-temperature acrylic adhesive that adheres to many packaging materials in a broad range of temperatures. Faster stripping than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
PERMANENT			
00102	+40°F +4°C	-40° to +160°F -40° to +71°C	A clear, water-resistant, acrylic film adhesive with high tack and peel. Adheres to a wide variety of surfaces. Offers a good balance between wet-out and repositionability. Meets APR Critical Guidance Recognition for HDPE containers with specific facers.
00103	+40°F + 4°C	-65° to +200°F -54° to + 93°C	A soft, high performance film label acrylic adhesive with excellent clarity and adhesion to low energy surfaces, along with outstanding wet-out.
00406	+10°F -12°C	-40° to +300°F -40° to +150°C	A permanent acrylic adhesive designed for film face stocks used in durable applications. Has high tack and excellent adhesion to low energy surfaces. An environmentally-friendly alternative to solvent adhesives.
00504	+35°F + 2°C	-40° to +160°F -40° to + 71°C	A general purpose acrylic emulsion used primarily with paper substrates.
00506	+45°F + 7°C	-65° to +200°F -54° to + 93°C	A general purpose acrylic emulsion adhesive with good UV stability. Non-yellowing, and generally used with film face stocks.
00508	+45°F + 7°C	-65° to +200°F -54° to + 93°C	A hard, acrylic adhesive. Useful for prime label pharmaceutical (pill bottles). Good for curved surfaces greater than 1/2" diameter requiring mandrel hold. Offers some reposition time on low-energy plastics. Glove friendly.



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc., Coated Products Operations, Roll Printer Price Book) in effect at the

July 3, 2024

ADHESIVE SELECTION GUIDE

Minimum Application Temp	Service Temp Range	Description
PERMANENT (cont.)		
00515 +40°F +4°C	-40° to +250°F -40° to +121°C	A permanent, acrylic adhesive that has good water whitening resistance and adheres well to low surface energy plastics. Good combination of quick tack and high shear makes it ideal for mailing tabs.
00525 +45° F +7°C	-65°F to +200°F -54°C to +93°C	A general purpose permanent, pharmaceutical acrylic adhesive. A higher coat weight version of 508. This adhesive is ideal for rough surfaces. Holds tight in difficult, small diameter applications. Repositionable on some surfaces.
00600 -10°F -23°C	-50° to +125°F -46° to +52°C	A permanent acrylic adhesive, which removes from glass bottles in a 100°F water bath. Designed for wine and other beverage labeling. Can be used in a wide range of temperatures, including cold applications. Removal times depend on facer and bottle type.
00700 +35°F +2°C	-65° to +200°F -54° to + 93°C	A general purpose acrylic emulsion for paper. Repositions on many low energy plastics.
00747 0°F -18°C	-65° to +200°F -54° to +93°C	A general purpose, acrylic permanent that displays excellent adhesion over a broad temperature range while providing aggressive performance. Perfect for wine labeling, as it can withstand ice bucket conditions.
00751 +45°F +7°C	-65° to +200°F -54° to + 93°C	A paper and film compatible acrylic with good adhesion to many substrates. Excellent die-cutting and stripping. Exceptional mandrel hold.
00950 25°F -4°C	-40° to +160°F -40° to +71°C	General purpose filmic adhesive designed for prime label applications. High shear properties leading to excellent press convertibility. Provides good open time for label repositioning. Performs at application temperatures as low as 25°F. Meets APR Preferred Design for Recycling on HDPE (colored) and PP substrates.
00960 14°F -10°C	-40° to +160°F -40° to +71°C	General purpose filmic adhesive designed for prime label applications. Excellent clarity and improved blush resistance. Higher shear film adhesive for improved press convertibility. Performs at application temperatures as low as 14°F. Meets APR Preferred Design for Recycling on HDPE (colored) and PP substrates.
0758M +35°F +2°C	-65° to +200°F -54° to + 93°C	An acrylic general purpose permanent adhesive with great die-cutting and stripping properties. Adheres well to many substrates, including corrugated.
0776S +25°F -4°C	-65° to +200°F -54° to +93°C	A general-purpose acrylic adhesive designed for PET recycling. Will wash off PET clamshells, bottles, and other containers during recycling leaving no adhesive residue behind. When combined with specific facers it has APR Critical Guidance Recognition.



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc., Coated Products Operations, Roll Printer Price Book) in effect at the

July 3, 2024

ADHESIVE SELECTION GUIDE

Minimum Application Temp	Service Temp Range	Description	
REMOVABLE			
00272	+20°F -7°C	-10° to +120°F -23° to +49°C	Non-toxic paper removable microsphere acrylic adhesive with good clean removal. Great choice for kiddie stickers, business forms, and price labels.
00275	+35°F +2°C	+20° to +120°F -7° to +49°C	Most universal acrylic microsphere adhering to corrugated, glass, metal, and plastics. No residue on glass or credit cards. Repositionable. Not recommended for small labels, or flood coated applications. Repulpable when applied to paper face stocks.
00278	+20°F -7°C	-10 to +120°F -23 to +49°C	Ultra-removable microsphere acrylic adhesive for paper face stocks. Adheres to, and removes cleanly from, a variety of substrates. Perfect for kiddie stickers, and short-term labeling such as price marking, promotions, and logistics.
00347	+35°F +2°C	-40° to +180°F -40° to + 82°C	Specialized removable acrylic for film face stocks. Has low peel and no-build properties. Designed for clean and easy removal from glass even after extended periods of time and temperature changes.
00531	+40°F +4°C	0° to +140°F -18° to + 60°C	General purpose removable acrylic adhesive for use with paper or film face stocks. Removes from some glass, plastic, and textile surfaces.
00532	+35°F +2°C	-40° to +160°F -40° to + 71°C	Textile acrylic adhesive that removes cleanly from most fabrics. Not recommended for leather, suede or silk. Be sure to test. All textile applications are different.
00538	+45°F +7°C	0° to +160°F -18° to +71°C	A moderate-to-tight acrylic removable for use with films and strong paper face stocks.
00611	+21°F -6°C	-40° to +172°F -40° to +78°C	A water dissolvable acrylic adhesive. It adheres to, and washes off, many substrates including most plastics, stainless steel and glass. Combined with the dissolvable facer, H2ODP, the label disappears in 30 seconds. Can be used with other face stocks.
00633	30°F -1°C	-65° to +200° F -54° to +93° C	An aggressive removable acrylic adhesive with a clean release for paper and film labels. It adheres to, and removes from, a wide variety of surfaces. Does not ghost. Good mandrel hold. Ideal for resealable closure labels.
00805	0°F -18°C	-50° to +125°F -46° to +52°C	A lighter tack acrylic adhesive for kiddie stickers. Can also be used for other applications requiring short-term removability. Works in a wide range of temperatures.
80361	0°F -18°C	-50° to +125°F -46° to +52°C	Acrylic adhesive designed for short-term removability. Consider for kiddie stickers.



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc., Coated Products Operations, Roll Printer Price Book) in effect at the

July 3, 2024

ADHESIVE SELECTION GUIDE

Minimum Application Temp	Service Temp Range	Description	
RECYCLABLE			
00611	+21°F -6°C	-40° to +172°F -40° to +78°C	A water dissolvable acrylic adhesive. It adheres to, and washes off, many substrates including most plastics, stainless steel and glass. Combined with the dissolvable facer, H2ODP, the label disappears in 30 seconds. Can be used with other face stocks.
00720	-20°F -29°C	-65° to +180°F -54° to +82°C	A soft, general purpose, all-temperature acrylic adhesive for paper and film labels. Adheres to a variety of packages in a broad range of temperatures. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
00757	+32°F +0°C	-58° to +199°F -50° to +93°C	A permanent acrylic adhesive with an aggressive bond to many surfaces, including low-energy plastics and corrugated. Harder adhesive for clean converting. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0720M	-20°F -29°C	-65° to +180°F -54° to +82°F	A hard, versatile cold-temperature acrylic adhesive that adheres to many packaging materials in a broad range of temperatures. Faster stripping than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0760S	+35°F +2°C	-65° to +200° F -54° to +93° C	General purpose permanent acrylic adhesive. Adheres well to many substrates, including corrugated. Great die-cutting and stripping properties. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0776S	+25°F -4°C	-65° to +200°F -54° to +93°C	A general-purpose acrylic adhesive designed for PET recycling. Will wash off PET clamshells, bottles, and other containers during recycling leaving no adhesive residue behind. When combined with specific facers it meets APR Critical Guidance protocol.



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc., Coated Products Operations, Roll Printer Price Book) in effect at the

July 3, 2024

LINER SELECTION GUIDE

Title	Code	Target (Mils) (Microns)	Description
PAPER ROLL-TO-ROLL			
1.7 MIL WHITE GLASSINE	17GL	1.7 43.0	A 28# (45 g/m ²) white glassine provides an excellent surface for die-cutting. The thinner gauge allows more labels on a roll, and the lighter weight provides lower shipping costs saving you and your customers time and money.
2.4 MIL NATURAL KRAFT LINER	39NK	2.4 61.0	Produced without bleaching, this is a more environmentally-friendly, 39# (64 g/m ²) super calendered densified kraft liner offering good die-cutting and stripping. Can be recycled with corrugated.
2.4 MIL SEMI-BLEACHED DENSIFIED KRAFT	40SC	2.4 61.0	A white densified kraft sheet 41# (67 g/m ²) with excellent point-to-point caliper control.
41# WHITE KRAFT LINER	41WK	2.7 69.0	A premium, 41# (66 g/m ²) white kraft liner that is designed for roll-to-roll and fan-fold applications. Outstanding performance die cutting both paper and film.
3.2 MIL SEMI-BLEACHED DENSIFIED KRAFT	50SC	3.2 81.0	A white densified kraft sheet 53# (86 g/m ²) with excellent point-to-point caliper control.
PAPER ROLL-TO-SHEET			
3.4 MIL LASER LINER	0PBLF	3.4 87.0	A premium, 50# (82 g/m ²) white kraft liner that is designed for roll-to-sheet and fan fold applications. Ideal for smooth feeding in desktop laser and inkjet printers. Suitable for die cutting both paper and film.
3.2 MIL CLAY COATED LAY FLAT	0PRLF	3.2 82.0	A premium, 53# (87 g/m ²) white kraft liner. Suitable for roll-to-sheet and fan fold applications. Designed for four-color process printing on the back side. Can be used for die cutting both paper and film.
3.2 MIL KRAFT LAY FLAT	32KLF	3.2 81.0	Designed for roll-to-sheet and fan fold applications, 32KLF is a premium, white kraft 45# (73 g/m ²) liner. It is back side printable. This liner can be used with both paper and film facestocks.
2.7 MIL LASER LINER	41LF	2.7 69.0	A premium, 41# (66 g/m ²) white kraft liner that is designed for roll-to-sheet and fan fold applications. Ideal for smooth feeding in desktop laser and inkjet printers. Suitable for die cutting both paper and film.
3.2 MIL PRINTABLE LAY FLAT LINER	53CRT	3.2 81.0	A 54# (88 g/m ²) blue-white kraft liner. Good dimensional stability for roll-to-sheet lay flat applications. Features a coated back side for a premium appearance and flexo printability. Suitable for charity mailing labels.



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

LINER SELECTION GUIDE

Title	Code	Target (Mils) (Microns)	Description
PAPER ROLL-TO-SHEET (cont.)			
3.5 MIL CLAY COATED LAY FLAT	60LF	3.5 88.0	A 56# (92 g/m ²) liner with high white visual appeal. Ideal for sheeted or fan fold applications. Designed for four-color process printing on the back side.
4.6 MIL LAY FLAT LINER	74LF	4.6 117.0	A white 74# (121 g/m ²) kraft liner that offers good dimensional stability for roll-to-sheet applications. Perfect for facer materials and applications that need extra rigidity to lay flat.
FILM			
1.2 MIL CLEAR POLYESTER	12NB	1.2 30.0	Clear polyester with an excellent surface for die-cutting. Great strength for high speed converting and application.
1.2 MIL CLEAR POLYESTER	12PE	1.2 31.0	Clear polyester liner with a firm surface for die-cutting. Easy release for high speed converting and application.
1.4 MIL CLEAR POLYESTER	15PT	1.4 36.0	Clear polyester liner with an excellent surface for die-cutting and high speed automatic applications.
.92 MIL CLEAR POLYESTER	92NB	0.9 23.0	Clear polyester with an excellent surface for die-cutting. Great strength for high speed converting and application. The benefits of this thinner gauge liner include reducing plastic use, decreasing shipping weight, and allowing more labels on a roll.
POLY KRAFT			
3.1 MIL NATURAL KRAFT/POLYPROPYLENE	44PM	3.1 72.0	A 44# (72 g/m ²) natural kraft liner extrusion coated with polypropylene. Designed to prevent V-type tears and is an excellent choice for high speed automatic applications. Commonly used in wine label applications.



Green Bay Packaging Inc.
Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

WHITE PAPERS - HIGH-GLOSS

57# CAST COATED HIGH-GLOSS

57# (85 g/m²) high-gloss sheet with a smooth, reflective surface designed for top-quality graphic reproduction.

057HG	00504	40SC	S7823760	248	C			I		
057HG	00720	40SC	S7824560	244	I	I		I		I
057HG	00747	40SC	S7813760	246	C					
057HG	00751	40SC	S8060260	249	C			I		
057HG	00751	40SC	S8941560	242	C	I				

ENCORE GLOSS

61# (89 g/m²) super calendered high-gloss sheet. This C1S paper is designed for premium labeling applications. Non-cast coated paper featuring excellent gloss and suitable for process printing.

060EG	00720	40SC	S7146060	252	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

WHITE PAPERS - SEMI-GLOSS

53# SEMI-GLOSS OPAQUE

53# (78 g/m²) semi-gloss with a gray opaque barrier coating on the back. Designed for cover up labels. Excellent opacity, so the errors will not be visible. Smooth print surface for attractive graphic reproduction. FSC®-certified paper.

054SA	00720	40SC	S8820660	232	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				I - Inventory C - Custom I - Inventory I TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
WHITE PAPERS - SEMI-GLOSS										

53# SEMI-GLOSS

53# (78 g/m²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.

054SG	00278	40SC	S8164560	226	I					
054SG	00508	40SC	S7558760	235	C					
054SG	00515 00515	12NB 40SC	S9075360	318	I					
054SG	00532	40SC	S8280160	230	C					
054SG	00552	40SC	S9931260	236	I					
054SG	00633	40SC	S9175160	233	I					
054SG	00700	40SC	S7755860	238	I					
054SG	00700	40SC	S8861360	235	C					
054SG	00720	40SC	S7724460	231	I	I	I	I	I	I
054SG	00720	12NB	S8121860	197	I	I				I
054SG	00751	40SC	S7748960	238	I	I	I	I	I	I
054SG	00751	12NB	S8823660	199	I					
054SG	00751	40SC	S8895960	235	C				I	
054SG	00805	0PRLF	S8941160	258	I					
054SG	0720M	40SC	S8849360	234	I	I			I	I
054SG	0720M	12NB	S8898960	197	I					I
054SG	0758M 0758M	40SC 50SC	S7686660	375	C					
054SG	0758M 0758M	40SC 40SC	S8027060	354	I					
054SG	0758M	0PRLF	S8082660	262	I	I	I			

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

WHITE PAPERS - SEMI-GLOSS

53# SEMI-GLOSS - continued

53# (78 g/m²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.

054SG	0758M	41LF	S9176660	234	I					
054SG	80361	0PRLF	S8001560	262	I	I				

54# WET STRENGTH SEMI-GLOSS

54# (80 g/m²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.

054WS	00747	40SC	S8901460	238	I	I				
054WS	00747	12NB	S8906760	201	C					

SEMI-GLOSS PREFERRED OPAQUE

60# (88.8/m²) Semi-Gloss Preferred (060PR) with a gray opaque barrier coating. Designed for cover up labels. Excellent print surface with flexo, toner, or offset. FSC®-certified paper.

060PA	00720	40SC	S7709260	251	C					
060PA	0758M	40SC	S7712860	249	I	I				I

SEMI-GLOSS PREFERRED

60# (88.8/m²) semi-gloss, multi-purpose paper with superior gloss and print qualities. A warm white color. Excellent print surface for flexo, toner, or offset. FSC®-certified paper.

060PR	00272	40SC	S7018060	245	I					
060PR	00275	41WK	S9156360	241	I	I				

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

WHITE PAPERS - SEMI-GLOSS

58# SEMI-GLOSS

58# (87 g/m²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent graphic results with flexo, offset, or toner-based printing. FSC®-certified paper.

060SG	00720	40SC	S7804560	244	I	I			I	
060SG	00747	40SC	S7813460	244	C					
060SG	00751	40SC	S7821360	249	C					
060SG	0720M	40SC	S8899160	244	I	I	I			I
060SG	0758M	60LF	S8003760	280	C	I				

80# SEMI-GLOSS

80# (118 g/m²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent print surface for flexo, toner, or offset. This heavier sheet offers greater stiffness and opacity. FSC®-certified paper.

080SG	00720	40SC	S8153960	290	C					
080SG	00751	60LF	S8732360	331	C					
080SG	0758M	40SC	S8098160	294	C					

FSC® CERTIFIED 53# SEMI-GLOSS PAPER

53# (78 g/m²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.

F54SG	00720	40SC	S8792860	234	C					I
F54SG	00747	40SC	S7739560	232	I	I				

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

WHITE PAPERS - SEMI-GLOSS

60# SEMI-GLOSS WITH 30% POST-CONSUMER WASTE

A 60# (89 g/m²) semi-gloss face stock with 30% post-consumer recycled fiber. Excellent strength characteristics enhance label converting and application. Smooth print surface for outstanding graphics. FSC®-certified paper.

R60SG	00720	40SC	S8187460	248	C					
R60SG	00720	39NK	S8743660	246	C	I				

WHITE PAPERS - MATTE

60# LITHO MATTE

A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses.

060LM	00720	40SC	S8842760	251	C					
060LM	00751	40SC	S8830560	251	C					I

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

WHITE PAPERS - MATTE

60# DULL LITHO

60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper.

061DL	00504	40SC	S7754060	253	C					
061DL	00700	40SC	S7746460	253	C					
061DL	00720	40SC	S4331060	251	I					
061DL	00751	40SC	S7752260	253	C					
061DL	00751	32KLF	S8047760	263	C					
061DL	0758M	0PRLF	S8003060	277	I					
061DL	0758M	40SC	S8769360	245	I					

WHITE PAPERS - INDIGO TOPCOATED

INDIGO TOPCOATED 55# SEMI-GLOSS

55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper.

D55SG	00720	40SC	S8142460	239	C					
D55SG	00751	40SC	S8126960	237	C					

Locations: GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom I TIP Item
---	---	---	---

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

TAG STOCK

8 POINT GLOSS WHITE CLAY COATED TAG

A glossy, bright white, 130# (192 g/m²) board with excellent print characteristics. Coated on both sides, allowing for multiple uses - as a tag, or in a pressure-sensitive structure. FSC®-certified paper.

008GB	00504	40SC	S9941860	398	I					
008GB	00532	40SC	S9941260	395	C					
008GB	00751	40SC	S7666660	400	C	I				
008GB			S7670560	273	C					

EDP

50# EDP SMUDGE RESISTANT

A 50# (74 g/m²) general purpose uncoated paper. Bright white with excellent smudge resistance. Designed for high performance. FSC®-certified paper.

050ED	00700	50SC	S7032060	252	C			I		
050ED	00720	40SC	S6069060	228	I					I
050ED	00720	50SC	S6499060	249	I	I				
050ED	0758M	50SC	S7648760	248	C					
050ED	0758M	40SC	S7648960	231	C					
050ED	0758M 0758M	40SC 40SC	S7725060	356	C					

PHARMACEUTICAL

PHENOL-FREE DIRECT THERMAL PRESCRIPTION VIAL LABEL

This 48# (71 g/m²), phenol-free, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.

021RX	00751	40SC	S9174660	229	I	I				
-------	-------	------	----------	-----	---	---	--	--	--	--

Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom ■ TIP Item
------------	--	---	---	---

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
PHARMACEUTICAL										

40# PHARMACEUTICAL LITHO

40# (60 g/m²) lightweight C1S semi-gloss litho with good ink holdout. Candidate for pharmaceutical and nutritional labeling.

040PL	00751	40SC	S5545060	209	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

FLUORESCENT PAPERS										
---------------------------	--	--	--	--	--	--	--	--	--	--

BLUE FLUORESCENT

57# (84 g/m²) blue matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.

054BZ	00720	40SC	S8122860	239	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

GREEN FLUORESCENT

57# (84 g/m²) green matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.

054GZ	00720	40SC	S6231060	239	I					
054GZ	00720	40SC	S7656360	239	C			I		I
054GZ	0758M	0PBLF	S8189860	262	I					

ORANGE FLUORESCENT

57# (84 g/m²) orange matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.

054OZ	00720	40SC	S6235060	239	I					
054OZ	00720	40SC	S7607960	239	C					I
054OZ	0758M	0PBLF	S8190060	262	I					

Locations: GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom TIP Item
---	---	---	---

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FLUORESCENT PAPERS										

PINK FLUORESCENT

57# (84 g/m²) pink matte fluorescent coated paper. Designed for laser, price marking, inkjet, promotional and general roll label applications. FSC®-certified paper.

054PZ	00720	40SC	S7748660	239	C					I
054PZ	00720	40SC	S8034360	239	I					
054PZ	0758M	0PBLF	S8190160	262	I					

RED FLUORESCENT

57# (84 g/m²) red matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.

054RZ	00720	40SC	S6066060	239	I	I	I		I	
054RZ	00720	40SC	S7743960	239	C			I		I
054RZ	0758M	0PBLF	S8190260	262	I					

YELLOW CHARTREUSE FLUORESCENT

57# (84 g/m²) yellow chartreuse matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.

054YZ	00720	40SC	S6237060	239	I					
054YZ	00720	40SC	S7748760	239	C					I
054YZ	0758M	0PBLF	S8189960	262	I					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
BEER & WINE LABEL										

54# WET STRENGTH SEMI-GLOSS

54# (80 g/m²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.

054WS	00747	40SC	S8901460	238	I	I				
054WS	00747	12NB	S8906760	201	C					

CLASSIC CREST* SOLAR WHITE SMOOTH

60# (89 g/m²) smooth, uncoated white paper with an excellent printing surface, high strength, and dimensional stability. Perfect for wine labels and other upscale products. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc.

0WCSW	00747	44PM	S8741852	258	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

ESTATE LABEL* #4 WHITE LAID

60# (89 g/m²) white, laid, uncoated, wet strength paper. Maintains its visual integrity when wet. Perfect for wine and beer labels. Its high-end look matches well with upscale products. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper.

0WEL4	00747	44PM	S8748260	258	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

ESTATE LABEL* #8 WHITE SMOOTH

60# (89 g/m²) uncoated, white, wet strength paper. Maintains its integrity when wet. Designed for wine and other high-end labels, such as gourmet foods and cosmetics. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper.

0WEL8	00747	44PM	S8266860	258	I					I
0WEL8	00747	12NB	S8756060	216	C					

ESTATE LABEL* #9 CREAM LAID

60# (89 g/m²) uncoated cream wet strength paper. Maintains its integrity when wet. Perfect for wine and other upscale labels, such as gourmet foods and cosmetics. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc.

0WEL9	00747	44PM	S8742160	258	I					I
-------	-------	------	----------	-----	---	--	--	--	--	---

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

SPECIALTY PAPERS

54# WET STRENGTH SEMI-GLOSS

54# (80 g/m²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.

054WS	00747	40SC	S8901460	238	I	I				
054WS	00747	12NB	S8906760	201	C					

BROWN NATURAL KRAFT

60# (89 g/m²) brown natural kraft paper. The natural look makes it perfect for labeling organic or other earth-friendly products. It can also be used for cover-up labels on corrugated containers.

060GM	00720	40SC	S8083760	264	C		I			I
060GM	0758M	40SC	S7649360	264	I					

60# HEMP PAPER

A 60# (89 g/m²) paper made with 25% hemp fibers and 75% post-consumer waste. Designed for labeling cannabis and other hemp products. With no virgin wood content and a natural look it is also a perfect match for organic and other eco-friendly products.

1HEMP	00720	39NK	S9111352	246	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

TRANSLUCENT PAPER

A 42# (62 g/m²) ultra-clear translucent paper. It is well-suited for wafer seal mailing tabs. Can be used for tamper-evident seals. Also provides a unique look for primary package decoration.

1TRCT	00515	40SC	S9204660	211	C					
1TRCT	00751	40SC	S9193960	207	C					
1TRCT	00757	40SC	S9189960	208	C					

DISSOLVABLE PAPER

A water-soluble paper. Coated with the dissolvable adhesive, 611, it disappears in seconds under running water. Leaves no residue on the container. Best dissolvable performance when printed with water-based inks. Keep wrapped until used. FSC®-certified.

H2ODP	00611	40SC	S8210460	206	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
SPECIALTY PAPERS										

50# KONA LIGHT ROAST

KONAL is a 50# (74g/m²), 100% PCW recycled wet strength product. A blend of repurposed coffee bean bag fiber and post-consumer waste material. Perfect for labeling any coffee-related product, or environmentally-friendly packaging. FSC®-certified paper.

KONAL	00720	39NK	S8796760	228	I					
KONAL	00751	39NK	S8841160	228	C					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

LAMINATED FOILS

BRIGHT GOLD FOIL

Top coated 70# (104 g/m²) bright gold laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.

055BG	00720	40SC	S6301060	276	I					I
-------	-------	------	----------	-----	---	--	--	--	--	---

BRIGHT SILVER FOIL

Top coated 70# (104 g/m²) bright silver laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.

055BS	00720	40SC	S6299060	276	I					I
-------	-------	------	----------	-----	---	--	--	--	--	---

055BS	00751	40SC	S5732060	281	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

DULL GOLD FOIL

Top coated 70# (104 g/m²) dull gold laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.

055DG	00720	40SC	S6300060	276	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

DULL SILVER FOIL

Top coated 70# (104 g/m²) dull silver laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.

055DS	00720	40SC	S6306060	276	I	I				I
-------	-------	------	----------	-----	---	---	--	--	--	---

055DS	00751	40SC	S4601060	281	C					I
-------	-------	------	----------	-----	---	--	--	--	--	---

FOIL SUBSTITUTES

1.85 MIL SILVER METALIZED BOPP

1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.

018MT	00102	40SC	S9129360	182	C					I
-------	-------	------	----------	-----	---	--	--	--	--	---

018MT	00102	12NB	S9133760	148	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

018MT	00720	40SC	S9036760	181	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom I TIP Item
---	---	---	---

Additional hologram patterns available: Minimum customer order Qty is 18 MMSI Please allow 4 to 6 weeks for delivery

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

FOIL SUBSTITUTES

2.0 MIL SILVER METALIZED BOPP

A 2.0 mil BOPP metalized on the back side for a shiny silver appearance. Top coated for printability with a wide range of ink systems.

021MU	00102	40SC	S8056060	188	C					I
021MU	00720	40SC	S8031460	186	I	I				
021MU	00751	40SC	S7345060	191	C					

HOLOGRAM PRISMATIC DIFFRACTION: RAINBOW

64# (94 g/m²) decorative prismatic diffraction paper. Shim lines/seams are present in holographic material. This gap in the pattern will be up to 1/32" wide. The area between the shim lines measures 30" machine direction (MD) and 48" cross direction (CD).

056H5	00751	40SC	S4607060	253	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

HOLOGRAM PRISMATIC DIFFRACTION: LOTS-O-DOTS

60# (89 g/m²) decorative prismatic diffraction paper. Shim lines/seams are present in holographic material. This gap in the pattern will be up to 1/32" wide. The area between the shim lines measures 30" machine direction (MD) and 48" cross direction (CD).

056H7	00504	40SC	S2344060	252	C					
056H7	0758M 0758M	40SC 40SC	S8265860	375	C					

56# SILVER METALIZED PAPER

56# (83 g/m²) top coated silver metalized paper. Not recommended for HP Indigo Presses.

057MS	00720	40SC	S6203060	241	I		I			I
057MS	00751	40SC	S5841060	242	I					

SILVER METALIZED WET STRENGTH PAPER

56# (83 g/m²) top coated silver metalized paper. Wet strength for use in moist environments including refrigerated foods and chilled beverages. The metallic look makes a product's graphics stand out.

56MSW	00720	40SC	S8982560	241	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom I TIP Item
------------	--	---	---	---

Additional hologram patterns available: Minimum customer order Qty is 18 MMSI Please allow 4 to 6 weeks for delivery

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

THERMAL TRANSFER

2.6 MIL THERMAL TRANSFER WHITE LABEL-LYTE™

2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is required. Label-Lyte is a trademark of Jindal Films America.

026TT	00747	40SC	S8773660	192	I					I
-------	-------	------	----------	-----	---	--	--	--	--	---

THERMAL TRANSFER WHITE LABEL-LYTE™

3.0 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is important. Label-Lyte is a Trademark of Jindal Films America.

030TT	00747	40SC	S5213060	199	C					I
-------	-------	------	----------	-----	---	--	--	--	--	---

HIGH SPEED COATED THERMAL TRANSFER

47# (70 g/m²) premium bright white, coated, ultra-smooth thermal transfer paper stock offering broad ribbon compatibility. FSC®-certified paper.

050HS	00272	40SC	S7019060	218	I					I
050HS	00275	41WK	S9156260	214	I					
050HS	0758M	40SC	S7699560	227	C					

3.0 MIL TC MATTE WHITE BOPP

A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used with thermal transfer, flexography, screen, letterpress, and other print methods. It is moisture, chemical and tear resistant.

075WP	00747	40SC	S8149152	214	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

THERMAL TRANSFER

TOP COATED KIMDURA® FPG 95

A 4.2 mil Kimdura® BOPP specially top coated for thermal transfer, dot matrix, ion deposition and digital printing. Registered Trademark of Neenah Paper, Inc. © 2007 NPI All Rights Reserved.

095TK	00506	40SC	S3252060	256	I					
095TK	00506	50SC	S3256060	272	C					
095TK	00538	50SC	S3286060	272	I					
095TK	00751	50SC	S5391060	273	I					

SELECT THERMAL TRANSFER OPAQUE

A 44# (65 g/m²) gray opaque multi-purpose thermal transfer sheet. Designed for cover up labels, with excellent opacity. Premium coating for enhanced flexo graphics. FSC®-certified paper.

0TTFA	0758M	40SC	S7711260	218	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

SELECT THERMAL TRANSFER

A 44# (65 g/m²) multi-purpose thermal transfer sheet. Premium coating for enhanced flexo-printed graphics. FSC®-certified paper.

0TTFP	00531	40SC	S7843160	216	I					
0TTFP	00700	40SC	S6745060	218	C			I		
0TTFP	00720	40SC	S7833160	214	I		I	I	I	
0TTFP	00751	40SC	S6613060	216	C					
0TTFP	0758M	40SC	S7664660	215	I	I	I	I		I

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
THERMAL TRANSFER										

MATTE WHITE BOPP

A 3.7 mil top coated matte white BOPP. UV resistant. A synthetic paper, it can be printed by thermal transfer, flexography, screen, and letterpress. Moisture, chemical and tear resistant. For drum label, outdoor and other demanding applications.

100WP	00720	40SC	S8204960	227	C					
100WP	00747	50SC	S7604660	247	C					
100WP	00747	40SC	S7605960	229	I					
100WP	00751	40SC	S7206060	226	C					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			■ TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
THERMAL TRANSFER										
VALUE THERMAL TRANSFER										
A 42# (62 g/m ²) top-coated, thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.										
VALUT	00278	40SC	S8175760	200	I					
VALUT	00531	40SC	S9109660	212	I					
VALUT	00720	40SC	S7851360	210	I	I	I		I	I
VALUT	00720	12NB	S9178360	174	I					
VALUT	00751	40SC	S7841560	210	C			I		
VALUT	00751	40SC	S8278660	210	C	I				
VALUT	00757	40SC	S9013660	213	I	I	I	I	I	I
VALUT	0758M	40SC	S7839660	210	I	I	I	I	I	I
VALUT	0758M 0758M	40SC 40SC	S8138960	338	I					
VALUT	0758M	17GL	S8777860	183	C					

DIRECT THERMAL

TOP COATED DIRECT THERMAL PAPER
A 38# (56.2 g/m²) high sensitivity, top coated direct thermal paper. This thinner caliper facer allows more labels per roll. Ideal for hand-applied mobile printing applications. FSC®-certified paper.

015DT	00720	40SC	S9192179	249	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

NON-TOP COATED DIRECT THERMAL PAPER
A 47# (69.9 g/m²) medium sensitivity non-top coated direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.

024NT	00720	40SC	S9195479	220	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

DIRECT THERMAL

PHENOL-FREE DIRECT THERMAL PRESCRIPTION VIAL LABEL

This 48# (71 g/m²), phenol-free, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.

021RX	00508	40SC	S9174760	229	C		I			I
021RX	00751	40SC	S9174660	229	I	I				

RED FLUORESCENT DIRECT THERMAL

A 54# (80 g/m²) bright red direct thermal coated paper. Images black. Intended for attention-grabbing promotional point-of-purchase labels, or color coded warehouse tracking. FSC®-certified paper.

022FT	00720	40SC	S9127860	234	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

3.4 MIL NEAR IR PACKAGE DELIVERY DIRECT THERMAL

A 50# (74 g/m²) direct thermal paper top-coated for handling durability. Near IR designed for package delivery. PCS and scanning up to 670 nm. For high-heat environments. Resists imaging up to 100°C. Moderate to fast print speeds. FSC®-certified paper.

022PD	0758M	40SC	S8897252	230	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

PREMIUM TOP COATED TD

A 53# (78 g/m²) top coated direct thermal coated paper for more demanding applications and higher imaging speeds. FSC®-certified paper.

022TD	00272	40SC	S7603560	230	I					
022TD	00275	41WK	S9156560	226	I					
022TD	00720	40SC	S6290060	234	I					
022TD	00747	40SC	S7552960	236	C					
022TD	0758M 0758M	40SC 40SC	S7657960	361	C					

ECONOMY TOP COATED DIRECT THERMAL PAPER

A 53# (78 g/m²) top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.

024DT	00720	40SC	S8814460	232	I		I			I
-------	-------	------	----------	-----	---	--	---	--	--	---

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
DIRECT THERMAL										
ECONOMY TOP COATED DIRECT THERMAL PAPER										
A 47# (70 g/m ²) top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.										
025DT	00531	40SC	S8975760	222	I					
025DT	00633	40SC	S9176860	218	C					
025DT	00720	40SC	S8975560	219	I	I	I	I	I	I
025DT	00720	40SC	S9087260	222	C					
025DT	00751	40SC	S8976560	226	I					
025DT	00757	40SC	S9018260	221	I	I			-	

NON-TOP COATED DIRECT THERMAL PAPER										
A 51# (75 g/m ²) medium sensitivity non-top coated direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.										
025NT	00531	40SC	S8274460	223	I					
025NT	00720	40SC	S8153252	224	I	I	I	I	I	I
025NT	00720	40SC	S8153260	224	C	I				
025NT	00757	40SC	S9232760	226	I	I				
025NT	0758M	40SC	S8155352	226	I	I				
025NT	0758M	40SC	S8155360	226	C	I				

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

DIRECT THERMAL

3.0 MIL SYNTHETIC MEDIUM SENSITIVITY FILM

A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned.

070MK	00720	40SC	S4335060	208	I		I			
070MK	00747	40SC	S7600260	210	C					
070MK	00853	40SC	S5065060	204	C					

3.3 MIL SYNTHETIC MEDIUM SENSITIVITY FILM

A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium degree of sensitivity. Use when moisture and environmental resistance are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned.

084MB	00278	40SC	S8872160	211	C					
084MB	00751	40SC	S8862460	221	C					

SYNTHETIC MEDIUM SENSITIVITY FILM

4.1 mil white BOPP film with direct thermal coating. Top coated for durability. Medium degree of sensitivity.

095RK	00720	40SC	S4101060	237	I	I	I		I	
095RK	00747	40SC	S7549860	240	I					

SYNTHETIC MEDIUM SENSITIVITY FILM

4.1 mil white BOPP film with direct thermal coating. Produces a dark image. Top coated for durability. Water and environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling.

096RK	00504	40SC	S9194960	231	C					
096RK	00720	40SC	S9177360	225	I	I				
096RK	00747	40SC	S9194760	229	C					

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA
 WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

I - Inventory
 C - Custom
 I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
DIRECT THERMAL										

TOP COATED VALUE DIRECT THERMAL

A 48# (71 g/m²) top coated paper. Resists moisture, heat, humidity, fading, scuffing, chemicals, and plasticizers. Use for weigh scale applications, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper.

24VTB	00720	40SC	S9030960	221	I	I	I		I	I
24VTB	00853	40SC	S9169560	223	I					
24VTB	00853	40SC	S9170460	220	I					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			■ TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
INK JET / LASER										

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

SUPER BRIGHT LASER JET

51# (75 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for both laser and ink jet printing. FSC®-certified paper.

050LJ	00720	0PBLF	S8214960	250	I					
050LJ	00751	0PBLF	S8218060	255	I		I			I
050LJ	00757	0PBLF	S9207460	254	I	I				I
050LJ	0758M	32KLF	S8048560	239	C					
050LJ	0758M	0PBLF	S8165060	253	I					I
050LJ	0758M	41LF	S8238360	233	I					
050LJ	0758M	53CRT	S9184660	261	C					

BLUE FLUORESCENT

57# (84 g/m²) blue matte fluorescent coated paper. Designed for laser, price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.

054BZ	00720	40SC	S8122860	239	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

GREEN FLUORESCENT

57# (84 g/m²) green matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054GZ	0758M	0PBLF	S8189860	262	I					
-------	-------	-------	----------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
INK JET / LASER										

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

ORANGE FLUORESCENT

57# (84 g/m²) orange matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054OZ	0758M	0PBLF	S8190060	262	I					
-------	-------	-------	----------	-----	---	--	--	--	--	--

PINK FLUORESCENT

57# (84 g/m²) pink matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054PZ	0758M	0PBLF	S8190160	262	I					
-------	-------	-------	----------	-----	---	--	--	--	--	--

RED FLUORESCENT

57# (84 g/m²) red matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054RZ	0758M	0PBLF	S8190260	262	I					
-------	-------	-------	----------	-----	---	--	--	--	--	--

YELLOW CHARTREUSE FLUORESCENT

57# (84 g/m²) yellow chartreuse matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054YZ	0758M	0PBLF	S8189960	262	I					
-------	-------	-------	----------	-----	---	--	--	--	--	--

PREMIUM COATED MATTE INK JET

A 61# (90 g/m²) matte-coated ink jet sheet with good opacity. It is waterfast and provides an extremely high level of smear resistance. This facer offers high resolution imaging and is compatible with a broad array of inkjet printers.

06MIJ	00751	40SC	S8087060	255	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
INK JET / LASER										

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

60# MATTE-COATED INK JET

A 60# (88 g/m²) matte-coated, acid-free, inkjet sheet with an exceptionally bright, blue-white shade. It provides high resolution imaging, and excellent smear and water resistance. It is compatible with a broad array of inkjet printers. FSC®-certified.

07INK	00720	40SC	S9206460	248	I					I
07INK	00751	40SC	S9205860	252	C					
07INK			S9206260	125	C					

59# GLOSS INKJET PAPER

A 59# (87 g/m²) high gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. Not recommended for flexo printing. FSC®-certified.

1GINK	00720	0PBLF	S8264660	270	C					
1GINK	00720	40SC	S8721460	249	I					
1GINK	00751	40SC	S8714360	245	C					
1GINK	0758M	41LF	S8718860	246	C					

65# SEMI-GLOSS IINKJET PAPER

A 65# (97 g/m²) semi gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. FSC®-certified.

SG2NK	0720M	40SC	S9189560	329	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
INK JET / LASER										

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

3.4 MIL MATTE WHITE INK JET BOPP

A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.

34WIJ	00720	40SC	S9177960	201	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

47# FSC®-CERTIFIED SUPER BRIGHT LASER JET

47# (70 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for laser and ink jet printing. Lighter weight for shipping savings. Thinner caliper for space savings and reduced packaging. Offers the option of more labels on a roll. FSC®-certified.

F47LJ	00757	41LF	S9077660	226	C	I				
F47LJ	0758M	41LF	S9171560	226	I					
F47LJ	0758M	0PBLF	S9172060	248	I					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (CLEAR)										
1.85 MIL CLEAR TOP COATED BOPP										
1.85 mil clear top-coated BOPP is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Ultra clear for a no-label look. Perfect for health and beauty aid, household care, and beverage labeling.										
018CT	00102	39NK	S9064660	181	I					I
018CT	00102	40SC	S9091760	182	C					
018CT	00102	12NB	S9092460	148	C					I
018CT	00720	40SC	S9064560	181	I	I				
018CT	00751	40SC	S9092760	185	I	I				
018CT	00960	12NB	S9202560	143	I					I
018CT	00960	40SC	S9213560	181	I					I
018CT	00960	39NK	S9221960	180	I					I
018CT	0720M	40SC	S9090660	181	I					
018CT	0776S	40SC	S9095260	178	I					
018CT	0776S	12NB	S9106460	144	C					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			■ TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (CLEAR)										
2.0 MIL CLEAR TOP COATED BOPP										
2.0 mil clear top-coated BOPP offers excellent print results with water-based and UV flexo ink systems, and hot stamping. Ultra clear for a no-label look. Perfect for health and beauty aid, household care, pharmaceutical, and beverage labeling.										
020CL	00102	40SC	S8017560	188	I					
020CL	00102	12NB	S8766160	154	C					
020CL	00103	40SC	S8763760	187	C					
020CL	00103	15PT	S8779560	165	C					
020CL	00720	40SC	S8766360	187	I					
020CL	00751	40SC	S8782260	191	C			I		
020CL	00751	12NB	S8838960	154	C					
020CL	00960	40SC	S9221160	187	I	I	I	I		I
020CL	00960	12NB	S9222060	150	I					
020CL	0720M	40SC	S8997360	187	C					I

2.2 MIL FLEXICLEAR™ TC CONFORMABLE BOPP

A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc.

022FC	00102	40SC	S8104460	194	C					
022FC	00751	12NB	S8836560	160	C					

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

FILMS: POLYPROPYLENES (CLEAR)

3.6 MIL CLEAR TC BOPP

A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.

036CG	00347	50SC	S6883060	269	I					
036CG	00347	74LF	S9127360	316	I					

FILMS: POLYPROPYLENES (WHITE)

2.2 MIL FLEXIWHITE™ TC CONFORMABLE BOPP

A 2.2 mil top coated white BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiWhite™ is a Trademark of Green Bay Packaging Inc.

022FW	00751	40SC	S8103360	198	I					
022FW	00751	12NB	S8840360	164	C					

2.3 MIL TOP COATED WHITE BOPP

A 2.3 mil white top coated BOPP, backside coated to aid in adhesive anchorage. Excellent compatibility using UV curing inks or water based flexo ink systems. High stiffness for conversion and automatic dispensing. Great choice for prime labeling.

023WB	00633	12NB	S8167160	169	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (WHITE)										

2.3 MIL WHITE TOP COATED BOPP

A 2.3 mil white top coated BOPP with excellent compatibility using UV curing inks or water based flexo ink systems. High stiffness for conversion and automatic dispensing. Great choice for prime labeling.

023WP	00102	40SC	S7731160	204	I	I				
023WP	00103	40SC	S7000060	202	C					
023WP	00103	12NB	S7895760	169	C					
023WP	00720	40SC	S7630960	202	I	I				
023WP	00751	40SC	S7722460	207	I					
023WP	00751	12NB	S8823860	170	C					
023WP	00950	40SC	S9221260	202	I	I				I

2.3 MIL WHITE TOP-COATED BOPP

2.3 mil solid white top-coated BOPP. Compatible with UV and water-based flexo, and UV inkjet printing; also hot stamping. Exceptional opacity. Backside treated for adhesive anchorage. Great stiffness for auto application. Ideal for prime labeling.

023WT	00102	40SC	S9126860	204	C	I	-			
023WT	00720	40SC	S9065960	202	C					
023WT	00950	40SC	S9221560	202	C	I	I			-
023WT	0720M	40SC	S9133560	202	I					I

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			■ TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (WHITE)										
2.4 MIL TOP COATED WHITE LABEL-LYTE™										
A 2.4 mil glossy white BOPP top coated for ink adhesion. Has a distinctive pearlescent sheen. Excellent compatibility with UV curing inks and water based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.										
024TL	00102	92NB	S8276460	138	C					
024TL	00102	12NB	S8724760	153	C					
024TL	00102	40SC	S8775660	185	C	I	-	I		-
024TL	00720	40SC	S8773560	188	I					I
024TL	00747	40SC	S8779660	190	C			I		
024TL	00751	40SC	S8787060	190	I					
024TL	00751	12NB	S8832660	153	I					
024TL	00950	92NB	S9215060	135	I					
024TL	00950	40SC	S9221060	185	I	I	I	I		I
024TL	00950	12NB	S9222260	148	I					
024TL	0720M	40SC	S9042760	190	C	I				
024TL	0776S	40SC	S9070160	182	C					
024TL	0776S	12NB	S9070260	148	C					

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
 WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA C - Custom
■ TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (WHITE)										
2.6 MIL TOP COATED WHITE LABEL-LYTE™										
A 2.6 mil glossy white BOPP top coated for ink adhesion. Has a distinctive pearlescent sheen. Excellent compatibility with UV curing inks and water based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.										
026TL	00102	40SC	S7802360	190	C		-		I	
026TL	00102	12NB	S8010760	158	C					
026TL	00103	40SC	S6174060	190	I			I		
026TL	00633	40SC	S8123660	189	C					
026TL	00720	40SC	S6173060	190	I					
026TL	00747	40SC	S7600560	195	I					I
026TL	00751	40SC	S5384060	191	I	I				I
026TL	00751	12NB	S8825660	158	C					
026TL	00950	40SC	S9215460	190	I	I	I	I	I	I
026TL	00950	12NB	S9222160	153	I					
026TL			S6397560	70	C					

3.6 MIL WHITE TC BOPP

A 3.6 mil white BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.

036WG	00347	50SC	S6888060	278	I					
036WG	00347	74LF	S9157660	325	I					

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA
 WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

I - Inventory
 C - Custom
 ■ TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (WHITE)										
2.4 MIL WHITE TOP-COATED BOPP										
2.4 mil white top-coated BOPP. It is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling.										
24WCT	00102	40SC	S9110760	182	C				-	I
24WCT	00102	12NB	S9113660	148	I					I
24WCT	00103	40SC	S9131460	181	C					
24WCT	00720	40SC	S9134360	180	I					I
24WCT	00751	12NB	S9121060	148	C					
24WCT	00751	40SC	S9123660	182	I					
24WCT	00950	40SC	S9215260	181	I	I	I		I	I
24WCT	00950	12NB	S9221460	143	I					I
24WCT	0720M	40SC	S9119160	182	I					
24WCT	0776S	40SC	S9120460	177	I					I

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
 WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA C - Custom
■ TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (WHITE)										
2.6 MIL WHITE TOP-COATED BOPP										
A 2.6 mil glossy white BOPP. It is top coated for dependable ink adhesion. Excellent compatibility with UV and water-based flexo ink systems, as well as UV inkjet. A perfect look for use on health and beauty aids, household care products, and beverages.										
26WCT	00102	40SC	S9021460	187	C					I
26WCT	00102	12NB	S9121260	154	C					
26WCT	00103	40SC	S9123160	187	C					
26WCT	00720	40SC	S9121160	187	I					
26WCT	00747	40SC	S9123260	191	C					
26WCT	00751	40SC	S9021560	188	I					
26WCT	00950	40SC	S9215360	187	I	I				I
26WCT	00950	12NB	S9222360	150	I					
26WCT			S9120660	67	C					

3.4 MIL MATTE WHITE INKJET BOPP										
A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.										
34WIJ	00720	40SC	S9177960	201	I					

FILMS: POLYPROPYLENES (VARIABLE IMAGING)										
2.6 MIL THERMAL TRANSFER WHITE LABEL-LYTE™										
2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is required. Label-Lyte is a trademark of Jindal Films America.										
026TT	00747	40SC	S8773660	192	I					I

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (VARIABLE IMAGING)										

THERMAL TRANSFER WHITE LABEL-LYTE™

White Label-Lyte BOPP with a thermal transfer top coat. Label-Lyte is a Trademark of Jindal Films America.

030TT	00747	40SC	S5213060	199	C					I
-------	-------	------	----------	-----	---	--	--	--	--	---

3.0 MIL SYNTHETIC MEDIUM SENSITIVITY FILM

A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned.

070MK	00720	40SC	S4335060	208	I		I			
070MK	00747	40SC	S7600260	210	C					
070MK	00853	40SC	S5065060	204	C					

3.0 MIL TC MATTE WHITE BOPP

A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used with thermal transfer, flexography, screen, letterpress, and other print

075WP	00747	40SC	S8149152	214	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

3.3 MIL SYNTHETIC MEDIUM SENSITIVITY FILM

A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium degree of sensitivity. Use when moisture and environmental resistance are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned.

084MB	00278	40SC	S8872160	211	C					
084MB	00751	40SC	S8862460	221	C					

SYNTHETIC MEDIUM SENSITIVITY FILM

4.1 mil white BOPP film with direct thermal coating. Top coated for durability. Medium degree of sensitivity.

095RK	00720	40SC	S4101060	237	I	I	I		I	
095RK	00747	40SC	S7549860	240	I					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES (VARIABLE IMAGING)										

TOP COATED KIMDURA® FPG 95

A 4.2 mil (92 g/m²) Kimdura® BOPP specially top coated for thermal transfer, dot matrix, ion deposition and digital printing. Registered Trademark of Neenah Paper, Inc. © 2007 NPI All Rights Reserved.

095TK	00506	40SC	S3252060	256	I					
095TK	00506	50SC	S3256060	272	C					
095TK	00538	50SC	S3286060	272	I					
095TK	00751	50SC	S5391060	273	I					

SYNTHETIC MEDIUM SENSITIVITY FILM

4.1 mil white BOPP film with direct thermal coating. Produces a dark image. Top coated for durability. Water and environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling.

096RK	00504	40SC	S9194960	231	C					
096RK	00720	40SC	S9177360	225	I	I				
096RK	00747	40SC	S9194760	229	C					

MATTE WHITE BOPP

A 3.7 mil top coated matte white BOPP. UV resistant. For use with thermal transfer and other print methods. Consider for drum label, outdoor and other demanding applications.

100WP	00720	40SC	S8204960	227	C					
100WP	00747	50SC	S7604660	247	C					
100WP	00747	40SC	S7605960	229	I					
100WP	00751	40SC	S7206060	226	C					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I - Inventory C - Custom I - Inventory TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

FILMS: POLYPROPYLENES (METALIZED)

1.85 MIL SILVER METALIZED BOPP

1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.

018MT	00102	40SC	S9129360	182	C					I
018MT	00102	12NB	S9133760	148	C					
018MT	00720	40SC	S9036760	181	I					
018MT	00751	40SC	S9137460	182	C					
018MT	00960	12NB	S9210460	144	I					
018MT	00960	40SC	S9221660	181	I					I

2.0 MIL SILVER METALIZED BOPP

A 2.0 mil BOPP metalized on the back side for a shiny silver appearance. Top coated for printability with a wide range of ink systems.

021MU	00102	40SC	S8056060	188	C					I
021MU	00720	40SC	S8031460	186	I	I				
021MU	00751	40SC	S7345060	191	C					
021MU	00960	40SC	S9221860	187	C					I

FILMS: POLYSTYRENES

1.5 MIL CLEAR POLYSTYRENE

A 1.5 mil corona treated clear polystyrene. Perfect for use as a base for peel-off coupons and booklets.

015PN	00720	40SC	S8175860	177	C			I		
-------	-------	------	----------	-----	---	--	--	---	--	--

2.0 MIL CLEAR POLYSTYRENE

A 2.0 mil corona treated clear polystyrene. Stiffness allows easy converting and dispensing.

020PN	00103	50SC	S6679060	217	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				I - TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

FILMS: POLYSTYRENES

2.5 MIL CLEAR POLYSTYRENE

A 2.5 mil corona treated clear polystyrene. Stiffness allows easy converting and dispensing. Great for use as a mailing tab.

025PN	00515	50SC	S8131852	235	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

3.5 MIL WHITE SQUEEZE OPTICITE®

A 3.5 mil white squeezable OPTICITE® with a corona treated print surface. Trademark of The Dow Chemical Company

035WZ	00103	50SC	S7709052	265	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

2.5 MIL WHITE POLYSTYRENE

A 2.5 mil matte white polystyrene. Corona treated for excellent ink adhesion. Stiffness allows easy converting and dispensing. Use for primary labels, or as a base for coupons and booklets.

25PSW	00506	40SC	S8263960	231	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

FILMS: POLYESTERS

2 MIL CLEAR TOP COATED POLYESTER

A very clear, top coated polyester film. Top coating allows for printing with most standard flexo and UV letterpress inks.

020MY	00103	50SC	S7855152	242	C					
-------	-------	------	----------	-----	---	--	--	--	--	--

2.0 MIL VALUE WHITE POLYESTER

A matte, white polyester film, top-coated for water-based and U.V. flexographic ink adhesion, and thermal transfer printing. Designed for durable applications – resistant to heat and chemicals. High tear strength.

2VWPT	00406	50SC	S8089560	233	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

FILMS: OVERLAMINATES

1.0 MIL CLEAR NTC POLYESTER

A glossy, clear polyester overlamine film. Good clarity. Effective in durable applications – resistant to heat and chemicals. High tear strength.

1CLPT	00102	12NB	S9167560	130	C					
1CLPT	00751	40SC	S8131360	168	C					

FILMS: CLEAR SPECIALTY

2 MIL CLEAR ACETATE

A 2.0 mil clear acetate film with good clarity and printability. It is compostable. Has relatively low tear resistance and is good for tamperproof applications. Meets the ASTM D6400 compost standard.

020AC	00506	50SC	S1106052	234	I					
-------	-------	------	----------	-----	---	--	--	--	--	--

FILMS: WHITE SPECIALTY

TYVEK®

DuPont™ Tyvek® (1073D) is a 7.5 mil, strong, translucent polyolefin with exceptional strength and moisture resistance. DuPont™ and Tyvek® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

046TV	00103	40SC	S6881052	230	I					
046TV			S4354052	106	C					

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

HOT MELT PRODUCTS

054SG/767HM/12PE-DES

54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Clear 1.2 mil polyester liner with an excellent surface for die-cutting. Great strength for high-speed converting and application.

---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230452	199	I								
-----------------	-----	---	--	--	--	--	--	--	--	--

054SG/767HM/40SC-DES

54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control.

---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230352	233	I								
-----------------	-----	---	--	--	--	--	--	--	--	--

24WCT/767HM/40SC-DES

2.4 mil white top-coated BOPP compatible with water-based, UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control.

---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230552	180	I								
-----------------	-----	---	--	--	--	--	--	--	--	--

26WCT / 767HM / 12PE

The 2.6 mil glossy white BOPP facer is top coated for dependable ink adhesion. This adhesive has a quick tack and stands up to moisture. Adheres securely to low-energy and textured surfaces. The liner is a 1.2 PET with strength for high-speed converting and application.

S9167360	154	I								
-----------------	-----	---	--	--	--	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

HOT MELT PRODUCTS

2WPET / 254HM / 40SC

A 2.0 mil white polyester with our most aggressive hot melt adhesive and a 40# SCK liner. Can be used on a tire sidewall, or other hard-to-stick-to substrates such as rough textures, contaminated surfaces, etc. This polyester face stock has some chemical resistance. This structure has a dry edge for ease of converting and storage.

SC514600 318 C

3WBOPP / 254HMCW / 40SC

3.0 mil white polypropylene combined with our most aggressive hot melt adhesive and a 40# SCK liner. Can be used on a tire sidewall, or other hard-to-stick-to substrates such as rough textures, contaminated surfaces, etc. The facer is thermal transfer printable. This structure has a dry edge for ease of converting and storage.

SC509600 286 C

3WBOPP / 298HMCW / 40SC

A 3.0 mil white polypropylene face stock with an aggressive hot melt adhesive and a 40# SCK liner. The adhesive is approved by the USDA for outdoor markings of monitored crops. Also works well on rough surfaces and low-energy plastics. The facer is thermal transfer printable. This structure has a dry edge for ease of converting and storage.

SC503900 232 C

3WBOPP / 298HMCW / 78LF

A 3.0 mil white polypropylene face stock with an aggressive hot melt adhesive and a 78# liner. the adhesive is approved by the USDA for outdoor markings of monitored crops. Also works well on rough surfaces and low-energy plastics. The facer is thermal transfer printable. This structure has a dry edge for ease of converting and storage.

SC503500 318 C

60ML / 254HMCW / 40SC

A 60# Matte Litho paper combined with our most aggressive hot melt adhesive and a 40# SCK liner. Can be used on a tire sidewall, or other hard-to-stick-to substrates such as rough textures, contaminated surfaces, etc. This structure has a dry edge for ease of converting and storage

SC514700 338 C

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

HOT MELT PRODUCTS

60ML / 298HMCWT / 40SC

A 60# matte litho paper combined with an aggressive hot melt adhesive and a 40# SCK liner. The adhesive is approved by the USDA for outdoor markings of monitored crops. Also works well on rough surfaces and low-energy plastics. This structure has a dry edge for ease of converting and storage.

SC512200 284 C

PATTERNED COUPONS

1MBSCPP15PET2UPW102

2-up coupon base with a 1.4 mil PET liner. Adhesive is patterned to create two credit card size coupons across the web. The pattern provides adhesive-free areas along the short edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC510300 162 C

1MBSCPP15PET3UPN102

3-up coupon base with a 1.4 mil PET liner. Adhesive is patterned to create three credit card size coupons across the web. The pattern provides adhesive-free areas along the long edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC501300 162 C

1MBSCPP15PET4UPN102

4-up coupon base with a 1.4 mil PET liner. Adhesive is patterned to create three credit card size coupons across the web. The pattern provides adhesive-free areas along the long edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC510400 162 C

1MBSCPP15PET4UPW102

4-up coupon base with a 1.4 mil PET liner. Adhesive is patterned to create four credit card size coupons across the web. The pattern provides adhesive-free areas along the short edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC510200 162 C

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
PATTERNED COUPONS										

1MBSCPP15PET6UPN102

6-up coupon base with a 1.4 mil PET liner. Adhesive is patterned to create three credit card size coupons across the web. The pattern provides adhesive-free areas along the long edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC510100 162 **C**

1MBSCPP40SC2UPW853

2-up coupon base with a 40# SCK liner. Adhesive is patterned to create two credit card size coupons across the web. The pattern provides adhesive-free areas along the short edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC510800 186 **C**

1MBSCPP40SC3UPN853

3-up coupon base with a 40# SCK liner. Adhesive is patterned to create three credit card size coupons across the web. The pattern provides adhesive-free areas along the long edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC510900 186 **C**

1MBSCPP40SC4UPN853

4-up coupon base with a 40# SCK liner. Adhesive is patterned to create three credit card size coupons across the web. The pattern provides adhesive-free areas along the long edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC511000 186 **C**

1MBSCPP40SC4UPW853

4-up coupon base with a 40# SCK liner. Adhesive is patterned to create four credit card size coupons across the web. The pattern provides adhesive-free areas along the short edges, which allow for easy removal by the consumer. Consistent release provides consumer-friendly peel and no pre-dispensing issues.

SC502600 186 **C**

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

PATTERNED COUPONS

1MBSCPP40SCUNIV

Universal coupon base with a 40# SCK liner. Adhesive is diamond-patterned to create a variety of coupon sizes across the web. The patterned breakaway adhesive provides easy removal by the consumer and no pre-dispensing issues. Custom web widths up to 30".

SC502700	186	C								
----------	-----	---	--	--	--	--	--	--	--	--

DURABLE TAGS

TAMPERPROOF ECONOMY

60# white FSC® certified paper laminated on both sides of a 2.0 mil polyester film. This durable material is designed for tags that need to be tear-resistant for security purposes, such as price tags for high-value items.

SC501700	378	C								
----------	-----	---	--	--	--	--	--	--	--	--

INTEGRATED PRODUCTS

30LFL

A 30# layflat liner designed for making integrated labels when the printer applies its own adhesive to the back of the form. Flexo and laser printing compatible. Custom made for the width you need.

SC503700	69	C								
----------	----	---	--	--	--	--	--	--	--	--

40SC / 757 / 41LF

An acrylic adhesive transfer tape product with full adhesive coverage. It functions as a back patch in the creation of integrated labels in forms such as, shipping and return labels for e-commerce, medical forms with patient labels, product tracking in warehouses, and labels included in mailed promotions. Available in 60" masters.

SC515600	215	C								
----------	-----	---	--	--	--	--	--	--	--	--

40SC / 767HM / 40SC

A hot melt adhesive transfer tape product with a 1/8" dry edge for clean converting. It functions as a back patch in the creation of integrated labels in forms such as, shipping and return labels for e-commerce, medical forms with patient labels, product tracking in warehouses, and labels included in mailed promotions. Custom made for the width you need.

SC509200	229	C								
----------	-----	---	--	--	--	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

INTEGRATED PRODUCTS

BL20CLR4.0

A 2.0 mil clear PET back laminate with 4 inch patterned adhesive - 2.0 mil PET Film / Break Away Coating / 2.0 mil PET Film / 515 Permanent Adhesive / 40# Paper Liner. When the card is removed, a clear window remains.

SC504300	340	C								
----------	-----	---	--	--	--	--	--	--	--	--

BL20CLR7.75

A 2.0 mil clear PET back laminate with 7.75 inch patterned adhesive - 2.0 mil PET Film / Break Away Coating / 2.0 mil PET Film / 515 Permanent Adhesive / 40# Paper Liner. When the card is removed, a clear window remains.

SC511100	340	C								
----------	-----	---	--	--	--	--	--	--	--	--

BL20CLRFG

A 2.0 mil clear PET back laminate with full gum adhesive up to 30 inches - 2.0 mil PET Film / Break Away Coating / 2.0 mil PET Film / 515 Permanent Adhesive / 40# Paper Liner. When the card is removed, a clear window remains.

SC504200	340	C								
----------	-----	---	--	--	--	--	--	--	--	--

BLPAPER4.0

A 40# paper back laminate with 4 inch patterned adhesive - 40# Paper Liner laminated to 1.0 mil Clear PET Film / Break Away Coating / 2.0 mil Clear PET Film / 515 Permanent Adhesive / 40# Paper Liner. When the card is removed, a paper window remains.

SC506000	401	C								
----------	-----	---	--	--	--	--	--	--	--	--

BLPAPERFG

A 40# paper back laminate with full gum adhesive up to 30 inches - 40# Paper Liner laminated to 1.0 mil Clear PET Film / Break Away Coating / 2.0 mil Clear PET Film / 515 Permanent Adhesive / 40# Paper Liner. When the card is removed, a paper window remains.

SC506100	401	C								
----------	-----	---	--	--	--	--	--	--	--	--

PIGGYBACKS

PREMIUM TOP COATED TD

A 54# (79 g/m²) top coated direct thermal coated paper for more demanding applications and higher imaging speeds.

022TD	0758M 0758M	40SC 40SC	S7657960	361	C					
-------	----------------	--------------	----------	-----	---	--	--	--	--	--

Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom TIP Item
------------	--	---	---	---

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
PIGGYBACKS										

50# EDP SMUDGE RESISTANT

A 50# (74 g/m²) general purpose uncoated paper. Bright white with excellent smudge resistance. Designed for high performance. FSC®-certified paper.

050ED	0758M 0758M	40SC 40SC	S7725060	356	C					
--------------	----------------	--------------	-----------------	-----	---	--	--	--	--	--

54# SEMI-GLOSS

54# (78 g/m²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, UV letterpress, and offset methods. FSC®-certified paper.

054SG	00515 00515	12NB 40SC	S9075360	318	I					
054SG	0758M 0758M	40SC 50SC	S7686660	375	C					
054SG	0758M 0758M	40SC 40SC	S8027060	354	I					

HOLOGRAM PRISMATIC DIFFRACTION: LOTS-O-DOTS

61# (99 g/m²) decorative prismatic diffraction paper. Shim lines/seams are present in holographic material. This gap in the pattern will be up to 1/32" wide. The area between the shim lines measures 30" machine direction (MD) and 48" cross direction (CD)

056H7	0758M 0758M	40SC 40SC	S8265860	375	C					
--------------	----------------	--------------	-----------------	-----	---	--	--	--	--	--

60# DULL LITHO

60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper.

061DL	0758M 0758M	40SC 40SC	S8719060	377	C					
--------------	----------------	--------------	-----------------	-----	---	--	--	--	--	--

VALUE THERMAL TRANSFER

A 42# (62 g/m²) top-coated, thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.

VALUT	0758M 0758M	40SC 40SC	S8138960	338	I					
--------------	----------------	--------------	-----------------	-----	---	--	--	--	--	--

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			I TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN	KC	MIN	ATL	LA
-------	----------	-------	------	---------------------	----	-----	----	-----	-----	----

HOT MELT DRY EDGE SOLUTIONS


054SG/767HM/12PE-DES

54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Clear 1.2 mil polyester liner with an excellent surface for die-cutting. Great strength for high-speed converting and application. ---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230452 199      



054SG/767HM/40SC-DES


54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control. ---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230352 233      

24WCT/767HM/40SC-DES

2.4 mil white top-coated BOPP compatible with water-based, UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control. ---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230552 180      

Locations: GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
			 TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



Tailored Inventory Products (T.I.P.)

July



WHITE PAPERS - HIGH-GLOSS

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
057HG / 720 / 40SC	57# CAST COATED HI GLOSS 720 ALL TEMP ADHESIVE	S7824560	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057HG / 751 / 40SC	57# CAST COATED HI GLOSS 751 PERMANENT ADHESIVE (HEAVY CT. WT.)	S8060260	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

WHITE PAPERS - SEMI-GLOSS

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054SG / 278 / 40SC	54# C1S SEMI GLOSS FSC 278 ULTRA REMOVABLE ADH	S8164560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 633 / 40SC	54# C1S SEMI GLOSS FSC 633 REMOVABLE ADHESIVE	S9175160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 700 / 40SC	54# C1S SEMI GLOSS FSC 700 PERMANENT ADHESIVE	S7755860	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 720 / 12NB	54# C1S SEMI GLOSS FSC 720 ALL-TEMP ADHESIVE	S8121860	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054SG / 720 / 40SC	54# C1S SEMI GLOSS FSC 720 ALL-TEMP ADHESIVE	S7724460	Yes, Except: WIN-15-No KC-15-No ATL-15-No LA-15-No	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
054SG / 720M / 12NB	54# C1S SEMI GLOSS FSC 720M ALL TEMP ADHESIVE	S8898960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
F54SG / 720 / 40SC	FSC 53# C1S SEMI GLOSS 720 ALL-TEMP ADHESIVE	S8792860	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054SG / 720M / 40SC	54# C1S SEMI GLOSS FSC 720M ALL TEMP ADHESIVE	S8849360	Yes, Except: GB-1.25/2.5-N o LA-15-No	<input checked="" type="checkbox"/> 1.25/ 2.5/ 5/ 10/ 15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
054SG / 747 / 40SC	54# C1S SEMI GLOSS FSC 747 PERMANENT ADHESIVE	S7739560	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 751 / 12NB	54# C1S SEMI GLOSS FSC 751 PERMANENT ADHESIVE	S8823660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 751 / 40SC	54# C1S SEMI GLOSS FSC 751 PERMANENT ADHESIVE	S7748960	Yes, Except: ATL-No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
054SG / 758M / 041LF	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S9176660	No	<input checked="" type="checkbox"/> [†] 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 758M / 0PRLF	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S8082660	No	<input checked="" type="checkbox"/> [†] 10/ 15 (exact)	<input checked="" type="checkbox"/> [†] 10/ 15 (exact)	<input checked="" type="checkbox"/> [†] 10/ 15 (exact)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

July 2, 2024

All new structures have a trial period of 6 months. Structures are subject to change without notice.



WHITE PAPERS - SEMI-GLOSS

Table with 10 columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 054SG / 805 / 0PRLF, 054SG / 80361 / 0PRLF, 054SA / 720 / 40SC, etc.

WHITE PAPERS - MATTE

Table with 10 columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 061DL / 720 / 40SC, 061DL / 758M / 0PRLF, 061DL / 758M / 40SC.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto.



July

TAG STOCK

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
008GB	8 PT TAG C2S FSC	S7670560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
008GB / 504 / 40SC	8 PT TAG C2S FSC 504 PERMANENT ADHESIVE	S9941860	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
008GB / 751 / 40SC	8 PT TAG C2S FSC 751 PERMANENT ADHESIVE	S7666660	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

EDP

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
050ED / 720 / 40SC	50# EDP FSC 720 ALL-TEMP ADHESIVE	S6069060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050ED / 720 / 50SC	50# EDP FSC 720 ALL-TEMP ADHESIVE	S6499060	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PHARMACEUTICAL

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
021RX / 508 / 40SC	3.0 MIL PHARMACY DT FSC 508 PERMANENT ADHESIVE	S9174760	No*	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
021RX / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9174660	No*	<input checked="" type="checkbox"/> <small>5/10/15</small>	<input checked="" type="checkbox"/> <small>5/10/15</small>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

FLUORESCENT PAPERS

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054GZ / 720 / 40SC	FSC GREEN FLUORESCENT 720 ALL TEMP ADHESIVE	S6231060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054GZ / 720 / 40SC	FSC GREEN FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7656360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054GZ / 758M / 0PBLF	FSC GREEN FLUORESCENT 758M PERMANENT ADHESIVE	S8189860	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054OZ / 720 / 40SC	FSC ORANGE FLUORESCENT 720 ALL TEMP ADHESIVE	S6235060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054OZ / 720 / 40SC	FSC ORANGE FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7607960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

All new structures have a trial period of 6 months. Structures are subject to change without notice.



FLUORESCENT PAPERS									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054OZ / 758M / 0PBLF	FSC ORANGE FLUORESCENT 758M PERMANENT ADHESIVE	S8190060	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 720 / 40SC	FSC PINK FLUORESCENT 720 ALL TEMP ADHESIVE	S8034360	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 720 / 40SC	FSC PINK FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7748660	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054PZ / 758M / 0PBLF	FSC PINK FLUORESCENT 758M PERMANENT ADHESIVE	S8190160	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 720 / 40SC	FSC RED FLUORESCENT 720 ALL TEMP ADHESIVE	S6066060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
054RZ / 720 / 40SC	FSC RED FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7743960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054RZ / 758M / 0PBLF	FSC RED FLUORESCENT 758M PERMANENT ADHESIVE	S8190260	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 720 / 40SC	FSC YELLOW FLUORESCENT 720 ALL TEMP ADHESIVE	S6237060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 720 / 40SC	FSC YELLOW FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7748760	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054YZ / 758M / 0PBLF	FSC YELLOW FLUORESCENT 758M PERMANENT ADHESIVE	S8189960	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

BEER & WINE LABEL									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE	S8901460	No	<input checked="" type="checkbox"/> 2.5/5/10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
061DL / 720 / 40SC	60# DULL LITHO FSC 720 ALL-TEMP ADHESIVE	S4331060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
061DL / 758M / 0PRLF	60# DULL LITHO FSC 758M PERMANENT ADHESIVE	S8003060	Yes, Except: GB-10-No	<input checked="" type="checkbox"/> † 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
061DL / 758M / 40SC	60# DULL LITHO FSC 758M PERMANENT ADHESIVE	S8769360	Yes, Except: GB-5/10/20-N o	<input checked="" type="checkbox"/> 5/ 10/ 15/ 20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WEL4 / 747 / 44PM	ESTATELBL#4 WHI LAID FSC 747 PERMANENT ADHESIVE	S8748260	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WEL8 / 747 / 44PM	FSC ESTATE #8 WH VELLUM 747 PERMANENT ADHESIVE	S8266860	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2.5/5/10

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

All new structures have a trial period of 6 months. Structures are subject to change without notice.



BEER & WINE LABEL									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
0WEL9 / 747 / 44PM	ESTATELBL#9 CRM LAID FSC 747 PERMANENT ADHESIVE	S8742160	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2.5/5/10
0WCSW / 747 / 44PM	FSC CLASSICCRESTSOLAR WH 747 PERMANENT ADHESIVE	S8741852	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
70BWF / 747 / 12NB	FSC BRIGHT WHITE FELT WS PERMANENT ADHESIVE	S8903752	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
70BWF / 747 / 44PM	FSC BRIGHT WHITE FELT WS 747 PERMANENT ADHESIVE	S8903652	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAL / 720 / 39NK	FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	S8796760	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLRNB / 720 / 39NK	FSC ECO WHITE WS 100%PCW 720 ALL TEMP ADHESIVE	S9089960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
56MSW / 720 / 40SC	SILVER MET PAPER WS 720 ALL TEMP ADHESIVE	S8982560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SPECIALTY PAPERS									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE	S8901460	No	<input checked="" type="checkbox"/> 2.5/5/10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
060GM / 720 / 40SC	60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE	S8083760	No*	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
060GM / 758M / 40SC	60# NATURAL KRAFT PAPER 758M PERMANENT ADHESIVE	S7649360	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1HEMP / 720 / 39NK	HEMP PAPER 720 ALL-TEMP ADHESIVE	S9111352	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
H2ODP / 611 / 40SC	FSC WATER DISSOLVE PAPER WATER DISSOLVABLE ADH	S8210460	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAL / 720 / 39NK	FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	S8796760	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



LAMINATED FOILS

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 055BG, 055BS, 055DG, 055DS.

FOIL SUBSTITUTES

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 018MT, 021MU, 056H5, 057MS, 56MSW.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



Tailored Inventory Products (T.I.P.)

July



THERMAL TRANSFER										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
026TT / 747 / 40SC	2.6 MIL WHITE TT BOPP 747 PERMANENT ADHESIVE	S8773660	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
030TT / 747 / 40SC	3 MIL THERMAL TRANS BOPP 747 PERMANENT ADHESIVE	S5213060	No*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
050HS / 272 / 40SC	HI SPEED THER TRANS FSC 272 ULTRA REMOVABLE ADH	S7019060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
050HS / 275 / 41WK	HI SPEED THER TRANS FSC 275 ULTRA REMOVABLE ADH	S9156260	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095TK / 538 / 50SC	107 MICRON TC KIMDURA 538 REMOVABLE ADHESIVE	S3286060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095TK / 751 / 50SC	107 MICRON TC KIMDURA 751 PERMANENT ADHESIVE	S5391060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0TTFP / 531 / 40SC	SELECT THERMAL TRANS FSC 531 REMOVABLE ADHESIVE	S7843160	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0TTFP / 720 / 40SC	SELECT THERMAL TRANS FSC 720 ALL-TEMP ADHESIVE	S7833160	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
0TTFP / 757 / 40SC	SELECT THERMAL TRANS FSC TACKIFIED PERM ADH	S9234160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0TTFP / 758M / 40SC	SELECT THERMAL TRANS FSC 758M PERMANENT ADHESIVE	S7664660	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
0TTFA / 758M / 40SC	0TTFP OPAQUE FSC 758M PERMANENT ADHESIVE	S7711260	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
100WP / 747 / 40SC	3.7 ML THERMAL TRAN BOPP 747 PERMANENT ADHESIVE	S7605960	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 278 / 40SC	FSC-VALUE THERMAL TRANS 278 ULTRA REMOVABLE ADH	S8175760	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 531 / 40SC	FSC-VALUE THERMAL TRANS 531 REMOVABLE ADHESIVE	S9109660	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 720 / 40SC	FSC-VALUE THERMAL TRANS 720 ALL-TEMP ADHESIVE	S7851360	Yes, Except: GB-5/15-No* WIN-5/15-No* KC-No* ATL-5/15-No* LA-5/15-No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
VALUT / 751 / 40SC	FSC-VALUE THERMAL TRANS 751 PERMANENT ADHESIVE	S7841560	No*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 751 / 40SC	FSC-VALUE THERMAL TRANS 751 PERMANENT ADHESIVE	S8278660	No*	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 757 / 40SC	FSC-VALUE THERMAL TRANS TACKIFIED PERM ADH	S9013660	Yes, Except: GB-No* WIN-5/15-No* KC-No* MN-No* ATL-5/15-No* LA-No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

July 2, 2024

All new structures have a trial period of 6 months. Structures are subject to change without notice.



THERMAL TRANSFER

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include VALUT / 758M / 40SC and VALUT / 720 / 12NB.

DIRECT THERMAL

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 021RX / 508 / 40SC, 021RX / 751 / 40SC, 022TD / 720 / 40SC, 024DT / 720 / 40SC, 024NT / 720 / 40SC, 025DT / 531 / 40SC, 025DT / 720 / 40SC, 025DT / 751 / 40SC, 025DT / 757 / 40SC, 025NT / 531 / 40SC, 025NT / 720 / 40SC.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto.



Tailored Inventory Products (T.I.P.)

July



DIRECT THERMAL									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
025NT / 758M / 40SC	NTC DIRECT THERMAL FSC 758M PERMANENT ADHESIVE	S8155352	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24VTB / 720 / 40SC	VALUE TC DIRECT THER FSC 720 ALL TEMP ADHESIVE	S9030960	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
24VTB / 853 / 40SC	VALUE TC DIRECT THER FSC 853 ALL TEMP ADHESIVE	S9169560	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24VTB / 853 / 40SC	VALUE TC DIRECT THER FSC 853 ALL TEMP ADHESIVE (TIGHT RELEASE)	S9170460	No*	<input checked="" type="checkbox"/> 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
070MK / 720 / 40SC	76 MICRON SYN DIR THERMA 720 ALL-TEMP ADHESIVE	S4335060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S4101060	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
025NT / 757 / 40SC	NTC DIRECT THERMAL FSC TACKIFIED PERM ADH	S9232760	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
096RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S9177360	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

INK JET / LASER									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
050LJ / 758M / 041LF	SUPER BRIGHT LJ FSC 758M PERMANENT ADHESIVE	S8238360	No	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 720 / 0PBLF	SUPER BRIGHT LJ FSC 720 ALL-TEMP ADHESIVE	S8214960	Yes	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 751 / 0PBLF	SUPER BRIGHT LJ FSC 751 PERMANENT ADHESIVE	S8218060	Yes	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†] 10
050LJ / 757 / 0PBLF	SUPER BRIGHT LJ FSC TACKIFIED PERM ADH	S9207460	No	<input checked="" type="checkbox"/> [†] 10	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†]
050LJ / 758M / 0PBLF	SUPER BRIGHT LJ FSC 758M PERMANENT ADHESIVE	S8165060	Yes, Except: LA-No	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†]
F47LJ / 757 / 041LF	FSC SUPER BRIGHT LJ TACKIFIED PERM ADH	S9077660	No	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F47LJ / 758M / 041LF	FSC SUPER BRIGHT LJ 758M PERMANENT ADHESIVE	S9171560	No	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F47LJ / 758M / 0PBLF	FSC SUPER BRIGHT LJ 758M PERMANENT ADHESIVE	S9172060	No	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

July 2, 2024

All new structures have a trial period of 6 months. Structures are subject to change without notice.



INK JET / LASER

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 054GZ, 054OZ, 054PZ, 054RZ, 054YZ, 1GINK, 34WIJ, SG2NK, 07INK.

FILMS: POLYPROPYLENES (CLEAR)

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 018CT, 020CL.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



FILMS: POLYPROPYLENES (CLEAR)

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 020CL / 720M / 40SC, 020CL / 751 / 40SC, etc.

FILMS: POLYPROPYLENES (WHITE)

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 023WP / 102 / 40SC, 023WP / 720 / 40SC, etc.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto.



FILMS: POLYPROPYLENES (WHITE)

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
024TL / 751 / 12NB	2.4 MIL WHITE BOPP 751 PERMANENT ADHESIVE	S8832660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 950 / 12NB	2.4 MIL WHITE BOPP GP FILM ADHESIVE	S9222260	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 950 / 40SC	2.4 MIL WHITE BOPP GP FILM ADHESIVE	S9221060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
024TL / 950 / 92NB	2.4 MIL WHITE BOPP GP FILM ADHESIVE	S9215060	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24WCT / 102 / 12NB	2.4 MIL TC WHI BOPP FILMIC ADHESIVE	S9113660	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> †
24WCT / 102 / 40SC	2.4 MIL TC WHI BOPP FILMIC ADHESIVE	S9110760	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
24WCT / 720 / 40SC	2.4 MIL TC WHI BOPP 720 ALL-TEMP ADHESIVE	S9134360	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
24WCT / 720M / 40SC	2.4 MIL TC WHI BOPP 720M ALL TEMP ADHESIVE	S9119160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24WCT / 751 / 40SC	2.4 MIL TC WHI BOPP 751 PERMANENT ADHESIVE	S9123660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24WCT / 776S / 40SC	2.4 MIL TC WHI BOPP PET RECYCLABLE ADHESIVE	S9120460	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
24WCT / 950 / 12NB	2.4 MIL TC WHI BOPP GP FILM ADHESIVE	S9221460	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> †
24WCT / 950 / 40SC	2.4 MIL TC WHI BOPP GP FILM ADHESIVE	S9215260	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
026TL	2.6 MIL WHITE TC BOPP	S6397560	No	<input checked="" type="checkbox"/> <small>5/10/20</small>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 102 / 40SC	2.6 MIL WHITE TC BOPP FILMIC ADHESIVE	S7802360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
026TL / 103 / 40SC	2.6 MIL WHITE TC BOPP 103 PERMANENT ADHESIVE	S6174060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 720 / 40SC	2.6 MIL WHITE TC BOPP 720 ALL-TEMP ADHESIVE	S6173060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 747 / 40SC	2.6 MIL WHITE TC BOPP 747 PERMANENT ADHESIVE	S7600560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
026TL / 751 / 40SC	2.6 MIL WHITE TC BOPP 751 PERMANENT ADHESIVE	S5384060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
026TL / 950 / 12NB	2.6 MIL WHITE TC BOPP GP FILM ADHESIVE	S9222160	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



July

FILMS: POLYPROPYLENES (WHITE)

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 026TL / 950 / 40SC, 26WCT / 102 / 40SC, etc.

FILMS: POLYPROPYLENES (VARIABLE IMAGING)

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include items like 026TT / 747 / 40SC, 030TT / 747 / 40SC, etc.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111 CAN'T FIND IT? CALL 1-800-445-4269 July 2, 2024

All new structures have a trial period of 6 months. Structures are subject to change without notice.



FILMS: POLYPROPYLENES (VARIABLE IMAGING)

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 100WP / 747 / 40SC, 096RK / 720 / 40SC, 095TK / 538 / 50SC, 095TK / 751 / 50SC.

FILMS: POLYPROPYLENES (METALIZED)

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 018MT / 102 / 40SC, 018MT / 720 / 40SC, 018MT / 960 / 12NB, 018MT / 960 / 40SC, 021MU / 102 / 40SC, 021MU / 720 / 40SC, 021MU / 960 / 40SC.

FILMS: POLYSTYRENES

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Row includes 015PN / 720 / 40SC.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



Tailored Inventory Products (T.I.P.)

July



FILMS: POLYESTERS

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
2VWPT / 406 / 50SC	2 MIL VALUE WHITE PET TACKIFIED PERM ADHESIVE	S8089560	No	<input checked="" type="checkbox"/> 2.5/5/10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PIGGYBACKS

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054SG / 515 / 12NB / 515 / 40SC	54# C1S SEMI GLOSS FSC FILMIC ADHESIVE	S9075360	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 758M / 40SC / 758M / 40SC	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S8027060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 757 / 40SC / 757 / 40SC	FSC-VALUE THERMAL TRANS TACKIFIED PERM ADH	S9137960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 758M / 40SC / 758M / 40SC	FSC-VALUE THERMAL TRANS 758M PERMANENT ADHESIVE	S8138960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice **Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

- Minimum one slit roll at 3", minimum length varies by product.
- Rolls 5,000' or less are palletized poker chip (stacked on slit edge) with 45 inch maximum height including pallet.
- Rolls 10,000' or greater are palletized on the round (cradle packed).
- All pallets will be stretch wrapped.
- All rolls on 3 inch cores, except as noted.
- Orders placed by 3:00 PM (time zone applicable to location from which shipment originates) will be shipped next business day.
- Orders placed before cutoff time cannot be changed or cancelled after cutoff time.
- No early pickup arrangements, please.

GB=Green Bay, WI WIN=Winchester, VA KC=Kansas City, MO MIN=Minneapolis, MN ATL=Atlanta, GA LA=Los Angeles, CA

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

July 2, 2024

All new structures have a trial period of 6 months. Structures are subject to change without notice.