GREEN BAY PACKAGING COATED PRODUCTS



Product Guide

Coated Products

www.gbpcoated.com

1.800.445.4269 - USA and Canada 001.920.337.1800 - Outside USA



PRESSURE-SENSITIVE LABEL STOCK STORAGE CONDITIONS AND SHELF LIFE

Storage Conditions

- The storage and converting conditions should be as close to TAPPI standards of 73°F (23°C) and 50% relative humidity as possible.
- Products should be stored in their original stretch wrap until the time they will be used on press.
- The material should be allowed to acclimate to your press room's environment for 24 hours before the stretch wrap is removed and the roll is loaded onto the press.
- Keep rolls off the concrete floors and away from any other sources of moisture contamination.
- Rotate your stock. Use the oldest inventory first.

Shelf Life

- Pressure-sensitive label material should be used within one year from date of purchase, unless otherwise stated on the data sheet.
- The one-year shelf life is part of our standard conditions of sale on all products. Green Bay Packaging will not accept any claims for pressure-sensitive material older than one year.
- The label stock should retain its functional performance after a year. The acrylic adhesive is chemically stable and will not oxidize or lose tack, and the silicone release level should remain the same.
- After application, the adhesive should not degrade or lose tack over time. However, in some applications, including very high moisture and temperature for example, adhesive performance may suffer.

LAYFLAT LABEL MATERIAL RECOMMENDATIONS

- Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60°F and 80°F (16°C and 27°C) and the relative humidity is between 40% and 60%.
- The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- Rotate your stock. Use oldest inventory first.
- Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- We are not able to guarantee layflat performance of labelstock produced with some removable adhesives.



COATED PRODUCTS

ORDERING INFORMATION: U.S. STANDARD

MINIMUM ORDER QUANTITY

(varies by product)

TAILORED INVENTORY PROGRAM (TIP)

(delivery only within the continental USA)

SHORT LENGTH UPCHARGE

CUSTOM REWINDING/SPLICING UPCHARGE

SLITTING UPCHARGE

SLITTING TOLERANCE

CORE SIZES

OVERRUN / UNDERRUN FINISHING ALLOWANCES

INVENTORY CUSTOM

1 MMSI 3 MMSI

3" Minimum on all TIP Items

For items not on the Short-Length TIP program, master rolls may be cut into shorter rolls **if** the order meets the minimum quantity of 1 MMSI for inventoried products or up to 3 MMSI for custom runs.

Roll Length	<u>Charge</u>
1,250' to 2,499'	\$.05/MSI
500' to 1,249'	\$.10/MSI
150' to 499'	\$.15/MSI

.03/MSI

0-17 cuts, no upcharge 18+ cuts .02/MSI 2" minimum slit width

+/- 1/32"

For core size, see the Data Sheet for your specific item.

TIP +/- 5%
Inventory +/- 5%
Custom Single Pass +/- 10%
Piggybacks +/- 15%
Special Materials +/- 20%

Product shelf life is one year unless otherwise stated on the component data sheet.

In addition to +/- % on overall order quantity, roll length may also be +/- % of ordered length. Customers may designate "exact roll length" on non-trimless items only. Additional splices may be required to meet exact roll length requests.

CAN'T FIND IT? CALL 1 - 800 - 445 - 4269



ORDERING INFORMATION: METRIC SYSTEM

MINIMUM ORDER QUANTITY

(varies by product)

TAILORED INVENTORY PROGRAM (TIP)

(delivery only within the continental USA)

SHORT LENGTH UPCHARGE

CUSTOM REWINDING/SPLICING UPCHARGE

SLITTING UPCHARGE

SLITTING TOLERANCE

CORE SIZES

OVERRUN / UNDERRUN FINISHING ALLOWANCES

INVENTORY CUSTOM

645 sq. Mts 1935 sq. Mts

76.2mm Minimum on all TIP Items

For items not on the Short-Length TIP program, master rolls may be cut into shorter rolls **if** the order meets the minimum quantity of 1 MMSI for inventoried products or up to 3 MMSI for custom runs.

Roll Length	<u>Charge</u>
380 to 761 Meters	\$.05/MSI
152 to 379 Meters	\$.10/MSI
45.7 to 151 Meters	\$.15/MSI

.05/sq. Mts

0-17 cuts, no upcharge 18+ cuts .03/sq. Mts 51mm minimum slit width

+/- 0.7mm

For core size, see the Data Sheet for your specific item.

Inventory +/- 5%
Custom Single Pass +/- 10%
Piggybacks +/- 15%
Special Materials +/- 20%

Product shelf life is one year unless otherwise stated on the component data sheet.

In addition to +/- % on overall order quantity, roll length may also be +/- % of ordered length. Customers may designate "exact roll length" on non-trimless items only. Additional splices may be required to meet exact roll length requests.

CAN'T FIND IT? CALL 1 - 800 - 445 - 4269

TERMS AND CONDITIONS

- 1. **Entire Agreement.** These Terms and Conditions shall constitute the entire agreement (the "Agreement" or "Terms and Conditions") of Green Bay Packaging Inc. ("Seller") and Buyer with respect to the subject matter hereof. These Terms and Conditions are controlling and shall supersede any prior or contemporaneous agreements, understandings or representations, oral or written, relating to the subject matter hereof. These Terms and Conditions shall govern in the event of any conflict between these Terms and Conditions and any provision contained in any subsequent Purchase Order or otherwise, the terms of which, whether conflicting, supplemental or otherwise, are hereby expressly rejected.
- 2. **Shipment, Title and Risk of Loss.** Unless otherwise mutually agreed in writing, shipment shall be F.O.B. Origin. Title and risk of loss pass from Seller to Buyer upon delivery to a carrier.
- 3. **Freight.** Shipments are F.O.B. Origin, with full freight allowed on shipments of 9 MMSI or more. Inventory and non-inventory items may be combined to meet the 9 MMSI minimum requirement for full freight allowed shipments, provided entire order is shipped at one time from one location to one destination. For all shipments fewer than 9 MMSI terms are F.O.B. Origin, freight prepaid and added, in which the shipping and handling charges shall be added to the face amount of the invoice.
- 4. **Payment.** Net 30 days following the date of invoice. 1% discount on payments received within 10 days of date of invoice. Amounts not paid in full within 30 days of date of invoice will be subject to a service charge of 1% per month on the unpaid balance to be included on each month's statement until paid in full.
- 5. **Taxes and Other Charges.** In addition to any price herein provided, Buyer shall be liable for any tax, fee or other charge imposed on Seller at any time upon the sale and/or shipment of the goods sold hereunder, now imposed by federal, state, municipal or any other governmental authorities or hereafter becoming effective for or during the period hereof.
- 6. Cancellation or Default by Buyer. This order may not be cancelled in whole or in part by Buyer except with Seller's written consent. If at any time, in Seller's opinion, Buyer's credit is impaired, or if Buyer shall fail to pay to Seller any amount when due, under this Agreement or any other agreement, or if at any time Buyer shall indicate an intention to refuse to perform or on an inability to perform its obligation hereunder, Seller may at its option terminate this Agreement as regards further shipments and thereupon all obligations of Buyer with respect to shipments previously made shall become immediately due and payable. In the event of such termination, Buyer shall remain liable to Seller for any and all loss or damage sustained due to Buyer's default.
- 7. **Force Majeure.** Seller shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by any event beyond its reasonable control, including, without limitation, accident, fire, actual or threatened strike or riot, explosion, mechanical breakdown (including technological or information systems), plant shutdown, unavailability of or interference with necessary transportation, any raw material or power shortage, compliance with any law, regulation or order, acts of God or public enemy, prior orders from others, or limitations on Seller's or its suppliers' products or marketing activities or any other cause or contingency beyond Seller's control. If by reason of any such circumstance, Seller's supply of the goods herein specified shall be insufficient to meet all requirements, including its own, Seller shall have the right, at its option and without liability, to allocate its available supply of goods among its present and future customers, including Seller's affiliated divisions and companies, in such manner as Seller deems equitable.
- 8. Limitation on Warranty and Remedies. Seller warrants that the goods to be sold hereunder will conform to the description on the face hereof, and any specifications provided in writing to Buyer and will be of Seller's standard quality. Buyer represents that it has used its own independent skill and expertise in connection with the selection and use of the goods purchased pursuant to this Agreement, and that it will independently determine the suitability for each use for which it is purchased. When UL recognition is provided to Buyer, goods will meet applicable guidelines of Underwriting Laboratories. THIS WARRANTY IS EXCLUSIVE, AND EXCEPT AS EXPRESSLY SET OUT IN THIS AGREEMENT, SELLER MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN THE EVENT THE GOODS ARE NOT IN COMPLIANCE WITH SELLER'S WARRANTY HEREUNDER, BUYER'S SOLE REMEDY SHALL BE A CREDIT FOR THE COST OF SUCH GOODS OR, AT SELLER'S OPTION, REPLACEMENT OF SUCH GOODS. SELLER SHALL UNDER NO CIRCUMSTANCES, WHETHER FOR A FAILURE OF ITS LIMITED REMEDY OR OTHERWISE, BE LIABLE TO BUYER OR OTHERWISE FOR SPECIAL, INCIDENTAL, DIRECT, PUNITIVE, OR CONSEQUENTIAL DAMAGES. NO WAIVER, ALTERATION, ADDITION OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AN OFFICER OF SELLER. All warranties and certifications are made by Seller to Buyer and to no other parties including, but not limited to, Buyer's customers and any other end users.
- 9. **Limitation of Actions.** Any claim must be made in writing within 10 days after receipt of goods, if for quantity, or within 30 days after receipt of goods, if for quality, loss of or damage to goods, and the goods must be held available at Buyer's place of business for Seller's inspection. Any action for breach of this Agreement, other than for non-payment hereunder, must be commenced within one year of the date of shipment, or due date of delivery in the event of non-delivery, of the particular shipment upon which such claim is based. No claim may in any event be made after goods have in any way been used or processed by the Buyer. Buyer's remedies set forth herein are exclusive and the total liability of Seller for damages with respect to this Agreement, or anything done in connection therewith, shall be limited to the purchase price of the particular shipment with respect to which such damages are claimed.
- 10. **Returns and Transit Damage Claims.** No goods may be returned to Seller without Seller's written consent. Goods returned without Seller's prior written authorization will be refused. Buyer must note any shortage or damage on the delivery receipt at the time of delivery. Any concealed damage must be reported to the delivering carrier within 5 days, and the entire package must be retained at Buyer's place of business until after a damage inspection report is issued by the carrier. The following documents must accompany any transit damage claim: original paid freight bill; original or certified copy of the original bill of lading; copy of the invoice for the shipment; copy of the destination inspection report or delivery receipt noting the shortage or damage.
- 11. Governing Law. This Agreement shall be governed by and construed in accordance with the internal laws of the state of Wisconsin, U.S.A.
- 12. **Amendment.** This Agreement shall not be amended except by a writing signed by an officer of the Seller and specifically stating that it is an amendment.

			Target (MILS)
Title	Code	Description	(Microns)
WHITE PAPERS - HIGH-GLO	99	·	,
WIIITE FAILENG THEIT GES	00		
57# CAST COATED	057HG	57# (85 g/m²) high-gloss sheet with a smooth, reflective surface designed	3.7
HIGH-GLOSS		for top-quality graphic reproduction.	95.0
ENCORE GLOSS	060EG	61# (89 g/m²) super calendered high-gloss sheet. This C1S paper is	2.8
		designed for premium labeling applications. Non-cast coated paper	72.0
		featuring excellent gloss and suitable for process printing.	
WHITE PAPERS - SEMI-GLOS	SS		
53# SEMI-GLOSS OPAQUE	054SA	53# (78 g/m²) semi-gloss with a gray opaque barrier coating on the back.	2.6
		Designed for cover up labels. Excellent opacity, so the errors will not be visible. Smooth print surface for attractive graphic reproduction.	66.0
		FSC®-certified paper.	
		1 000 sorumou papor.	
53# SEMI-GLOSS	054SG	53# (78 g/m²) C1S bright blue-white semi-gloss. High strength property	2.6
		makes it ideal for wide web high-speed stripping and die-cutting. Smooth	66.0
		surface provides excellent printing with flexo, toner, and offset methods.	
		FSC®-certified paper.	
54# WET STRENGTH	054WS	54# (80 g/m²) C1S blue-white semi-gloss. Wet strength stands up to	2.9
SEMI-GLOSS		moisture. Ideal for chilled beverages, including beer and wine, or	80.0
		refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	
		and other press types. PSO®-certified paper.	
SEMI-GLOSS PREFERRED	060PA	60# (88.8/m²) Semi-Gloss Preferred (060PR) with a gray opaque barrier	3.1
OPAQUE	000.70	coating. Designed for cover up labels. Excellent print surface with flexo,	79.0
		toner, or offset. FSC®-certified paper.	
SEMI-GLOSS PREFERRED	060PR	60# (88.8/m²) semi-gloss, multi-purpose paper with superior gloss and	3.1
		print qualities. A warm white color. Excellent print surface for flexo, toner,	79.0
		or offset. FSC®-certified paper.	
50# 05M 01 000	00000	50 // (07 - (12)	0.0
58# SEMI-GLOSS	060SG	58# (87 g/m²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent graphic results with	3.0 76.0
		flexo, offset, or toner-based printing. FSC®-certified paper.	70.0
		mana, aman, an aman adasa pinining. I adas darinina papar	
80# SEMI-GLOSS	080SG	80# (118 g/m²) semi-gloss multi-purpose paper with superior gloss and	4.2
		print qualities. Bright blue-white shade. Excellent print surface for flexo,	107.0
		toner, or offset. This heavier sheet offers greater stiffness and opacity.	
		FSC®-certified paper.	



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

			(MILS)
Title	Code	Description	(Microns)
WHITE PAPERS - SEMI-GLO	SS (cont.)		
55# SEMI-GLOSS	55SSG	55# (78 g/m²) C1S bright blue-white semi-gloss. High strength property	2.9
		makes it ideal for wide web high-speed stripping and die-cutting. Smooth	73.7
		surface provides excellent printing with flexo, toner, and offset methods.	
		FSC®-certified paper.	
FSC® CERTIFIED 53#	F54SG	53# (78 g/m²) C1S bright blue-white semi-gloss. High strength property	2.9
SEMI-GLOSS PAPER	1 3430	makes it ideal for wide web high-speed stripping and die-cutting. Smooth	74.0
OLIMI-GEOGGI AI ER		surface provides excellent printing with flexo, toner, and offset methods.	74.0
		FSC®-certified paper.	
60# SEMI-GLOSS WITH 30%	R60SG	A 60# (89 g/m²)semi-gloss face stock with 30% post-consumer recycled	2.7
POST-CONSUMER WASTE		fiber. Excellent strength characteristics enhance label converting and	68.6
		application. Smooth print surface for outstanding graphics. FSC®-certified	
		paper.	
WHITE PAPERS - MATTE			
60# LITHO MATTE	060LM	A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing	3.8
oon Ellio MATTE	OOOLIII	surface for excellent graphic reproduction. Its very matte appearance	97.0
		provides a unique look in package design. Perfect for flexo printing and in	0.10
		a variety of digital presses.	
60# DULL LITHO	061DL	60# (89 g/m²) high quality, dull finish litho offering excellent print and	3.0
		die-cut properties. Good for flexographic and offset printing.	76.0
		FSC®-certified paper.	
WHITE PAPERS - INDIGO TO	PCOATED		
INDIGO TOPCOATED 55#	D55SG	EEH (04 a/m²) comi alogo choot decimand for printing on LID Indias	2.0
SEMI-GLOSS	Doose	55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000	3.0 76.0
32.III 32333		presses. Has a blue-white shade with high brightness and opacity.	70.0
		Exceptionally strong. FSC®-certified paper.	
		· · · · · · · · · · · · · · · · · · ·	
TAG STOCK			
8 POINT GLOSS WHITE	008GB	A glossy, bright white, 130# (192 g/m²) board with excellent print	8.0
CLAY COATED TAG		characteristics. Coated on both sides, allowing for multiple uses - as a	203.0
		tag, or in a pressure-sensitive structure. FSC®-certified paper.	



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

November 7, 2025

Page 7

			Target (MILS)
Title	Code	Description	(Microns)
EDP		<u> </u>	
50# EDP SMUDGE	050ED	A 50# (74 g/m²) general purpose uncoated paper. Bright white with	3.5
RESISTANT		excellent smudge resistance. Designed for high performance. FSC®-certified paper.	88.9
PHARMACEUTICAL			
DIRECT THERMAL	021RX	This 48# (71 g/m²), no phenols added, top-coated paper resists	3.1
PRESCRIPTION VIAL		chemicals, including cleaners, hand sanitizers and lotions. Holds up in	78.0
LABEL		heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.	
40# PHARMACEUTICAL	040PL	40# (60 g/m²) lightweight C1S semi-gloss litho with good ink holdout.	2.0
LITHO		Candidate for pharmaceutical and nutritional labeling.	52.0
DIDECT THEDWAY	22275	TI: 40% (74 / 2)	
DIRECT THERMAL PRESCRIPTION VIAL	20RXE	This 48# (71 g/m²), no phenols added, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in	3.0 76.2
LABEL		heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.	70.2
FLUORESCENT PAPERS			
BLUE FLUORESCENT	054BZ	57# (84 g/m²) blue matte fluorescent coated paper. Designed for laser,	3.9
		inkjet, price marking, promotional and general roll label applications.	99.0
		Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.	
GREEN FLUORESCENT	054GZ	57# (84 g/m²) green matte fluorescent coated paper. Designed for laser,	3.9
	*****	inkjet, price marking, promotional and general roll label applications.	99.0
		FSC®-certified paper.	
ORANGE FLUORESCENT	054OZ	57# (84 g/m²) orange matte fluorescent coated paper. Designed for laser,	3.9
		inkjet, price marking, promotional and general roll label applications.	99.0
		FSC®-certified paper.	
PINK FLUORESCENT	054PZ	57# (84 g/m²) pink matte fluorescent coated paper. Designed for laser,	3.9
		price marking, inkjet, promotional and general roll label applications.	99.0
		FSC®-certified paper.	



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

(MILS) Code (Microns) Title Description FLUORESCENT PAPERS (cont.) **RED FLUORESCENT** 054RZ 57# (84 g/m²) red matte fluorescent coated paper. Designed for laser, 3.9 99.0 inkjet, price marking, promotional and general roll label applications. FSC®-certified paper. 054YZ YELLOW CHARTREUSE 57# (84 g/m²) yellow chartreuse matte fluorescent coated paper. Designed 3.9 **FLUORESCENT** for laser, inkjet, price marking, promotional and general roll label 99.0 applications. FSC®-certified paper. **BEER & WINE LABEL 54# WET STRENGTH** 054WS 54# (80 g/m²) C1S blue-white semi-gloss. Wet strength stands up to 29 **SEMI-GLOSS** 80.0 moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper. CLASSIC CREST* SOLAR 0WCSW 60# (89 g/m²) smooth, uncoated white paper with an excellent printing 4.4 WHITE SMOOTH surface, high strength, and dimensional stability. Perfect for wine labels 112.0 and other upscale products. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc. **ESTATE LABEL* #4 WHITE** 0WFI 4 60# (89 g/m²) white, laid, uncoated, wet strength paper. Maintains its 5.5 **LAID** visual integrity when wet. Perfect for wine and beer labels. Its high-end 140.0 look matches well with upscale products. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper. **ESTATE LABEL* #8 WHITE 0WEL8** 60# (89 g/m²) uncoated, white, wet strength paper. Maintains its integrity 4.8 SMOOTH when wet. Designed for wine and other high-end labels, such as gourmet 122.0 foods and cosmetics. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper. **ESTATE LABEL* #9 CREAM** 0WEL9 5.4 60# (89 g/m²) uncoated cream wet strength paper. Maintains its integrity **LAID** when wet. Perfect for wine and other upscale labels, such as gourmet 137.0 foods and cosmetics. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc. SILVER METALIZED WET 56MSW 56# (83 g/m²) top coated silver metalized paper. Wet strength for use in 2.8 STRENGTH PAPER moist environments including refrigerated foods and chilled beverages. 71.0 The metallic look makes a product's graphics stand out. Not recommended for HP Indigo Presses.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

November 7, 2025

Page 9

Title	Code	Description	Target (MILS) (Microns)
BEER & WINE LABEL (cont.		2000 I piloti	(Microfile)
	<u>, </u>		
70# BRIGHT WHITE FELT	70BWF	70# (103 g/m²) uncoated bright white, wet strength paper. Perfect for wine, beer, and other beverage labels. The rich weight and texture makes it ideal for upscale food, home, and personal care products. FSC®-certified paper.	5.7 145.0
60# BLACK VELLUM	BKVLM	60# (89 g/m²) uncoated, black, smooth, wet strength paper. Maintains its integrity when wet. While it was designed for wine, beer, and other beverage labels, its unique look will make any product stand out on store shelves. FSC®-certified paper.	4.8 122.0
50# KONA LIGHT ROAST	KONAL	KONAL is a 50# (74g/m²), 100% PCW recycled wet strength product. A blend of repurposed coffee bean bag fiber and post-consumer waste material. Perfect for labeling any coffee-related product, or environmentally-friendly packaging. FSC®-certified paper.	4.1 104.0
60# 100% PCW WET STRENGTH PAPER	PLRNB	A 60# (89 g/m²) FSC®-certified, 100% post-consumer waste paper with wet strength. Resistant to moisture, it's perfect for beverage applications, like wine, beer and chilled spirits. Its luxurious look will enhance upscale food and personal care products.	4.3 109.0
SPECIALTY PAPERS			
54# WET STRENGTH SEMI-GLOSS	054WS	54# (80 g/m²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	2.9 80.0
BROWN NATURAL KRAFT	060GM	60# (89 g/m²) brown natural kraft paper. The natural look makes it perfect for labeling organic or other earth-friendly products. It can also be used for cover-up labels on corrugated containers.	5.5 140.0
60# HEMP PAPER	1HEMP	A 60# (89 g/m²) paper made with 25% hemp fibers and 75% post-consumer waste. Designed for labeling cannabis and other hemp products. With no virgin wood content and a natural look it is also a perfect match for organic and other eco-friendly products.	5.0 127.0
TRANSLUCENT PAPER	1TRCT	A 42# (62 g/m²) ultra-clear translucent paper. It is well-suited for wafer seal mailing tabs. Can be used for tamper-evident seals. Also provides a unique look for primary package decoration.	2.3 58.4



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Title	Code	Description	Target (MILS) (Microns)
SPECIALTY PAPERS (cont.)			
TRANSLUCENT PAPER	3TRCT	A 33# (49 g/m²) ultra-clear translucent paper. It is well-suited for wafer seal mailing tabs. Can be used for tamper-evident seals. Also provides a unique look for primary package decoration.	2.2 55.9
DISSOLVABLE PAPER	H2ODP	A water-soluble paper. Coated with the dissolvable adhesive, 611, it disappears in seconds under running water. Leaves no residue on the container. Best dissolvable performance when printed with water-based inks. Keep wrapped until used. FSC®-certified.	3.5 89.0
50# KONA LIGHT ROAST	KONAL	KONAL is a 50# (74g/m²), 100% PCW recycled wet strength product. A blend of repurposed coffee bean bag fiber and post-consumer waste material. Perfect for labeling any coffee-related product, or environmentally-friendly packaging. FSC®-certified paper.	4.1 104.0
LAMINATED FOILS			
BRIGHT GOLD FOIL	055BG	Top coated 70# (104 g/m²) bright gold laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0
BRIGHT SILVER FOIL	055BS	Top coated 70# (104 g/m²) bright silver laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0
DULL GOLD FOIL	055DG	Top coated 70# (104 g/m²) dull gold laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0
DULL SILVER FOIL	055DS	Top coated 70# (104 g/m²) dull silver laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0
FOIL SUBSTITUTES			
1.85 MIL SILVER METALIZED BOPP	018MT	1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.	1.9 47.0
2.0 MIL SILVER METALIZED BOPP	021MU	A 2.0 mil BOPP metalized on the back side for a shiny silver appearance. Top coated for printability with a wide range of ink systems.	2.0 51.0



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

			(MILS)
Title	Code	Description	(Microns)
	Oodo	2000 i puoli	(Wildrens)
FOIL SUBSTITUTES (cont.)			
HOLOGRAM PRISMATIC	056H5	64# (04 a/m²) decerative priematic diffraction paper. Chim lines/geome are	2.2
DIFFRACTION: RAINBOW	ОЭОПЭ	64# (94 g/m²) decorative prismatic diffraction paper. Shim lines/seams are present in holographic material. This gap in the pattern will be up to 1/32"	3.3 84.0
DITTROTION: KAINDON		wide. The area between the shim lines measures 30" machine direction	04.0
		(MD) and 48" cross direction (CD).	
56# SILVER METALIZED	057MS	56# (83 g/m²) top coated silver metalized paper. Not recommended for HP	2.5
PAPER		Indigo Presses.	64.0
SILVER METALIZED WET	56MSW	56# (83 g/m²) top coated silver metalized paper. Wet strength for use in	2.8
STRENGTH PAPER		moist environments including refrigerated foods and chilled beverages.	71.0
		The metallic look makes a product's graphics stand out. Not	
		recommended for HP Indigo Presses.	
THERMAL TRANSFER			
2.6 MIL THERMAL	026TT	2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed	2.6
TRANSFER WHITE		for variable imaging applications where moisture resistance, or long-term	66.0
LABEL-LYTE™		performance, is required. Label-Lyte is a trademark of Jindal Films America.	
		America.	
THERMAL TRANSFER	030TT	3.0 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed	3.0
WHITE LABEL-LYTE™	03011	for variable imaging applications where moisture resistance, or long-term	76.0
		performance, is important. Label-Lyte is a Trademark of Jindal Films	70.0
		America.	
HIGH SPEED COATED	050HS	47# (70 g/m²) premium bright white, coated, ultra-smooth thermal transfer	3.0
THERMAL TRANSFER		paper stock offering broad ribbon compatibility. FSC®-certified paper.	76.0
3.0 MIL TC MATTE WHITE	075WP	A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used	3.0
ВОРР		with thermal transfer, flexography, screen, letterpress, and other print	75.0
		methods. It is moisture, chemical and tear resistant.	
	005716	A 40 11/6 1 0 0000 111 1 1 1 1 1 1 1 1 1 1 1 1 1	4.0
TOP COATED KIMDURA® FPG 95	095TK	A 4.2 mil Kimdura® BOPP specially top coated for thermal transfer, dot matrix, ion deposition and digital printing. Registered Trademark of	4.2 107.0
FFG 93		Neenah Paper, Inc. © 2007 NPI All Rights Reserved.	107.0
		1100.101.1 apol, 110. © 2007 th 17 iii thighto 1100011000.	
SELECT THERMAL	0TTFA	A 44# (65 g/m²) gray opaque multi-purpose thermal transfer sheet.	2.9
TRANSFER OPAQUE	VIIIA	Designed for cover up labels, with excellent opacity. Premium coating for	72.0
		enhanced flexo graphics. FSC®-certified paper.	



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

(MILS) Code Description (Microns) Title THERMAL TRANSFER (cont.) **SELECT THERMAL OTTFP** A 44# (65 g/m²) multi-purpose thermal transfer sheet. Premium coating 2.9 **TRANSFER** for enhanced flexo-printed graphics. FSC®-certified paper. 72.0 **MATTE WHITE BOPP** 100WP 3.7 A 3.7 mil top coated matte white BOPP. UV resistant. A synthetic paper, it 95.0 can be printed by thermal transfer, flexography, screen, and letterpress. Moisture, chemical and tear resistant. For drum label, outdoor and other demanding applications. **VALUE THERMAL** VALTE A 42# (62 g/m²), top-coated thermal transfer sheet that offers high 2.4 **TRANSFER** performance at a lower cost. Strength and opacity are comparable to 61.0 conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper. **VALUE THERMAL VALUT** A 42# (62 g/m²) top-coated, thermal transfer sheet that offers high 2.8 **TRANSFER** performance at a lower cost. Strength and opacity are comparable to 71.0 conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper. TOP COATED DIRECT 015DT A 38# (56.2 g/m²) high sensitivity, top coated direct thermal paper. This 2.3 THERMAL PAPER thinner caliper facer allows more labels per roll. Ideal for hand-applied 58.4 mobile printing applications. FSC®-certified paper. **DIRECT THERMAL** 20RXE This 48# (71 g/m²), no phenols added, top-coated paper resists 3.0 PRESCRIPTION VIAL chemicals, including cleaners, hand sanitizers and lotions. Holds up in 76.2 LABEL heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper. DIRECT THERMAL 021RX This 48# (71 g/m²), no phenols added, top-coated paper resists 3.1 PRESCRIPTION VIAL 78.0 chemicals, including cleaners, hand sanitizers and lotions. Holds up in **LABEL** heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper. **RED FLUORESCENT** 022FT A 54# (80 g/m²) bright red direct thermal coated paper. Images black. 3.1 **DIRECT THERMAL** Intended for attention-grabbing promotional point-of-purchase labels, or 79.0 color coded warehouse tracking. FSC®-certified paper.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target (MILS) Code Description (Microns) Title **DIRECT THERMAL (cont.)** PREMIUM TOP COATED TD 022TD A 53# (78 g/m²) top coated direct thermal coated paper for more 3.1 79.0 demanding applications and higher imaging speeds. FSC®-certified paper. 22PDE **NEAR IR PACKAGE** A 48# (70 g/m²), no phenols added, direct thermal paper top-coated for 3.1 **DELIVERY DIRECT** handling durability. Near IR designed for package delivery. PCS and 78.7 **THERMAL** scanning up to 670 nm. For high-heat environments. Resists imaging up to 100°C. Moderate to fast print speeds. FSC®-certified paper. **ECONOMY TOP COATED 23DTE** A 48# (72 g/m²), no phenols added, top coated direct thermal paper. 3.0 **DIRECT THERMAL PAPER** Resistant to moisture, alcohol and heat. Ideal for shipping and 76.2 warehousing applications. FSC®-certified paper. **ECONOMY TOP COATED** 024DT A 53# (78 g/m²) top coated direct thermal paper. Resistant to moisture, oil 3.2 **DIRECT THERMAL PAPER** and heat. Also has plasticizer resistance at room temperature. Ideal for 81.0 weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper. **ECONOMY TOP COATED 24DTE** A 50# (74 g/m²), no phenols added, top coated direct thermal paper. 2.9 **DIRECT THERMAL PAPER** Resistant to moisture, oil and heat. Also has plasticizer resistance at room 73.7 temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper. NON-TOP COATED DIRECT 024NT A 47# (69.9 g/m²) medium sensitivity non-top coated direct thermal paper 3.1 THERMAL PAPER 78.7 designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper. **ECONOMY TOP COATED** 025DT A 47# (70 g/m²) top coated direct thermal paper. Resistant to moisture, oil 3.1 **DIRECT THERMAL PAPER** and heat. Also has plasticizer resistance at room temperature. Ideal for 79.0 weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper. **ECONOMY TOP COATED** 25DTE A 49# (72.5 g/m²), no phenols added, top coated direct thermal paper. 3.0 **DIRECT THERMAL PAPER** Resistant to moisture, oil and heat. Also has plasticizer resistance at room 76.2 temperature. Ideal for weigh scale labels, pharmacy, shipping and



warehousing applications. FSC®-certified paper.

Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

(MILS) Code Description (Microns) Title **DIRECT THERMAL (cont.)** NON-TOP COATED DIRECT 025NT A 51# (75 g/m²) medium sensitivity non-top coated direct thermal paper 3.3 THERMAL PAPER designed for short duration labels or applications where the label is not 82.5 exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper. NON-TOP COATED DIRECT **25NTE** A 49# (73 g/m²), no phenols added, medium sensitivity non-top coated 3.2 THERMAL PAPER direct thermal paper designed for short duration labels or applications 81.3 where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper. 3.0 MIL SYNTHETIC 070MK A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top 3.0 MEDIUM SENSITIVITY FILM 76.0 coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned. 3.3 MIL SYNTHETIC 084MB A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium 3.3 MEDIUM SENSITIVITY FILM degree of sensitivity. Use when moisture and environmental resistance 84.0 are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned. SYNTHETIC MEDIUM 095RK 4.1 mil white BOPP film with direct thermal coating. Top coated for 4.1 SENSITIVITY FILM 104.0 durability. Medium degree of sensitivity. SYNTHETIC MEDIUM 096RK 4.1 mil white BOPP film with direct thermal coating. Produces a dark 4.1 SENSITIVITY FILM image. Top coated for durability. Water and environmental resistant. Use 104.0 for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling. SYNTHETIC MEDIUM 96RKE 4.0 4.0 mil white BOPP, no phenols added film, with direct thermal coating. **SENSITIVITY FILM** Produces a dark image. Top coated for durability. Water and 101.6 environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling. **TOP-COATED VALUE** 24VTA A 48# (71 g/m²) top coated direct thermal paper with a gray opaque 3.2 **DIRECT THERMAL** backside coating. Designed for cover up labels. Good environmental 80.0 **OPAQUE** resistance for weigh scale, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

(MILS) Code Description (Microns) Title **DIRECT THERMAL (cont.) TOP COATED VALUE 24VTB** A 48# (71 g/m²) top coated paper. Resists moisture, heat, humidity, 3.2 **DIRECT THERMAL** 80.0 fading, scuffing, chemicals, and plasticizers. Use for weigh scale applications, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper. 30CDT 3.0 MIL CLEAR DIRECT A 3.0 mil top-coated direct thermal polypropylene film with exceptional 3.0 THERMAL FILM clarity. Designed for variable image printed labels that highlight the 76.0 product. Has environmental and water resistance. White should be printed behind any barcode for scannability. DIRECT THERMAL (NO PHENOLS ADDED) **DIRECT THERMAL** 20RXE This 48# (71 g/m²), no phenols added, top-coated paper resists 3.0 chemicals, including cleaners, hand sanitizers and lotions. Holds up in PRESCRIPTION VIAL 76.2 LABEL heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper. 021RX DIRECT THERMAI This 48# (71 g/m²), no phenols added, top-coated paper resists 3.1 PRESCRIPTION VIAL chemicals, including cleaners, hand sanitizers and lotions. Holds up in 78.0 **LABEL** heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper. **NEAR IR PACKAGE** 22PDE A 48# (70 g/m²), no phenols added, direct thermal paper top-coated for 3.1 **DELIVERY DIRECT** handling durability. Near IR designed for package delivery. PCS and 78.7 **THERMAL** scanning up to 670 nm. For high-heat environments. Resists imaging up to 100°C. Moderate to fast print speeds. FSC®-certified paper. **ECONOMY TOP COATED 23DTE** A 48# (72 g/m²), no phenols added, top coated direct thermal paper. 3.0 **DIRECT THERMAL PAPER** Resistant to moisture, alcohol and heat. Ideal for shipping and 76.2 warehousing applications. FSC®-certified paper. **ECONOMY TOP COATED** 24DTE A 50# (74 g/m²), no phenols added, top coated direct thermal paper. 2.9 **DIRECT THERMAL PAPER** Resistant to moisture, oil and heat. Also has plasticizer resistance at room 73.7 temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper. **ECONOMY TOP COATED** 25DTE A 49# (72.5 g/m 2), no phenols added, top coated direct thermal paper. 3.0 **DIRECT THERMAL PAPER** Resistant to moisture, oil and heat. Also has plasticizer resistance at room 76.2 temperature. Ideal for weigh scale labels, pharmacy, shipping and



warehousing applications. FSC®-certified paper.

Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

(MILS) Code Description (Microns) Title **DIRECT THERMAL (NO PHENOLS ADDED) (cont.)** NON-TOP COATED DIRECT **25NTE** A 49# (73 g/m²), no phenols added, medium sensitivity non-top coated 3.2 THERMAL PAPER 81.3 direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper. SYNTHETIC MEDIUM 96RKE 4.0 mil white BOPP, no phenols added film, with direct thermal coating. 4.0 SENSITIVITY FILM Produces a dark image. Top coated for durability. Water and 101.6 environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling. **INK JET / LASER 50# LASER JET WITH 100%** R51LJ A 50# (74 g/m²) multi-purpose facer for laser and inkjet printing. Produced 4.0 PCW 101.6 with 100% post-consumer waste. Has a bright, white color, so it is attractive while helping the environment. FSC® certified. SUPER BRIGHT LASER JET 050LJ 51# (75 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for both 4.0 laser and ink jet printing. FSC®-certified paper. 102.0 **BLUE FLUORESCENT** 054BZ 57# (84 g/m²) blue matte fluorescent coated paper. Designed for laser, 3.9 price marking, promotional and general roll label applications. Unique 99.0 color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper. **GREEN FLUORESCENT** 054GZ 57# (84 g/m²) green matte fluorescent coated paper. Designed for laser, 3.9 price marking and general roll label applications. FSC®-certified paper. 99.0 **ORANGE FLUORESCENT** 054OZ 57# (84 g/m²) orange matte fluorescent coated paper. Designed for laser, 3.9 price marking and general roll label applications. FSC®-certified paper. 99.0 PINK FLUORESCENT 054PZ 57# (84 g/m²) pink matte fluorescent coated paper. Designed for laser, 3.9 price marking and general roll label applications. FSC®-certified paper. 99.0 RED FLUORESCENT 054RZ 57# (84 g/m²) red matte fluorescent coated paper. Designed for laser, 3.9 price marking and general roll label applications. FSC®-certified paper. 99.0 YELLOW CHARTREUSE 054YZ 57# (84 g/m²) yellow chartreuse matte fluorescent coated paper. Designed 3.9 **FLUORESCENT** for laser, price marking and general roll label applications. FSC®-certified 99.0



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

paper.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target (MILS) Code Description (Microns) Title **INK JET / LASER (cont.) 60# MATTE-COATED INK** 07INK A 60# (88 g/m²) matte-coated, acid-free, inkjet sheet with an exceptionally 4.5 114.3 **JET** bright, blue-white shade. It provides high resolution imaging, and excellent smear and water resistance. It is compatible with a broad array of inkjet printers. FSC®-certified. **59# GLOSS INKJET PAPER** 1GINK A 59# (87 g/m²) high gloss inkjet paper. Offers high resolution imaging 4.1 and is perfect for photorealistic prints. Is universally compatible with dye 104.0 inks and printable with a range of pigment inks. Not recommended for flexo printing. FSC®-certified. 55# SEMI-GLOSS INKJET **SGINK** A 55# (81.4 g/m²) semi gloss inkjet paper. Offers high resolution imaging 3.4 **PAPER** 86.4 and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. 65# SEMI-GLOSS INKJET SG2NK A 65# (97 g/m²) semi gloss inkjet paper. Offers high resolution imaging 4.5 **PAPER** and is perfect for photorealistic prints. Is universally compatible with dye 114.3 inks and printable with a range of pigment inks. FSC®-certified. 3.4 MIL MATTE WHITE INK 34WIJ A 3.4 mil white matte BOPP that is a multi-purpose film for both 3.4 JET BOPP 86.0 water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance. 47# FSC®-CERTIFIED F47LJ 47# (70 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for laser 3.5 SUPER BRIGHT LASER JET and ink jet printing. Lighter weight for shipping savings. Thinner caliper for 89.0 space savings and reduced packaging. Offers the option of more labels on a roll. FSC®-certified. FILMS: POLYPROPYLENES (CLEAR) 1.85 MIL CLEAR TOP 018CT 1.9 1.85 mil clear top-coated BOPP is compatible with water-based and UV **COATED BOPP** flexo, and UV inkjet presses. Thinner for resource and shipping savings. 47.0 Ultra clear for a no-label look. Perfect for health and beauty aid, household care, and beverage labeling. 2.0 MIL CLEAR TOP 020CL 2.0 mil clear top-coated BOPP offers excellent print results with 2.0 **COATED BOPP** water-based and UV flexo ink systems, and hot stamping. Ultra clear for a 51.0 no-label look. Perfect for health and beauty aid, household care, pharmaceutical, and beverage labeling.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

(MILS) Code Description (Microns) Title FILMS: POLYPROPYLENES (CLEAR) (cont.) 2.2 MIL FLEXICLEAR™ TC 022FC A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze 2.2 **CONFORMABLE BOPP** 56.0 conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc. 3.6 MIL CLEAR TC BOPP 036CG A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV 3.6 screen, UV flexo and waterbased inks. Can be used for window graphics, 91.0 or other applications where a more substantial film is needed. FILMS: POLYPROPYLENES (WHITE) 2.2 MIL FLEXIWHITE™ TC 022FW A 2.2 mil top coated white BOPP offering full wall-to-wall squeeze 22 **CONFORMABLE BOPP** conformability. Glossy look with a superior print receptive top coating for 56.0 excellent ink adhesion and print quality. FlexiWhite™ is a Trademark of Green Bay Packaging Inc. 2.3 MIL TOP COATED 023WB A 2.3 mil white top coated BOPP, backside coated to aid in adhesive 2.3 WHITE BOPP anchorage. Excellent compatibility using UV curing inks or water based 58.0 flexo ink systems. High stiffness for conversion and automatic dispensing. Great choice for prime labeling. 2.3 MIL WHITE TOP 023WP A 2.3 mil white top coated BOPP with excellent compatibility using UV 2.3 **COATED BOPP** curing inks or water based flexo ink systems. High stiffness for conversion 58.0 and automatic dispensing. Great choice for prime labeling. 2.3 MIL WHITE 023WT 2.3 mil solid white top-coated BOPP. Compatible with UV and 2.3 **TOP-COATED BOPP** water-based flexo, and UV inkjet printing; also hot stamping. Exceptional 58.0 opacity. Backside treated for adhesive anchorage. Great stiffness for auto application. Ideal for prime labeling. 2.4 MIL TOP COATED 024TL 2.4 A 2.4 mil glossy white BOPP top coated for ink adhesion. Has a distinctive WHITE LABEL-LYTE™ pearlescent sheen. Excellent compatibility with UV curing inks and water 61.0 based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America. 2.6 MIL TOP COATED A 2.6 mil glossy white BOPP top coated for ink adhesion. Has a distinctive 026TL 2.6 WHITE LABEL-LYTE™ pearlescent sheen. Excellent compatibility with UV curing inks and water 69.0 based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

November 7, 2025

Page 19

Target

3.0

76.0

(MILS) Code Description (Microns) Title FILMS: POLYPROPYLENES (WHITE) (cont.) 3.6 MIL WHITE TC BOPP 036WG A 3.6 mil white BOPP film. UV resistance and top coating suitable for UV 3.6 screen, UV flexo and waterbased inks. Can be used for window graphics, 91.0 or other applications where a more substantial film is needed. 2.4 MIL WHITE 24WCB 2.4 mil white top-coated BOPP. Compatible with water-based and UV 24 **TOP-COATED BOPP** flexo, and UV inkjet presses. Thinner for resource and shipping savings. 61.0 Backside coated for adhesive anchorage. Glossy look. Perfect for prime label applications; health and beauty aid, household care, and beverage labeling. 2.4 MIL WHITE **24WCT** 2.4 mil white top-coated BOPP. It is compatible with water-based and UV 2.4 **TOP-COATED BOPP** 61.0 flexo, and UV inkjet presses. Thinner for resource and shipping savings. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling. 2.6 Mil WHITE TOP-COATED **26WCB** 2.6 mil white top-coated BOPP. Compatible with water-based and UV 2.6 **BOPP** flexo, and UV inkjet presses. Backside coated for adhesive anchorage. 66.0 Glossy look. Perfect for prime label applications; health and beauty aid, household care, and beverage labeling. 2.6 MIL WHITE **26WCT** 2.6 mil white top-coated BOPP. It is compatible with water-based and UV 2.6 **TOP-COATED BOPP** flexo, and UV inkjet presses. Glossy look. Perfect for health and beauty 66.0 aid, household care, and beverage labeling. 3.4 MIL MATTE WHITE 34WIJ A 3.4 mil white matte BOPP that is a multi-purpose film for both 3.4 **INKJET BOPP** water-based and pigment ink jet printing. Quick drying on press. The 86.4 smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance. FILMS: POLYPROPYLENES (VARIABLE IMAGING) 2.6 MIL THERMAL 026TT 2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed 2.6 TRANSFER WHITE for variable imaging applications where moisture resistance, or long-term 66.0 LABEL-LYTE™ performance, is required. Label-Lyte is a trademark of Jindal Films America. 030TT



Trademark of Jindal Films America.

White Label-Lyte BOPP with a thermal transfer top coat. Label-Lyte is a

Green Bay Packaging Inc. **Coated Products Operations**

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

THERMAL TRANSFER

WHITE LABEL-LYTE™

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target (MILS)

1.9

47.0

Code Description (Microns) Title FILMS: POLYPROPYLENES (VARIABLE IMAGING) (cont.) 3.0 MIL SYNTHETIC 070MK A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top 3.0 **MEDIUM SENSITIVITY FILM** 76.0 coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned. 3.0 MIL TC MATTE WHITE 075WP A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used 3.0 **BOPP** with thermal transfer, flexography, screen, letterpress, and other print 75.0 3.3 MIL SYNTHETIC 084MB A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium 3.3 MEDIUM SENSITIVITY FILM degree of sensitivity. Use when moisture and environmental resistance 84.0 are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned. SYNTHETIC MEDIUM 095RK 4.1 mil white BOPP film with direct thermal coating. Top coated for 4.1 SENSITIVITY FILM durability. Medium degree of sensitivity. 104.0 **TOP COATED KIMDURA®** 095TK A 4.2 mil (92 g/m²) Kimdura® BOPP specially top coated for thermal 4.2 **FPG 95** transfer, dot matrix, ion deposition and digital printing. Registered 107.0 Trademark of Neenah Paper, Inc. © 2007 NPI All Rights Reserved. SYNTHETIC MEDIUM 096RK 4.1 mil white BOPP film with direct thermal coating. Produces a dark 4.1 SENSITIVITY FILM image. Top coated for durability. Water and environmental resistant. Use 104.0 for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling. SYNTHETIC MEDIUM 96RKE 4.0 mil white BOPP, no phenols added film, with direct thermal coating. 4.0 SENSITIVITY FILM Produces a dark image. Top coated for durability. Water and 101.6 environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling. **MATTE WHITE BOPP** 100WP A 3.7 mil top coated matte white BOPP. UV resistant. For use with thermal 3.7 transfer and other print methods. Consider for drum label, outdoor and 95.0 other demanding applications.

FILMS: POLYPROPYLENES (METALIZED)

1.85 MIL SILVER 018M METALIZED BOPP

018MT 1.85 mil cl

1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Target

			(MILS)
Title	Code	Description	(Microns)
FILMS: POLYPROPYLENES	(METALIZE	D) (cont.)	
2.0 MIL SILVER METALIZED	021MU	A 2.0 mil BOPP metalized on the back side for a shiny silver appearance.	2.0
ВОРР		Top coated for printability with a wide range of ink systems.	51.0
FILMS: POLYSTYRENES			
1.5 MIL CLEAR	015PN	A 1.5 mil corona treated clear polystyrene. Perfect for use as a base for	1.5
POLYSTYRENE		peel-off coupons and booklets.	38.0
2.0 MIL CLEAR	020PN	A 2.0 mil corona treated clear polystyrene. Stiffness allows easy	2.0
POLYSTYRENE		converting and dispensing.	51.0
2.5 MIL CLEAR	025PN	A 2.5 mil corona treated clear polystyrene. Stiffness allows easy	2.5
POLYSTYRENE		converting and dispensing. Great for use as a mailing tab.	64.0
2.5 MIL WHITE	25PSW	A 2.5 mil corona treated white polystyrene. Stiffness allows easy	2.5
POLYSTYRENE		converting and dispensing.	64.0
FILMS: POLYESTERS			
2 MIL CLEAR TOP COATED	020MY	A very clear, top coated polyester film. Top coating allows for printing with	2.0
POLYESTER		most standard flexo and UV letterpress inks.	51.0
2.0 MIL VALUE WHITE	2VWPT	A matte, white polyester film, top-coated for water-based and U.V.	2.0
POLYESTER		flexographic ink adhesion, and thermal transfer printing. Designed for durable applications – resistant to heat and chemicals. High tear strength.	50.0
FILMS: CLEAR SPECIALTY			
2 MIL CLEAR ACETATE	020AC	A 2.0 mil clear acetate film with good clarity and printability. It is	2.0
		compostable. Has relatively low tear resistance and is good for tamperproof applications. Meets the ASTM D6400 compost standard.	51.0
FILMS: WHITE SPECIALTY			
TYVEK®	046TV	DuPont™ Tyvek® (1073D) is a 7.5 mil, strong, transluscent polyolefin with	7.6
		exceptional strength and moisture resistance. DuPont™ and Tyvek® are trademarks or registered	191.0
		trademarks of E.I. du Pont de Nemours and Company.	



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

Title	Code	Description	Target (MILS) (Microns)
PIGGYBACKS			
54# SEMI-GLOSS	054SG	54# (78 g/m²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, UV letterpress, and offset methods. FSC®-certified paper.	2.6 66.0
60# DULL LITHO	061DL	60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper.	3.0 76.0
VALUE THERMAL TRANSFER	VALUT	A 42# (62 g/m²) top-coated, thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.	2.8 70.0



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

	Minimum		
	Application Temp	Service Temp Range	Description
	•	Runge	
COLD-T	TEMP		
00552	-20°F -29°C	-65° to +120°F -54° to +49°C	Acrylic freezer adhesive used in many film wrapped meat and dairy applications, including the more difficult blast freeze environment.
00720	-20°F -29°C	-65° to +180°F -54° to +82°C	A soft, general purpose, all-temperature acrylic adhesive for paper and film labels. Adheres to a variety of packages in a broad range of temperatures. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0720M	-20°F -29°C	-65° to +180°F -54° to +82°C	A versatile cold-temperature acrylic adhesive that adheres to many packaging materials in a broad range of temperatures. Faster stripping than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0720G	-20°F -29°C	-65° to 180°F -54° to +82°C	A versatile cold-temperature acrylic adhesive that adheres to many packaging substrates in a broad range of temperatures. Faster stripping and cleaner converting than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
00853	0°F -18°C	-50° to +125°F -46° to + 52°C	A cold-temperature acrylic adhesive, designed to run cleanly on press. Perfect for weigh scale applications.
0976S	-20°F -29°C	-65 to 180°F -54 to 82°C	All-temperature acrylic adhesive designed for PET, Colored HDPE, and PP recycling. Will wash off PET clamshells, bottles, and other containers. Carries APR critical guidance approval for PET, Colored HDPE and PP recycling when paired with clear, white, and metalized BOPP films.
PERMA	NENT		
00103	+40°F + 4°C	-65° to +200°F -54° to +93°C	A soft, high performance film label acrylic adhesive with excellent clarity and adhesion to low energy surfaces, along with outstanding wet-out.
00406	+10°F -12°C	-40° to +300°F -40° to +150°C	A permanent acrylic adhesive designed for film face stocks used in durable applications. Has high tack and excellent adhesion to low energy surfaces. An environmentally-friendly alternative to solvent adhesives.
00504	+35°F + 2°C	-40° to +160°F -40° to +71°C	A general purpose acrylic emulsion used primarily with paper substrates.
00506	+45°F + 7°C	-65° to +200°F -54° to +93°C	A general purpose acrylic emulsion adhesive with good UV stability. Non-yellowing, and generally used with film face stocks.



Green Bay Packaging Inc. Coated Products Operations

Minimum

	Minimum Application	Service Temp	
	Temp	Range	Description
PERMA	NENT (cont.)		
I LIXIVIA	INENT (COIII.)		
00508	+45°F + 7°C	-65° to +200°F -54° to +93°C	A hard, acrylic adhesive. Useful for prime label pharmaceutical (pill bottles). Good for curved surfaces greater than 1/2" diameter requiring mandrel hold. Offers some reposition time on low-energy plastics. Glove friendly.
00515	+40°F +4°C	-40° to +250°F -40° to +121°C	A permanent, acrylic adhesive that has good water whitening resistance and adheres well to low surface energy plastics. Good combination of quick tack and high shear makes it ideal for mailing tabs.
00525	+45° F +7°C	-65°F to +200°F -54°C to +93°C	A general purpose permanent, pharmaceutical acrylic adhesive. A higher coat weight version of 508. This adhesive is ideal for rough surfaces. Holds tight in difficult, small diameter applications. Repositionable on some surfaces.
00600	-10°F -23°C	-50° to +125°F -46° to +52°C	A permanent acrylic adhesive, which removes from glass bottles in a 100°F water bath. Designed for wine and other beverage labeling. Can be used in a wide range of temperatures, including cold applications. Removal times depend on facer and bottle type.
00700	+35°F +2°C	-65° to +200°F -54° to +93°C	A general purpose acrylic emulsion for paper. Repositions on many low energy plastics.
00747	0°F -18°C	-65° to +200°F -54° to +93°C	A general purpose, acrylic permanent that displays excellent adhesion over a broad temperature range while providing aggressive performance. Perfect for wine labeling, as it can withstand ice bucket conditions.
00751	+45°F +7°C	-65° to +200°F -54° to +93°C	A paper and film compatible acrylic with good adhesion to many substrates. Excellent die-cutting and stripping. Exceptional mandrel hold.
00950	25°F -4°C	-40° to +160°F -40° to +71°C	General purpose filmic adhesive designed for prime label applications. High shear properties leading to excellent press convertibility. Provides good open time for label repositioning. Performs at application temperatures as low as 25°F. Meets APR Preferred Design for Recycling on HDPE (colored) and PP substrates.
00960	14°F -10°C	-40° to +160°F -40° to +71°C	General purpose filmic adhesive designed for prime label applications. Excellent clarity and improved blush resistance. Higher shear film adhesive for improved press convertibility. Performs at application temperatures as low as 14°F. Meets APR Preferred Design for Recycling on HDPE (colored) and PP substrates.
0758M	+35°F +2°C	-65° to +200°F -54° to +93°C	An acrylic general purpose permanent adhesive with great die-cutting and stripping properties. Adheres well to many substrates, including corrugated.



Green Bay Packaging Inc. Coated Products Operations

	Minimum Application Temp	Service Temp Range	Description
PERMA	NENT (cont.)		
0776S	+25°F -4°C	-65° to +200°F -54° to +93°C	A general purpose acrylic adhesive designed for PET recycling. Will wash off PET clamshells, bottles, and other containers during recycling leaving no adhesive residue behind. When combined with specific facers it has APR Critical Guidance Recognition.
767HM	+20°F -7°C	-65° to 165°F -54° to 79°C	A highly versatile rubber-based hot melt adhesive with quick tack. It stands up to moisture and adheres securely to both low-energy and textured surfaces.
REMOV	/ABLE		
00272	+20°F -7°C	-10° to +120°F -23° to +49°C	Non-toxic paper removable microsphere acrylic adhesive with good clean removal. Great choice for kiddie stickers, business forms, and price labels.
00275	+35°F +2°C	+20° to +120°F -7° to +49°C	Most universal acrylic microsphere adhering to corrugated, glass, metal, and plastics. No residue on glass or credit cards. Repositionable. Not recommended for small labels, or flood coated applications. Repulpable when applied to paper face stocks.
00278	+20°F -7°C	-10 to +120°F -23 to +49°C	Ultra-removable microsphere acrylic adhesive for paper face stocks. Adheres to, and removes cleanly from, a variety of substrates. Perfect for kiddie stickers, and short-term labeling such as price marking, promotions, and logistics.
00347	+35°F +2°C	-40° to +180°F -40° to +82°C	Specialized removable acrylic for film face stocks. Has low peel and no-build properties. Designed for clean and easy removal from glass even after extended periods of time and temperature changes.
00531	+40°F +4°C	0° to +140°F -18° to +60°C	General purpose removable acrylic adhesive for use with paper or film face stocks. Removes from some glass, plastic, and textile surfaces.
00532	+35°F +2°C	-40° to +160°F -40° to +71°C	Textile acrylic adhesive that removes cleanly from most fabrics. Not recommended for leather, suede or silk. Be sure to test. All textile applications are different.
00538	+45°F +7°C	0° to +160°F -18° to +71°C	A moderate-to-tight acrylic removable for use with films and strong paper face stocks.
00611	+21°F -6°C	-40° to +172°F -40° to +78°C	A water dissolvable acrylic adhesive. It adheres to, and washes off, many substrates including most plastics, stainless steel and glass. Combined with the dissolvable facer, H2ODP, the label disappears in 30 seconds. Can be used with other face stocks.



Green Bay Packaging Inc. Coated Products Operations

	Minimum Application Temp	Service Temp Range	Description
REMOV	ABLE (cont.)		
00633	30°F -1°C	-65° to +200° F -54° to +93° C	An aggressive removable acrylic adhesive with a clean release for paper and film labels. It adheres to, and removes from, a wide variety of surfaces. Does not ghost. Good mandrel hold. Ideal for resealable closure labels.
00805	0°F -18°C	-50° to +125°F -46° to +52°C	A lighter tack acrylic adhesive for kiddie stickers. Can also be used for other applications requiring short-term removability. Works in a wide range of temperatures.
80361	0°F -18°C	-50° to +125°F -46° to +52°C	Acrylic adhesive designed for short-term removability. Consider for kiddie stickers.
RECYC	LABLE		
00611	+21°F -6°C	-40° to +172°F -40° to +78°C	A water dissolvable acrylic adhesive. It adheres to, and washes off, many substrates including most plastics, stainless steel and glass. Combined with the dissolvable facer, H2ODP, the label disappears in 30 seconds. Can be used with other face stocks.
00720	-20°F -29°C	-65° to +180°F -54° to +82°C	A soft, general purpose, all-temperature acrylic adhesive for paper and film labels. Adheres to a variety of packages in a broad range of temperatures. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
00757	+32°F +0°C	-58° to +199°F -50° to +93°C	A permanent acrylic adhesive with an aggressive bond to many surfaces, including low-energy plastics and corrugated. Harder adhesive for clean converting. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0720G	-20°F -29°C	-65° to 180°F -54° to +82°C	A versatile cold-temperature acrylic adhesive that adheres to many packaging substrates in a broad range of temperatures. Faster stripping and cleaner converting than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0720M	-20°F -29°C	-65° to +180°F -54° to +82°F	A hard, versatile cold-temperature acrylic adhesive that adheres to many packaging materials in a broad range of temperatures. Faster stripping than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0776S	+25°F -4°C	-65° to +200°F -54° to +93°C	A general-purpose acrylic adhesive designed for PET recycling. Will wash off PET clamshells, bottles, and other containers during recycling leaving no adhesive residue behind. When combined with specific facers it meets APR Critical Guidance protocol.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the November 7, 2025

	Minimum Application Temp	Service Temp Range	Description
RECYC	LABLE (cont.)		
0976S	-20°F -29°C	-65 to 180°F -54 to 82°C	All-temperature acrylic adhesive designed for PET, Colored HDPE, and PP recycling. Will wash off PET clamshells, bottles, and other containers. Carries APR critical guidance approval for PET, Colored HDPE and PP recycling when paired with clear, white, and metalized BOPP films.



Green Bay Packaging Inc. Coated Products Operations

LINER SELECTION GUIDE

Title	Code	Target (Mils) (Microns)	Description
PAPER ROLL-TO-ROLL			
1.7 MIL WHITE GLASSINE	17GL	1.7 43.0	A 28# (45 g/m²) white glassine provides an excellent surface for die-cutting. The thinner gauge allows more labels on a roll, and the lighter weight provides lower shipping costs saving you and your customers time and money.
2.4 MIL NATURAL KRAFT LINER	39NK	2.4 61.0	Produced without bleaching, this is a more environmentally-friendly, 39# (64 g/m²) super calendered densified kraft liner offering good die-cutting and stripping. Can be recycled with corrugated.
2.4 MIL SEMI-BLEACHED DENSIFIED KRAFT	40SC	2.4 61.0	A white densified kraft sheet 41# (67 g/ m^2) with excellent point-to-point caliper control.
41# WHITE KRAFT LINER	41WK	2.7 69.0	A premium, 41# (66 g/m²) white kraft liner that is designed for roll-to-roll and fan-fold applications. Outstanding performance die cutting both paper and film.
3.2 MIL SEMI-BLEACHED DENSIFIED KRAFT	50SC	3.2 81.0	A white densified kraft sheet 53# (86 g/m²) with excellent point-to-point caliper control.
PAPER ROLL-TO-SHEET			
3.4 MIL LASER LINER	0PBLF	3.4 87.0	A premium, 50# (82 g/m²) white kraft liner that is designed for roll-to-sheet and fan fold applications. Ideal for smooth feeding in desktop laser and inkjet printers. Suitable for die cutting both paper and film.
3.2 MIL CLAY COATED LAY FLAT	0PRLF	3.2 82.0	A premium, 53# (87 g/m²) white kraft liner. Suitable for roll-to-sheet and fan fold applications. Designed for four-color process printing on the back side. Can be used for die cutting both paper and film.
3.2 MIL KRAFT LAY FLAT	32KLF	3.2 81.0	Designed for roll-to-sheet and fan fold applications, 32KLF is a premium, white kraft 45# (73 g/m²) liner. It is back side printable. This liner can be used with both paper and film facestocks.
2.7 MIL LASER LINER	41LF	2.7 69.0	A premium, 41# (66 g/m²) white kraft liner that is designed for roll-to-sheet and fan fold applications. Ideal for smooth feeding in desktop laser and inkjet printers. Suitable for die cutting both paper and film.
3.2 MIL PRINTABLE LAY FLAT LINER	53CRT	3.2 81.0	A 54# (88 g/m²) blue-white kraft liner. Good dimensional stability for roll-to-sheet lay flat applications. Features a coated back side for a premium appearance and flexo printability. Suitable for charity mailing labels.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.

LINER SELECTION GUIDE

Title	Code	Target (Mils) (Microns)	Description
PAPER ROLL-TO-SHEET (cont.)			
3.5 MIL CLAY COATED LAY FLAT	60LF	3.5 88.0	A 56# (92 g/m²) liner with high white visual appeal. Ideal for sheeted or fan fold applications. Designed for four-color process printing on the back side.
4.6 MIL LAY FLAT LINER	74LF	4.6 117.0	A white 74# (121 g/m²) kraft liner that offers good dimensional stability for roll-to-sheet applications. Perfect for facer materials and applications that need extra rigidity to lay flat.
FILM			
1.2 MIL CLEAR POLYESTER	12NB	1.2 30.0	Clear polyester with an excellent surface for die-cutting. Great strength for high speed converting and application.
1.2 MIL CLEAR POLYESTER	12PE	1.2 31.0	Clear polyester liner with a firm surface for die-cutting. Easy release for high speed converting and application.
1.4 MIL CLEAR POLYESTER	15PT	1.4 36.0	Clear polyester liner with an excellent surface for die-cutting and high speed automatic applications.
.92 MIL CLEAR POLYESTER	92NB	0.9 23.0	Clear polyester with an excellent surface for die-cutting. Great strength for high speed converting and application. The benefits of this thinner gauge liner include reducing plastic use, decreasing shipping weight, and allowing more labels on a roll.
POLY KRAFT			
3.1 MIL NATURAL KRAFT/POLYPROPYLENE	44PM	3.1 72.0	A 44# (72 g/m²) natural kraft liner extrusion coated with polypropylene. Designed to prevent V-type tears and is an excellent choice for high speed automatic applications. Commonly used in wine label applications.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

No salesperson, representative, or agent of Green Bay Packaging Inc. is authorized to give any guarantee, warranty, or make any representation contrary to the above. The company's standard Terms and Conditions (found in the current Green Bay Packaging Inc. - Coated Products Operations, Roll Printer Price Book) in effect at the time of the sale shall control.



BIG ENOUGH TO SERVE YOU. SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	N N	X S	Z	ATL	4
WHITE PAPERS - HIGH	I-GLOSS									
57# CAST COATED HIGH-GL	.oss									
57# (85 g/m²) high-gloss she	et with a smooth, reflect	ive surface o	designed for top	-quality graphic repro	oduction.					
057HG	00504	40SC	S7823760	248	C			1		
057HG	00720	40SC	S7824560	247	1	1		1		1
057HG	00747	40SC	S7813760	246	C					
057HG	00751	40SC	S8060260	246	C			1		
057HG	00751	40SC	S8941560	242	C	I				
ENCORE GLOSS										—
61# (89 g/m²) super calender	ed high-gloss sheet. Th	is C1S pape	r is designed fo	r premium labeling a	pplications. N	on-ca	ist coa	ited p	aper	

WHITE PAPERS - SEMI-GLOSS

featuring excellent gloss and suitable for process printing.

53# SEMI-GLOSS OPAQUE

060EG

53# (78 g/m²) semi-gloss with a gray opaque barrier coating on the back. Designed for cover up labels. Excellent opacity, so the errors will not be visible. Smooth print surface for attractive graphic reproduction. FSC®-certified paper.

S7146060

249

40SC

00720

054SA	00720	40SC	S8820660	232		

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
C - Custom
TIP Item



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer		Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	MIM	M K	ATL	5
WHITE	PAPERS - SEMI-	GLOSS								
53# SEM	I-GLOSS									
	78 g/m²) C1S bright blue-v th surface provides excell						ping aı	nd die-cu	tting.	
054S	G	00278	40SC	S8164560	227	1				
054S	G	00508	40SC	S7558760	235	C				
054S	G	00515 00515	12NB 40SC	S9075360	319	1				
054S	G	00532	40SC	S8280160	230	C				
054S	G	00552	40SC	S9931260	236	C				
054S	G	00633	40SC	S9175160	233	1			1	
054S	G	00700	40SC	S7755860	239	1				
054S	G	00720	40SC	S7724460	232	1	1	1 1	1	
054S	G	00720	12NB	S8121860	198	1	1	1		1
054S	G	00751	40SC	S7748960	239	1	1		1	1
054S	G	00751	12NB	S8823660	199	1				
054S	G	00751	40SC	S8895960	235	C			1	
054S	G	00805	0PRLF	S8941160	258	1				
054S	G	0720G	40SC	S9184260	232	1	1	1 1	1	1
054S	G	0720M	40SC	S8849360	235	1	1		1	1
054S	G	0720M	12NB	S8898960	198	1	1	ı		1
054S	G	0758M 0758M	40SC 50SC	S7686660	379	C				
0548	G	0758M 0758M	40SC 40SC	S8027060	361	1				
054S	G	0758M	0PRLF	S8082660	262	1	1			
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA			C - C	ventory ustom TIP Item		



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

acer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB WIN ATL
/HITE PAPERS - SE	EMI-GLOSS				
# SEMI-GLOSS - continu	ued				
	olue-white semi-gloss. High excellent printing with flexo,				speed stripping and die-cutting.
054SG	0758M	41LF	S9176660	235	
054SG	80361	0PRLF	S8001560	262	
4# WET STRENGTH SEM	II-GLOSS				
, -	hite semi-gloss. Wet streng n surface enhances print re			_	es, including beer and wine, or 0-certified paper.
054WS	00747	40SC	S8901460	238	
054WS	00747	12NB	S8906760	201	C
	D OPAQUE				
EMI-GLOSS PREFERREI					
		gray opaque l	barrier coating.	Designed for cover up	labels. Excellent print surface with
60# (88.8/m²) Semi-Gloss		gray opaque l	barrier coating.	Designed for cover up	labels. Excellent print surface with
60# (88.8/m²) Semi-Gloss flexo, toner, or offset. FSC	®-certified paper.				labels. Excellent print surface with
60# (88.8/m²) Semi-Gloss flexo, toner, or offset. FSC 060PA 060PA	®-certified paper. 00720 0758M	40SC	S7709260	248	labels. Excellent print surface with
flexo, toner, or offset. FSC 060PA 060PA EMI-GLOSS PREFERREI	®-certified paper. 00720 0758M D multi-purpose paper with se	40SC 40SC	S7709260 S7712860	248 252	C I Or. Excellent print surface with
60# (88.8/m²) Semi-Gloss flexo, toner, or offset. FSC 060PA 060PA EMI-GLOSS PREFERRED 60# (88.8/m²) semi-gloss,	®-certified paper. 00720 0758M D multi-purpose paper with se	40SC 40SC	S7709260 S7712860	248 252	C

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item



	BIG ENOUGH	TO SERVE	YOU, SMALL E	NOUGH TO KNOW \	/OU				
cer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	N N	N	ATL	≤
/HITE PAPERS - SEM	I-GLOSS								
# SEMI-GLOSS									
58# (87 g/m²) semi-gloss multiplexo, offset, or toner-based p			and print qualit	ies. Bright blue-white	shade. Excell	ent grap	hic res	ults wit	th
060SG	00720	40SC	S7804560	244					
060SG	00747	40SC	S7813460	247	C				
060SG	00751	40SC	S7821360	246	C				
060SG	0720G	40SC	S9286860	244	1	1			
060SG	0720M	40SC	S8899160	250	1	1			1
060SG	0758M	60LF	S8003760	280	C	1			
# SEMI-GLOSS 80# (118 g/m²) semi-gloss mu toner, or offset. This heavier s					e shade. Excel	llent prin	t surfac	e for f	lexo,
080SG	00720	40SC	S8153960	290	С				
080SG	00751	60LF	S8732360	331	C				
080SG	0758M	40SC	S8098160	294	C				
SC® CERTIFIED 53# SEMI-0 53# (78 g/m²) C1S bright blue Smooth surface provides exce	e-white semi-gloss. High			_		oing and	die-cut	ting.	
F54SG	00720	40SC	S8792860	234	C				

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA	I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA	C - Custom TIP Item



BIG ENOUGH TO SERVE YOU. SMALL ENOUGH TO KNOW YOU

er /HITE PAPERS -	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC ATL ATL
1111217112110	<u> </u>				
A 60# (89 g/m²)semi-g	•	consumer re	*	cellent strength chara	cteristics enhance label converting
A 60# (89 g/m²)semi-g		consumer re	*	cellent strength chara	cteristics enhance label converting

60# LITHO MATTE

A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses.

060LM	00720	40SC	S8842760	251	C	
060LM	00751	40SC	S8830560	248	C	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
C - Custom
TIP Item



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIN	KC	ΝΨ	ATL	4
WHITE PAPERS - MATTE										
60# DULL LITHO										
60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper.										
061DL	00504	40SC	S7754060	253	C					
061DL	00700	40SC	S7746460	253	C					
061DL	00720	40SC	S4331060	248	1					
061DL	00751	40SC	S7752260	250	C					
061DL	00751	32KLF	S8047760	263	C					
061DL	0758M	0PRLF	S8003060	277	C					
061DL	0758M	40SC	S8769360	248	1					
WHITE PAPERS - INDIGO TOPCOATED										

INDIGO TOPCOATED 55# SEMI-GLOSS

55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper.

D55SG	00720	40SC	S8142460	239	С	
D55SG	00751	40SC	S8126960	237	С	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
C - Custom
TIP Item



cer	Adhesive	Liner	Item	Approx Wgt/ MMSI	MIN WIN	S Z	ATL	≤
AG STOCK	Adriesive	Lillei	item	MINISI				
POINT GLOSS WHITE CLA	Y COATED TAG							
A glossy, bright white, 130# (in a pressure-sensitive structu			characteristics. C	Coated on both side	es, allowing for mult	iple uses -	as a ta	g, or
008GB	00504	40SC	S9941860	398				
008GB	00532	40SC	S9941260	395	C			
008GB	00751	40SC	S766660	400	C			

A 50# (74 g/m²) general purpose uncoated paper. Bright white with excellent smudge resistance. Designed for high performance. FSC®-certified paper.

050ED	00700	50SC	S7032060	252	C
050ED	00720	40SC	S6069060	228	
050ED	00720	50SC	S6499060	249	
050ED	0758M	50SC	S7648760	248	C
050ED	0758M	40SC	S7648960	231	C
050ED	0758M 0758M	40SC 40SC	S7725060	356	C

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
C - Custom
TIP Item



acer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	Z S	MIN	≤
PHARMACEUTICAL	-							
IRECT THERMAL PRES	SCRIPTION VIAL LABEL							
This 48# (71 g/m²), no ph	nenols added, top-coated par	per resists ch	nemicals, includi	ng cleaners, hand s	anitizers and lotion	ons. Holds	up in hea	t
and humidity. Vital drug in	nformation remains legible u	nder most h	andling and store	age conditions. FSC	®-certified paper	·.		
021RX	00508	40SC	S9174760	229	C	I		1
021RX	00751	40SC	S9174660	229				
0# PHARMACEUTICAL	LITHO							
40# (60 g/m²) lightweight	C1S semi-gloss litho with go	ood ink holdd	out. Candidate f	or pharmaceutical a	nd nutritional lab	eling.		
040PL	00751	40SC	S5545060	209	C			
	nenols added, top-coated par nformation remains legible u						up in hea	t
					_			
20RXE	00751	40SC	S9229660	226	•			
20RXE FLUORESCENT PA		40SC	S9229660	226				
FLUORESCENT PA		40SC	S9229660	226				
FLUORESCENT PA					nal and general i	roll label ap	plications	S.
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte	PERS	esigned for I	aser, inkjet, pric	e marking, promotio	_	roll label ap	plications	S.
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte	PERS fluorescent coated paper. De	esigned for I	aser, inkjet, pric	e marking, promotio	_	roll label ap	plications	S.
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ	PERS fluorescent coated paper. Do ls stand out. Offers another 00720	esigned for I option when	aser, inkjet, pric using color cod	e marking, promotioned labels. FSC®-cer	tified paper.	roll label ap	plications	S
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ REEN FLUORESCENT	PERS fluorescent coated paper. Do ls stand out. Offers another 00720	esigned for I option when 40SC	aser, inkjet, pric using color cod \$8122860	e marking, promotioned labels. FSC®-cer	tified paper.		-	
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ REEN FLUORESCENT	PERS fluorescent coated paper. Do ls stand out. Offers another 00720	esigned for I option when 40SC	aser, inkjet, pric using color cod \$8122860	e marking, promotioned labels. FSC®-cer	tified paper.		-	
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ FREEN FLUORESCENT 57# (84 g/m²) green matt	PERS fluorescent coated paper. Do ls stand out. Offers another 00720	esigned for I option when 40SC	aser, inkjet, pric using color cod \$8122860	e marking, promotioned labels. FSC®-cer	tified paper.		-	
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ GREEN FLUORESCENT 57# (84 g/m²) green matt FSC®-certified paper. 054GZ	PERS fluorescent coated paper. Do ls stand out. Offers another 00720 te fluorescent coated paper.	esigned for I option when 40SC Designed for 40SC	aser, inkjet, pric using color cod \$8122860 r laser, inkjet, pri	e marking, promotioned labels. FSC®-cer 243 ce marking, promotioned marking, promotioned 243	tified paper.		-	
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ SREEN FLUORESCENT 57# (84 g/m²) green matt FSC®-certified paper.	fluorescent coated paper. Dolls stand out. Offers another 00720 te fluorescent coated paper. 1 00720 00720	esigned for I option when 40SC Designed for 40SC 40SC	aser, inkjet, pric using color cod S8122860 r laser, inkjet, pri	e marking, promotioned labels. FSC®-cer 243 ce marking, promoti	tified paper.		-	
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ GREEN FLUORESCENT 57# (84 g/m²) green matt FSC®-certified paper. 054GZ	PERS fluorescent coated paper. Do ls stand out. Offers another 00720 te fluorescent coated paper.	esigned for I option when 40SC Designed for 40SC	aser, inkjet, pric using color cod \$8122860 r laser, inkjet, pri	e marking, promotioned labels. FSC®-cer 243 ce marking, promotioned marking, promotioned 243	tified paper.		-	
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ FREEN FLUORESCENT 57# (84 g/m²) green matt FSC®-certified paper. 054GZ 054GZ	fluorescent coated paper. Dolls stand out. Offers another 00720 te fluorescent coated paper. 1 00720 00720	esigned for I option when 40SC Designed for 40SC 40SC	aser, inkjet, pricusing color cod S8122860 r laser, inkjet, pri S6231060 S7656360	e marking, promotioned labels. FSC®-cer 243 ce marking, promoti 243 243	tified paper.		-	
FLUORESCENT PA SLUE FLUORESCENT 57# (84 g/m²) blue matte Unique color makes labe 054BZ FREEN FLUORESCENT 57# (84 g/m²) green matt FSC®-certified paper. 054GZ 054GZ	fluorescent coated paper. Dolls stand out. Offers another 00720 te fluorescent coated paper. 1 00720 00720 00720 0758M	esigned for I option when 40SC Designed for I option when 40SC 40SC 40SC 0PBLF	aser, inkjet, pricusing color cod S8122860 r laser, inkjet, pri S6231060 S7656360	e marking, promotioned labels. FSC®-cer 243 ce marking, promoti 243 243	c c c		-	_



acer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	X X	Z	ATL	_
FLUORESCENT PAPE	RS								
RANGE FLUORESCENT									
57# (84 g/m²) orange matte fli FSC®-certified paper.	uorescent coated paper	. Designed fo	or laser, inkjet,	price marking, promoti	ional and gene	ral roll lab	el ap	olicati	ons
054OZ	00720	40SC	S6235060	243					
054OZ	00720	40SC	S7607960	243	C				
054OZ	0758M	0PBLF	S8190060	262					
PINK FLUORESCENT									_
57# (84 g/m²) pink matte fluor FSC®-certified paper.	rescent coated paper. D	esigned for l	aser, price mar	king, inkjet, promotion	al and general	roll label	applic	ations	3.
(0 / 1	rescent coated paper. D	esigned for la	aser, price mar	king, inkjet, promotion	al and general	roll label	applic	ations	\$. •
FSC®-certified paper.		Ü			_	roll label	applic	ations	S.

054RZ	00720	40SC	S6066060	239		
054RZ	00720	40SC	S7743960	243	C	1 1
054RZ	0758M	0PBLF	S8190260	262		

Locations: GB - Green Bay, WI ATL - Atlanta, GA KC - Kansas City, MO I - Inventory WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA C - Custom TIP Item



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN ATL
FLUORESCENT PAPER	S				
YELLOW CHARTREUSE FLUO 57# (84 g/m²) yellow chartreuse applications. FSC®-certified page	matte fluorescent coa	ated paper. [Designed for las	er, inkjet, price markir	ng, promotional and general roll label
054YZ	00720	40SC	S6237060	243	
054YZ	00720	40SC	S7748760	243	C
054YZ	0758M	0PBLF	S8189960	262	
BEER & WINE LABEL					
54# WET STRENGTH SEMI-GLO	oss				
54# (80 g/m²) C1S blue-white se refrigerated foods. Smooth surfa					=
054WS	00747	40SC	S8901460	238	
054WS	00747	12NB	S8906760	201	C
CLASSIC CREST* SOLAR WHI	TE SMOOTH				
60# (89 g/m²) smooth, uncoated and other upscale products. FSG			_	-	ensional stability. Perfect for wine labels
owcsw	00747	44PM	S8741852	258	
ESTATE LABEL* #4 WHITE LA	ID				
					for wine and beer labels. Its high-end I paper.
look matches well with upscale p					
look matches well with upscale p	00747	44PM	S8748260	258	
0WEL4		44PM	S8748260	258	
0WEL4 ESTATE LABEL* #8 WHITE SM	IOOTH wet strength paper. Ma	aintains its ir	ntegrity when w	et. Designed for wine	and other high-end labels, such as
OWEL4 ESTATE LABEL* #8 WHITE SM 60# (89 g/m²) uncoated, white,	IOOTH wet strength paper. Ma	aintains its ir	ntegrity when w	et. Designed for wine	and other high-end labels, such as
OWEL4 ESTATE LABEL* #8 WHITE SM 60# (89 g/m²) uncoated, white, v gourmet foods and cosmetics. *	IOOTH wet strength paper. M Registered Trademarl	aintains its ir k of Neenah 44PM	ntegrity when w Paper, Inc. FS0	et. Designed for wine C®-certified paper.	and other high-end labels, such as



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	M W W	Z	ATL	4
BEER & WINE LABE				·············					
ESTATE LABEL* #9 CRE	AM LAID								
	ream wet strength paper. Ma ©-certified paper. *Register				other upscal	le labels, s	uch as	gouri	met
0WEL9	00747	44PM	S8742160	258	1				1
SILVER METALIZED WET	STRENGTH PAPER								
	silver metalized paper. Wet sook makes a product's graph	_			-	ods and ch	illed		
56MSW	00720	40SC	S8982560	241	1				
70# BRIGHT WHITE FELT									
	bright white, wet strength pa food, home, and personal c				pels. The rich	weight an	d textu	re	
70BWF	00747	44PM	S8903652	279	1				
70BWF	00747	12NB	S8903752	237	1				
beverage labels, its uniqu	olack, smooth, wet strength pelook will make any produc	t stand out o	on store shelves	s. FSC®-certified paper	_	or wine, be	er, and	I othe	r
BKVLM	00747	40SC	S8909252	250	C				
BKVLM	00747	44PM	S8936852	258	C				
, ,	, 100% PCW recycled wet si				-		nsume	r wast	te
KONAL	00720	39NK	S8796760	228	1				
KONAL	00747	40SC	S8939760	232	C				
Locations: GB - Green Bay, WI	KC - Kansas City, MO		Atlanta, GA			I - Inventor	-		
WIN - Winchester, V.	A MIN - Minneapolis, MN	LA - L	os Angeles, CA			C - Custom TIP Ite			



Approx Wgt/ GB ≤ Facer Adhesive Liner Item MMSI **BEER & WINE LABEL** 60# 100% PCW WET STRENGTH PAPER A 60# (89 g/m²) FSC®-certified, 100% post-consumer waste paper with wet strength. Resistant to moisture, it's perfect for beverage applications, like wine, beer and chilled spirits. Its luxurious look will enhance upscale food and personal care products. **PLRNB** 00720 39NK S9089960 249 **SPECIALTY PAPERS 54# WET STRENGTH SEMI-GLOSS** 54# (80 g/m²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper. 054WS 00747 40SC S8901460 238 054WS S8906760 00747 **12NB** 201 **BROWN NATURAL KRAFT** 60# (89 g/m²) brown natural kraft paper. The natural look makes it perfect for labeling organic or other earth-friendly products. It can also be used for cover-up labels on corrugated containers. 060GM 00720 40SC S8083760 260 40SC 060GM 0758M S7649360 264 **60# HEMP PAPER** A 60# (89 g/m²) paper made with 25% hemp fibers and 75% post-consumer waste. Designed for labeling cannabis and other hemp products. With no virgin wood content and a natural look it is also a perfect match for organic and other eco-friendly products. 1HEMP 00720 39NK S9111352 246

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item



RANSLUCENT PAPER						
4 40 11 400 4 00 11 1						
A 42# (62 g/m²) ultra-clear tra a unique look for primary pack		II-suited for v	vafer seal mailin	g tabs. Can be used	d for tamper-evident seals. Also	provide
1TRCT	00515	40SC	S9204660	211	CI	
1TRCT	00751	40SC	S9193960	204	C	
1TRCT	00757	40SC	S9189960	208	C	
ISSOLVABLE PAPER						
A water-soluble paper. Coated container. Best dissolvable pe					nning water. Leaves no residue d. FSC®-certified.	on the
H2ODP	00611	40SC	S8210460	206		

KONAL	00751	39NK	S8841160	228	C	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
TIP Item



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	MIN	Š Š	Z	ATL	4
LAMINATED FOILS										
BRIGHT GOLD FOIL										
Top coated 70# (104 g/m²) I	oright gold laminated foil.	Suitable for	water based, U	IV screen, UV flexo a	nd embossin	g. FSC	®-cer	tified p	paper	
055BG	00720	40SC	S6301060	280	1					1
BRIGHT SILVER FOIL										
Top coated 70# (104 g/m²) I	oright silver laminated foil.	Suitable fo	r water based,	UV screen, UV flexo	and embossir	g. FS0	C®-ce	ertified	pape	r.
055BS	00720	40SC	S6299060	280	1					1
055BS	00751	40SC	S5732060	278	C					
DULL GOLD FOIL										
Top coated 70# (104 g/m²) (dull gold laminated foil. Su	uitable for w	ater based, UV	screen, UV flexo and	l embossing.	FSC®-	certifi	ied pa	per.	
055DG	00720	40SC	S6300060	280	1					
DULL SILVER FOIL										
Top coated 70# (104 g/m²) (dull silver laminated foil. S	Suitable for v	water based, U\	/ screen, UV flexo an	d embossing.	FSC®)-certi	fied pa	aper.	
055DS	00720	40SC	S6306060	280	1	1				1
055DS	00751	40SC	S4601060	278	C					1
FOIL SUBSTITUTES										

FOIL SUBSTITUTES

1.85 MIL SILVER METALIZED BOPP

1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.

018MT	00720	40SC	S9036760	181	
018MT	0720G	40SC	S9287060	181	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item

Additional hologram patterns available: Minimum customer order Qty is 18 MMSI Please allow 4 to 6 weeks for delivery



_			-:	Approx Wgt/	GB WIN KC WIN
Facer FOIL SUBSTITUTES	Adhesive	Liner	Item	MMSI	
2.0 MIL SILVER METALIZED	D BOPP				
		y silver appe	earance. Top co	ated for printability wi	ith a wide range of ink systems.
021MU	00720	40SC	S8031460	186	
021MU	00751	40SC	S7345060	188	C
HOLOGRAM PRISMATIC DI 64# (94 g/m²) decorative pri 1/32" wide. The area betwee	ismatic diffraction paper.	Shim lines/se			erial. This gap in the pattern will be up to ction (CD).
056H5	00751	40SC	S4607060	250	C
56# SILVER METALIZED PA	APER				
56# (83 g/m²) top coated silv	ver metalized paper. Not	ecommende	ed for HP Indigo	Presses.	
057MS	00720	40SC	S6203060	241	
057MS	00751	40SC	S5841060	242	
SILVER METALIZED WET S	STRENGTH PAPER				
	ver metalized paper. Wet	Ü		0	refrigerated foods and chilled Presses.

Locations: GB - Green	n Bay, WI KC - Kansas City, I	MO ATL - Atlanta, GA	I - Inventory
WIN - Wind	chester, VA MIN - Minneapolis,	MN LA - Los Angeles, CA	C - Custom TIP Item

Minimum customer order Qty is 18 MMSI

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any

way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

Additional hologram patterns available:

Please allow 4 to 6 weeks for delivery



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	¥ C	MIN	4
THERMAL TRANSF	FER							
2.6 MIL THERMAL TRAN	ISFER WHITE LABEL-LY	ГЕ™						
*	BOPP with a thermal transfe is required. Label-Lyte is a tra		0	0 0 11	ions where moistu	re resis	tance, or	
026TT	00747	40SC	S8773660	192				
THERMAL TRANSFER V 3.0 mil White Label-Lyte	VHITE LABEL-LYTE™ BOPP with a thermal transfe	r top coat. D	esigned for vari	able imaging applicat	ions where moistu	re resis	tance, or	
long-term performance,	is important. Label-Lyte is a T	rademark of	f Jindal Films Ar	nerica.				
030TT	00747	40SC	S5213060	199	C			
HIGH SPEED COATED T	HERMAL TRANSFER							
47# (70 g/m²) premium t paper.	oright white, coated, ultra-smo	ooth thermal	transfer paper s	stock offering broad ri	bbon compatibility	. FSC®-	certified	
050HS	00272	40SC	S7019060	218	1			
050HS	00275	41WK	S9156260	214				
050HS	0758M	40SC	S7699560	227	C			
3.0 MIL TC MATTE WHIT	Е ВОРР							
	tte white BOPP. A synthetic pature, chemical and tear resista		be used with the	rmal transfer, flexogr	aphy, screen, lette	erpress,	and othe	r
075WP	00747	40SC	S8149152	211	С			

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIM	KC	N	ATL	4
THERMAL TRANSFER	Autiestve	Line	item	WIWIOI						
TOP COATED KIMDURA® FPG 95										
A 4.2 mil Kimdura® BOPP specially to Neenah Paper, Inc. © 2007 NPI All Rig			er, dot matrix, io	n deposition and digita	l printing. R	egiste	red Tr	adem	ark of	:
095TK	00506	40SC	S3252060	256	1					
095TK	00506	50SC	S3256060	272	C					
095TK	00538	50SC	S3286060	272	1					
095TK	00751	50SC	S5391060	273	1					
A 44# (65 g/m²) gray opaque multi-pur enhanced flexo graphics. FSC®-certific	pose thermal to	ansfer shee	t. Designed for o	cover up labels, with ex	xcellent opa	city. P	remiu	m coa	ating fo	or
SELECT THERMAL TRANSFER A 44# (65 g/m²) multi-purpose thermal	transfer sheet.	Premium c	oating for enhar	nced flexo-printed grap	ohics. FSC®	-certifi	ed pa	per.	_	_
0TTFP	00531	40SC	S7843160	216	1					
0TTFP	00700	40SC	S6745060	218	C			1		
0TTFP	00720	40SC	S7833160	214	1		1			
0TTFP	00751	40SC	S6613060	216	C					
0TTFP	0720G	40SC	S9286960	214	1		1			
0TTFP	0758M	40SC	S7664660	218	1	1	1			1

Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom TIP Item



acer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB GB	Š	Z	ATL
THERMAL TRANSFE	ER							
MATTE WHITE BOPP								
A 3.7 mil top coated matte	white BOPP. UV resistant.	A synthetic	paper, it can be	printed by thermal tr	ansfer, flexograph	ny, scre	en, and	d
letterpress. Moisture, cher	mical and tear resistant. For	r drum label,	outdoor and of	ther demanding appli	cations.			
letterpress. Moisture, cher	nical and tear resistant. For 00720	r drum label,	outdoor and of \$8204960	ther demanding applications application and the second sec	cations.			
•				0 11				
100WP	00720	40SC	S8204960	224	C			

VALUE THERMAL TRANSFER

A 42# (62 g/m²), top-coated thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.

VALTE	00720	40SC	S9216160	211	
VALTE	00757	40SC	S9244860	214	





Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	NIW GB	W KC	ATL LA
THERMAL TRANSFER							
VALUE THERMAL TRANSFER							
A 42# (62 g/m²) top-coated, the conventional thermal transfer fa		_	•			e comparab	le to
VALUT	00278	40SC	S8175760	203			
VALUT	00531	40SC	S9109660	212			
VALUT	00720	40SC	S7851360	210	1 1		1
VALUT	00720	12NB	S9178360	174	C		
VALUT	00751	40SC	S7841560	210	C		
VALUT	00751	40SC	S8278660	210	C		
VALUT	00757	40SC	S9013660	213	1 1	1	1 1
VALUT	0720G	40SC	S9284360	213	1 1	1	1 1
VALUT	0758M	40SC	S7839660	213	1 1	1	1 1
VALUT	0758M 0758M	40SC 40SC	S8138960	338			
VALUT	0758M	17GL	S8777860	183	C		
DIRECT THERMAL							
TOP COATED DIRECT THERM	AL PAPER						
A 38# (56.2 g/m²) high sensitivit mobile printing applications. FS	, ,	nermal paper	r. This thinner ca	aliper facer allows mo	re labels per roll. I	deal for har	nd-applied
015DT	00720	40SC	S9192179	249			
DIRECT THERMAL PRESCRIP	TION VIAL LABEL						
This 48# (71 g/m²), no phenols and humidity. Vital drug informa						s. Holds up	in heat
021RX	00751	40SC	S9174660	229	1 1		

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

KC - Kansas City, MO

MIN - Minneapolis, MN

Locations: GB - Green Bay, WI

WIN - Winchester, VA

ATL - Atlanta, GA

LA - Los Angeles, CA

I - Inventory

C - Custom
TIP Item



acer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB KC KC ATL ATL
DIRECT THERMAL					
ED FLUORESCENT DIR	ECT THERMAL				
A 54# (80 g/m²) bright red		_	ack. Intended fo	r attention-grabbing p	promotional point-of-purchase labels, or
022FT	00720	40SC	S9127860	231	
REMIUM TOP COATED	TD				
A 53# (78 g/m²) top coate	ed direct thermal coated paper	er for more d	lemanding appli	cations and higher im	naging speeds. FSC®-certified paper.
022TD	00272	40SC	S7603560	230	
022TD	00275	41WK	S9156560	226	
022TD	00720	40SC	S6290060	234	
022TD	00747	40SC	S7552960	236	C
022TD	0758M 0758M	40SC 40SC	S7657960	361	C
CONOMY TOP COATED	DIRECT THERMAL PAR	 PER			
	ed direct thermal paper. Resi parmacy, shipping and wareh				er resistance at room temperature. Idea
024DT	00720	40SC	S8814460	235	C II II II
ON-TOP COATED DIRE	CT THERMAL PAPER				
					abels or applications where the label is
	00720	40SC	S9195479	220	
not exposed to solvents,	00720	40SC	S9195479	220	•
not exposed to solvents,	00720	40SC	S9195479	220	•
not exposed to solvents,	00720	40SC	S9195479	220	•
not exposed to solvents,	00720	40SC	S9195479	220	•
not exposed to solvents,	00720	40SC	S9195479	220	•

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

MIN - Minneapolis, MN

LA - Los Angeles, CA

WIN - Winchester, VA

C - Custom
TIP Item



				Approx Wgt/	GB	MIN ATL	4
Facer	Adhesive	Liner	Item	MMSI		2 2 2 4	
DIRECT THERMAL							
3.0 MIL SYNTHETIC MEDIUM SENSI	TIVITY FILM						
A 3.0 mil BOPP direct thermal film. Me are important. Dark image for exceller	_			durability. Use when mo	oisture and env	vironmental resistance	€
070MK	00720	40SC	S4335060	205	1		1
070MK	00747	40SC	S7600260	210	C		
070MK	00853	40SC	S5065060	204	C		
070MK	0776S	40SC	S9217360	201	C		
A 3.3 mil BOPP direct thermal film. To are important. Good stiffness for ease	p coated for du		-	•		vironmental resistance	e
084MB	00278	40SC	S8872160	211	С		
084MB	00751	40SC	S8862460	217	C		
SYNTHETIC MEDIUM SENSITIVITY I	FILM						
4.1 mil white BOPP film with direct the	ermal coating. T	op coated fo	or durability. Me	dium degree of sensitiv	rity.		
095RK	00720	40SC	S4101060	237	C		
SYNTHETIC MEDIUM SENSITIVITY I	FILM						
4.1 mil white BOPP film with direct the for industrial labeling, ski lift tickets, ba	Ü		0 1	,	ater and envir	onmental resistant. Us	se
096RK	00720	40SC	S9177360	225		•	

Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA	I - Inventory C - Custom TIP Item



- acer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	WIN	8	N	ATL	4
DIRECT THERMAL										
· · · · · · · · · · · · · · · · · · ·	NSITIVITY FILM nenols added film, with direc Jse for industrial labeling, sk		O	0 1		,	Wate	and		
4.0 mil white BOPP, no pl	nenols added film, with direc		O	0 1		,	Water	and		

TOP COATED VALUE DIRECT THERMAL

A 48# (71 g/m²) top coated paper. Resists moisture, heat, humidity, fading, scuffing, chemicals, and plasticizers. Use for weigh scale applications, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper.

24VTB	00720	40SC	S9030960	224	1	1	1 1
24VTB	00853	40SC	S9169560	220			
24VTB	00853	40SC	S9170460	220	C		

DIRECT THERMAL (NO PHENOLS ADDED)

DIRECT THERMAL PRESCRIPTION VIAL LABEL

This 48# (71 g/m²), no phenols added, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.

20RXE 00751 40SC **S9229660** 226

DIRECT THERMAL PRESCRIPTION VIAL LABEL

This 48# (71 g/m²), no phenols added, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.

021RX	00508	40SC	S9174760	229	C
021RX	00751	40SC	S9174660	229	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item



GB ≤ Approx Wgt/ Facer Adhesive Liner Item MMSI **DIRECT THERMAL (NO PHENOLS ADDED) NEAR IR PACKAGE DELIVERY DIRECT THERMAL** A 48# (70 g/m²), no phenols added, direct thermal paper top-coated for handling durability. Near IR designed for package delivery. PCS and scanning up to 670 nm. For high-heat environments. Resists imaging up to 100°C. Moderate to fast print speeds. FSC®-certified paper. 22PDE 00757 40SC S9253852 227 **ECONOMY TOP COATED DIRECT THERMAL PAPER** A 48# (72 g/m²), no phenols added, top coated direct thermal paper. Resistant to moisture, alcohol and heat. Ideal for shipping and warehousing applications. FSC®-certified paper. 23DTE 40SC 00720 S9231660 222 **ECONOMY TOP COATED DIRECT THERMAL PAPER** A 50# (74 g/m²), no phenols added, top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper. 24DTE 00720 40SC S9250760 217

ECONOMY TOP COATED DIRECT THERMAL PAPER

A 49# (72.5 g/m²), no phenols added, top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.

25DTE	00751	40SC	S9254260	226	
25DTE	00757	40SC	S9254160	221	
25DTE	0720M	40SC	S9247160	219	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	NIN	Š Š	Z	ATL	4	
DIRECT THERMAL (NO PHENOLS ADDED)											
NON-TOP COATED DIRECT THERMAL PAPER											
A 49# (73 g/m²), no phe	nols added, medium sensitivity	non-top coa	ated direct ther	rmal paper designed fo	or short durati	on lab	els or	r app	licatio	ns	

where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.

25NTE	00633	40SC	S9252560	222	
25NTE	00720	40SC	S9239960	224	
25NTE	00757	40SC	S9247560	226	

SYNTHETIC MEDIUM SENSITIVITY FILM

4.0 mil white BOPP, no phenols added film, with direct thermal coating. Produces a dark image. Top coated for durability. Water and environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling.

96RKE	00504	40SC	S9285360	243	C
96RKE	00720	40SC	S9271460	240	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA C - Custom TIP Item



Facer Adhesive Liner Item Approx Wgt/
MMSI

INK JET / LASER

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

50# LASER JET WITH 100% PCW

A 50# (74 g/m²) multi-purpose facer for laser and inkjet printing. Produced with 100% post-consumer waste. Has a bright, white color, so it is attractive while helping the environment. FSC® certified.

R51LJ 00757 0PBLF **S9241660** 254 **C**

SUPER BRIGHT LASER JET

51# (75 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for both laser and ink jet printing. FSC®-certified paper.

050LJ	00720	0PBLF	S8214960	250	
050LJ	00751	0PBLF	S8218060	255	
050LJ	00757	0PBLF	S9207460	254	
050LJ	0758M	32KLF	S8048560	239	C
050LJ	0758M	0PBLF	S8165060	253	
050LJ	0758M	41LF	S8238360	233	C
050LJ	0758M	53CRT	S9184660	261	C

BLUE FLUORESCENT

57# (84 g/m²) blue matte fluorescent coated paper. Designed for laser, price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.

054BZ 00720 40SC **S8122860** 243 **C**

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.



Facer Adhesive Liner Item Approx Wgt/
MMSI

INK JET / LASER

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

GREEN FLUORESCENT

57# (84 g/m²) green matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054GZ 0758M 0PBLF \$8189860 262

ORANGE FLUORESCENT

57# (84 g/m²) orange matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

0540Z 0758M 0PBLF **\$8190060** 262

PINK FLUORESCENT

57# (84 g/m²) pink matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054PZ 0758M 0PBLF **S8190160** 262

RED FLUORESCENT

57# (84 g/m²) red matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054RZ 0758M 0PBLF \$8190260 262

YELLOW CHARTREUSE FLUORESCENT

57# (84 g/m²) yellow chartreuse matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.

054YZ 0758M 0PBLF \$8189960 262

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.



Facer Adhesive Liner Item Approx Wgt/
MMSI

INK JET / LASER

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

60# MATTE-COATED INK JET

A 60# (88 g/m²) matte-coated, acid-free, inkjet sheet with an exceptionally bright, blue-white shade. It provides high resolution imaging, and excellent smear and water resistance. It is compatible with a broad array of inkjet printers. FSC®-certified.

07INK	00720	40SC	S9206460	248	
07INK	00751	40SC	S9205860	249	C
07INK			S9206260	125	C

59# GLOSS INKJET PAPER

A 59# (87 g/m²) high gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. Not recommended for flexo printing. FSC®-certified.

1GINK	00720	0PBLF	S8264660	283	C
1GINK	00720	40SC	S8721460	261	
1GINK	00751	40SC	S8714360	258	C
1GINK	0758M	41LF	S8718860	259	C

65# SEMI-GLOSS INKJET PAPER

A 65# (97 g/m²) semi gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. FSC®-certified.

SG2NK	0720M	40SC	S9189560	329	1	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.



Facer Adhesive Liner Item MMSI

INK JET / LASER

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

3.4 MIL MATTE WHITE INK JET BOPP

A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.

34WIJ 00720 40SC \$9177960 204 I

47# FSC®-CERTIFIED SUPER BRIGHT LASER JET

47# (70 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for laser and ink jet printing. Lighter weight for shipping savings. Thinner caliper for space savings and reduced packaging. Offers the option of more labels on a roll. FSC®-certified.

F47LJ	00757	41LF	S9077660	226	C
F47LJ	0758M	41LF	S9171560	226	
F47LJ	0758M	0PBLF	S9172060	248	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA

C - Custom
TIP Item

INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	NIN N	δ S	Z	ATL	4	
FILMS: POLYPRO	PYLENES (CLEAR)										

1.85 MIL CLEAR TOP COATED BOPP

1.85 mil clear top-coated BOPP is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Ultra clear for a no-label look. Perfect for health and beauty aid, household care, and beverage labeling.

018CT	00720	40SC	S9064560	181	
018CT	00751	40SC	S9092760	182	
018CT	00960	12NB	S9202560	144	
018CT	00960	40SC	S9213560	181	
018CT	00960	39NK	S9221960	180	
018CT	0720G	40SC	S9183560	181	
018CT	0720M	40SC	S9090660	184	
018CT	0776S	40SC	S9095260	178	
018CT	0776S	12NB	S9106460	144	C
018CT	0976S	40SC	S9213860	176	
018CT	0976S	12NB	S9226660	143	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
TIP Item



A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating frexcellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc. 022FC 00751 12NB \$8836560 160 C	er	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	Š.	ATL	-
2.0 mil clear top-coated BOPP offers excellent print results with water-based and UV flexo ink systems, and hot stamping. Ultra clear for no-label look. Perfect for health and beauty aid, household care, pharmaceutical, and beverage labeling. 1.	LMS: POLYPROP	YLENES (CLEAR)							
no-label look. Perfect for health and beauty aid, household care, pharmaceutical, and beverage labeling. 020CL 00103 40SC \$8763760 187 C 020CL 00103 15PT \$8779560 165 C 020CL 00720 40SC \$8766360 187 C 020CL 00751 40SC \$8782260 188 C I 020CL 00751 12NB \$8838960 154 C I 020CL 00960 40SC \$9221160 187 I I I 020CL 00960 12NB \$9222060 150 I I I I 020CL 0720M 40SC \$8997360 190 C I I 022FC 00751 12NB \$883656	MIL CLEAR TOP COA	ATED BOPP							
020CL 00103 40SC \$8763760 187 C 020CL 00103 15PT \$8779560 165 C 020CL 00720 40SC \$8766360 187 C 020CL 00751 40SC \$8782260 188 C II 020CL 00751 12NB \$8838960 154 C II II 020CL 00960 40SC \$9221160 187 II II							ı. Ultra c	lear for a	ì
020CL 00103 15PT \$8779560 165 C ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■					_				
020CL 00720 40SC \$8766360 187 C 020CL 00751 40SC \$8782260 188 C IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	020CL	00103	40SC	S8763760	187	С			
020CL 00751 40SC \$8782260 188	020CL	00103	15PT	S8779560	165	C			
020CL 00960 40SC S9221160 187	020CL	00720	40SC	S8766360	187	C			
020CL 00960 40SC S9221160 187 II	020CL	00751	40SC	S8782260	188	C		1	
020CL 0720M 40SC \$8997360 190 C	020CL	00751	12NB	S8838960	154	С			
O20CL O720M 40SC \$8997360 190 C MIL FLEXICLEAR™ TC CONFORMABLE BOPP A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating f excellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc. O22FC O0751 12NB \$8836560 160 C MIL CLEAR TC BOPP A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed. O36CG O0347 50SC \$6883060 269	020CL	00960	40SC	S9221160	187			1	
O20CL O720M 40SC \$8997360 190 C MIL FLEXICLEAR™ TC CONFORMABLE BOPP A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating f excellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc. O22FC O0751 12NB \$8836560 160 C MIL CLEAR TC BOPP A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed. O36CG O0347 50SC \$6883060 269	020CL	00960	12NB	S9222060	150				i
2 MIL FLEXICLEAR™ TC CONFORMABLE BOPP A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc. 022FC 00751 12NB \$8836560 160					100	C			
A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating frexcellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc. 022FC 00751 12NB \$8836560 160 C	02002	0720W	+000	00337300	130				
6 MIL CLEAR TC BOPP A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed. 036CG 00347 50SC S6883060 269			P						
A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed. 036CG 00347 50SC 56883060 269	A 2.2 mil top coated clea	r BOPP offering full wall-to-w	all squeeze			perior print recepti	ve top c	oating fo	r
A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed. 036CG 00347 50SC 56883060 269	A 2.2 mil top coated clea excellent ink adhesion ar	r BOPP offering full wall-to-w nd print quality. FlexiClear™	all squeeze is a Tradem	ark of Green Ba	y Packaging Inc.		ve top co	oating fo	r
	A 2.2 mil top coated clea excellent ink adhesion ar 022FC	or BOPP offering full wall-to-w nd print quality. FlexiClear™ 00751	all squeeze is a Tradem	ark of Green Ba	y Packaging Inc.		ve top co	oating fo	r
036CG 00347 74LF S9127360 316	A 2.2 mil top coated clea excellent ink adhesion ar 022FC MIL CLEAR TC BOPP A 3.6 mil clear BOPP film	or BOPP offering full wall-to-word print quality. FlexiClear™ 00751 on. UV resistance and top coa	vall squeeze is a Tradem 12NB ating suitable	s8836560 e for UV screen,	y Packaging Inc. 160	С			
	A 2.2 mil top coated clea excellent ink adhesion ar 022FC MIL CLEAR TC BOPP A 3.6 mil clear BOPP film graphics, or other applica	nd print quality. FlexiClear™ 00751 n. UV resistance and top coatations where a more substan	vall squeeze is a Tradem 12NB ating suitable tial film is ne	S8836560 e for UV screen, eeded.	y Packaging Inc. 160 UV flexo and waterb	С			
	A 2.2 mil top coated clea excellent ink adhesion ar 022FC MIL CLEAR TC BOPP A 3.6 mil clear BOPP film graphics, or other applica	on. UV resistance and top coations where a more substant	rall squeeze is a Tradem 12NB ating suitable tial film is ne	S8836560 e for UV screen, eeded. S6883060	y Packaging Inc. 160 UV flexo and waterb 269	С			
	A 2.2 mil top coated clea excellent ink adhesion ar 022FC MIL CLEAR TC BOPP A 3.6 mil clear BOPP film graphics, or other applica	on. UV resistance and top coations where a more substant	rall squeeze is a Tradem 12NB ating suitable tial film is ne	S8836560 e for UV screen, eeded. S6883060	y Packaging Inc. 160 UV flexo and waterb 269	С			
	A 2.2 mil top coated clea excellent ink adhesion ar 022FC MIL CLEAR TC BOPP A 3.6 mil clear BOPP film graphics, or other applica	on. UV resistance and top coations where a more substant	rall squeeze is a Tradem 12NB ating suitable tial film is ne	S8836560 e for UV screen, eeded. S6883060	y Packaging Inc. 160 UV flexo and waterb 269	С			
	A 2.2 mil top coated clea excellent ink adhesion ar 022FC MIL CLEAR TC BOPP A 3.6 mil clear BOPP film graphics, or other applica	on. UV resistance and top coations where a more substant	rall squeeze is a Tradem 12NB ating suitable tial film is ne	S8836560 e for UV screen, eeded. S6883060	y Packaging Inc. 160 UV flexo and waterb 269	С			

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

MIN - Minneapolis, MN

LA - Los Angeles, CA

WIN - Winchester, VA

C - Custom TIP Item

cer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB WIN WIN ATL
LMS: POLYPROP	YLENES (WHITE)				
2 MIL FLEXIWHITE™ T	C CONFORMABLE BOP	Р			
	e BOPP offering full wall-to-v nd print quality. FlexiWhite™				uperior print receptive top coating for
022FW	00751	40SC	S8103360	198	
022FW	00751	12NB	S8840360	164	C
3 MIL TOP COATED WI	HITE BOPP				
	d BOPP, backside coated to tiffness for conversion and a		_		ty using UV curing inks or water based ling.
023WB	00633	12NB	S8167160	169	C
3 MIL WHITE TOP COA	TED BOPP				
	d BOPP with excellent comp c dispensing. Great choice for		-	or water based flexo	ink systems. High stiffness for
023WP	00103	40SC	S7000060	202	C
023WP	00103	12NB	S7895760	169	C
023WP 023WP	00103 00720	12NB 40SC	\$7895760 \$7630960	169 202	
023WP	00720	40SC	S7630960	202	C
023WP 023WP	00720 00751	40SC 40SC	S7630960 S7722460	202	C C
023WP 023WP 023WP 023WP	00720 00751 00751 00950	40SC 40SC 12NB	\$7630960 \$7722460 \$8823860	202 204 170	C C
023WP 023WP 023WP 023WP 3 MIL WHITE TOP-COA	00720 00751 00751 00950	40SC 40SC 12NB 40SC	\$7630960 \$7722460 \$8823860 \$9221260 ter-based flexo, a	202 204 170 202 and UV inkjet printing	C C C C II II II G; also hot stamping. Exceptional
023WP 023WP 023WP 023WP 3 MIL WHITE TOP-COA	00720 00751 00751 00950 TED BOPP ated BOPP. Compatible with	40SC 40SC 12NB 40SC	\$7630960 \$7722460 \$8823860 \$9221260 ter-based flexo, a	202 204 170 202 and UV inkjet printing	C C C C II II II G; also hot stamping. Exceptional

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
C - Custom
TIP Item



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	N N	8	Z	ATL	4
FILMS: POLYPROPYLENES	(WHITE)									

2.4 MIL TOP COATED WHITE LABEL-LYTE™

A 2.4 mil glossy white BOPP top coated for ink adhesion. Has a distinctive pearlescent sheen. Excellent compatibility with UV curing inks and water based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.

024TL	00720	40SC	S8773560	188		
024TL	00747	40SC	S8779660	190	C	
024TL	00751	40SC	S8787060	186		
024TL	00751	12NB	S8832660	153	1	
024TL	00950	92NB	S9215060	135	C	
024TL	00950	40SC	S9221060	185	1	
024TL	00950	12NB	S9222260	148	C	
024TL	0720M	40SC	S9042760	190	C	
024TL	0776S	40SC	S9070160	182	C	
024TL	0776S	12NB	S9070260	148	C	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
TIP Item



F	Adhesive	Liner	lánun	Approx Wgt/	GB	MIN	KC	NIM	ATL	Y .
Facer FILMS: POLYPROPYLENES (Liner	Item	MMSI						
2.6 MIL TOP COATED WHITE LABEL-	•									
A 2.6 mil glossy white BOPP top coated water based flexo ink systems. Label-Ly					compatibili	y with	n UV (curing	inks a	and
026TL	00103	40SC	S6174060	190	C					
026TL	00633	40SC	S8123660	189	C					
026TL	00720	40SC	S6173060	190	1					
026TL	00747	40SC	S7600560	195	I					
026TL	00751	40SC	S5384060	191	1	1				
026TL	00751	12NB	S8825660	158	C					
026TL	00950	40SC	S9215460	190	C		1			1
026TL	00950	12NB	S9222160	153	C					
026TL			S6397560	70	С					
3.6 MII. WHITE TO ROPP										

3.6 MIL WHITE TC BOPP

A 3.6 mil white BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.

036WG	00347	50SC	S6888060	278	1	
036WG	00347	74LF	S9157660	325		

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
TIP Item



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	N N	5	Z	ATL	4	
EII MS. DOI VDDODVI ENES	/WHITE)										

FILMS: POLYPROPYLENES (WHITE

2.4 MIL WHITE TOP-COATED BOPP

2.4 mil white top-coated BOPP. Compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Backside coated for adhesive anchorage. Glossy look. Perfect for prime label applications; health and beauty aid, household care, and beverage labeling.

24WCB	00950	12NB	S9242860	141	1	
24WCB	00950	40SC	S9242960	178	1	
24WCB	0720M	40SC	S9256960	182	1	
24WCB	0720M	12NB	S9257060	145	1	
24WCB	0976S	40SC	S9273260	175	1	
24WCB	0976S	12NB	S9273360	140	1	

2.4 MIL WHITE TOP-COATED BOPP

2.4 mil white top-coated BOPP. It is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling.

24WCT	00720	40SC	S9134360	180	1			1
24WCT	00751	12NB	S9121060	148	1			
24WCT	00751	40SC	S9123660	182	1			
24WCT	00950	40SC	S9215260	181		1 1	1	1
24WCT	00950	12NB	S9221460	143				1
24WCT	0720M	40SC	S9119160	185				
24WCT	0776S	40SC	S9120460	177				1

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
TIP Item



				Approx Wgt/	GB WIN KC ATL
acer	Adhesive	Liner	Item	MMSI	0 3 7 5 4
FILMS: POLYPROP	YLENES (WHITE)				
6 Mil WHITE TOP-COA	TED BOPP				
	BOPP. Compatible with wate prime label applications; heal				ackside coated for adhesive anchorage labeling.
26WCB	0720M	40SC	S9259160	197	
26WCB	0720M	12NB	S9259760	160	
26WCT 26WCT	00103 00720	40SC 40SC	S9123160 S9121160	185 184	C
beauty aid, household ca	are, and beverage labeling.				
200001	00720	40SC	59121100	184	•
26WCT	00747	40SC	S9123260	189	
26WCT	00751	40SC	S9021560	186	
	00950	40SC	S9215360	185	
26WCT					_
26WCT 26WCT	00950	12NB	S9222360	148	
		12NB	S9222360 S9120660	148 65	
26WCT	00950	12NB			
26WCT 26WCT .4 MIL MATTE WHITE IN	00950		S9120660	65	ng. Quick drying on press. The smooth
26WCT 26WCT 3.4 MIL MATTE WHITE IN A 3.4 mil white matte BO	00950	m for both w	S9120660	65 pigment ink jet printir	

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	MIN WIN	M K	ATL LA
FILMS: POLYPRO	PYLENES (VARIABLI	E IMAGI	NG)				
2.6 MIL THERMAL TRA	ANSFER WHITE LABEL-LY	Е™					
	rte BOPP with a thermal transfere, is required. Label-Lyte is a tra		_		ations where moist	ure resistar	nce, or
026TT	00747	40SC	S8773660	192			
THERMAL TRANSFER	WHITE LABEL-LYTE™						
White Label-Lyte BOF	PP with a thermal transfer top co	at. Label-Ly	rte is a Tradema	rk of Jindal Films Ar	merica.		
030TT	00747	40SC	S5213060	199	C		
A 3.0 mil BOPP direct	EDIUM SENSITIVITY FILM thermal film. Medium degree of nage for excellent ability to be re			durability. Use when	moisture and envi	ronmental ı	resistance
070MK	00720	40SC	S4335060	205		1	
070MK	00747	40SC	S7600260	210	C		
070MK	00853	40SC	S5065060	204	C		
070MK	0776S	40SC	S9217360	201	C		
3.0 MIL TC MATTE WH A 3.0 mil top coated m print	IITE BOPP natte white BOPP. A synthetic pa	aper, it can	be used with the	ermal transfer, flexoç	graphy, screen, lett	erpress, an	nd other
075WP	00747	40SC	S8149152	211	C		
A 3.3 mil BOPP direct	EDIUM SENSITIVITY FILM thermal film. Top coated for dur tiffness for ease of dispensing. I		-	•		ronmental ı	resistance
084MB	00278	40SC	S8872160	211	C		
084MB	00751	40SC	S8862460	217	C		
Locations: GB - Green Bay, WIN - Wincheste	•		Atlanta, GA			Inventory Custom	



cer	Adhesive	Liner	Item	Approx Wgt/ MMSI	MIN ATL
ILMS: POLYPROP	YLENES (VARIABL	E IMAGI	NG)		
NTHETIC MEDIUM SEN	ISITIVITY FILM				
4.1 mil white BOPP film w	ith direct thermal coating. T	op coated fo	or durability. Med	dium degree of sensi	tivity.
095RK	00720	40SC	S4101060	237	C
OP COATED KIMDURA®	FPG 95				
(0 /	ra® BOPP specially top coaper, Inc. © 2007 NPI All Rig			matrix, ion depositio	n and digital printing. Registered
095TK	00506	40SC	S3252060	256	
095TK	00506	50SC	S3256060	272	C
095TK	00538	50SC	S3286060	272	
095TK	00751	50SC	S5391060	273	
/NTHETIC MEDIUM SEN	ISITIVITY FILM				
	ith direct thermal coating. Fift tickets, baggage tags, pr				Water and environmental resistant. U
096RK	00720	40SC	S9177360	225	
/NTHETIC MEDIUM SEN	ISITIVITY FILM				
	nenols added film, with directly selections added film, with directly selected added in the selection of the		0	0 1	oated for durability. Water and stail shelf labeling.
96RKE	00504	40SC	S9285360	243	C
96RKE	00720	40SC	S9271460	240	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
C - Custom
TIP Item



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	MIN ATL
FILMS: POLYPROPYLENES (VARIABLE	IMAGIN	IG)			
MATTE WHITE BOPP A 3.7 mil top coated matte white BOPP and other demanding applications.	. UV resistant. F	For use with	thermal transfe	er and other print methods.	Consider for	drum label, outdoor
100WP	00720	40SC	S8204960	224	C	
100WP	00747	50SC	S7604660	247	C	

S7605960

S7206060

229

226

FILMS: POLYPROPYLENES (METALIZED)

00747

00751

1.85 MIL SILVER METALIZED BOPP

100WP

100WP

1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.

40SC

40SC

018MT	00720	40SC	S9036760	181	
018MT	00751	40SC	S9137460	182	
018MT	00960	12NB	S9210460	144	
018MT	00960	40SC	S9221660	181	
018MT	0720G	40SC	S9287060	181	
018MT	0976S	12NB	S9210860	143	
018MT	0976S	40SC	S9240660	178	

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
C - Custom
TIP Item



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	B GB	Š	Z	ATL	LA
FILMS: POLYPROPY	LENES (METALIZI	ED)							
2.0 MIL SILVER METALIZE	ED BOPP								
A 2.0 mil BOPP metalized	on the back side for a shing	y silver appe	arance. Top co	ated for printability wi	th a wide range	of ink sy	stem	S.	
021MU	00720	40SC	S8031460	186	1				
021MU	00751	40SC	S7345060	188	C				
021MU	00960	40SC	S9221860	187	C				1
FILMS: POLYSTYRE	ENES								
1.5 MIL CLEAR POLYSTYI A 1.5 mil corona treated cl	RENE ear polystyrene. Perfect for	use as a ba	se for peel-off	coupons and booklets					
015PN	00720	40SC	S8175860	180	C		1		
2.0 MIL CLEAR POLYSTYI A 2.0 mil corona treated cl	RENE ear polystyrene. Stiffness a	allows easy	converting and	dispensing.					
020PN	00103	50SC	S6679060	217	C				
2.5 MIL CLEAR POLYSTY	RENE								
A 2.5 mil corona treated cl	ear polystyrene. Stiffness a	allows easy	converting and	dispensing. Great for	use as a mailing	g tab.			
025PN	00515	50SC	S8131852	235	C				
2.5 MIL WHITE POLYSTYF	RENE								
	styrene. Corona treated for e for coupons and booklets		k adhesion. St	ffness allows easy co	nverting and dis	pensing	. Use	for	
25PSW	00506	40SC	S8263960	231	C				

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA C - Custom
TIP Item



Approx Wgt/ GB Α Facer Adhesive Liner Item MMSI FILMS: POLYESTERS **2 MIL CLEAR TOP COATED POLYESTER** A very clear, top coated polyester film. Top coating allows for printing with most standard flexo and UV letterpress inks. 020MY 00103 50SC S7855152 242 2.0 MIL VALUE WHITE POLYESTER A matte, white polyester film, top-coated for water-based and U.V. flexographic ink adhesion, and thermal transfer printing. Designed for durable applications - resistant to heat and chemicals. High tear strength. 2VWPT 00406 50SC S8089560 233 FILMS: CLEAR SPECIALTY **2 MIL CLEAR ACETATE** A 2.0 mil clear acetate film with good clarity and printability. It is compostable. Has relatively low tear resistance and is good for tamperproof applications. Meets the ASTM D6400 compost standard. 020AC 00506 50SC S1106052 234 FILMS: WHITE SPECIALTY **TYVEK®** DuPont™ Tyvek® (1073D) is a 7.5 mil, strong, transluscent polyolefin with exceptional strength and moisture resistance. DuPont™ and Tyvek® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. 046TV 00103 40SC S6881052 227 046TV S4354052 106

Locations: GB - Green Bay, WI WIN - Winchester, VA

KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory
C - Custom
TIP Item



HOT MELT PROPUCTO			Item	MMSI				4 4	
HOT MELT PRODUCTS									
054SG/767HM/12PE-DES 54# C1S bright blue-white semi-gloss						_			
paper. 767HM is a versatile hot melt a surfaces. Clear 1.2 mil polyester liner									
Dry Edge Solutionsstocked in 13 maximize productivity on press. Rolls					cifically desi	gned to m	inimize od	oze and	
			S9230452	199	I				
054SG/767HM/40SC-DES									
54# C1S bright blue-white semi-gloss paper.767HM is a versatile hot melt a surfaces. Liner is a white densified kright.	dhesive with quick	k tack. It star	nds up to mois	sture and adheres secu		0			
Dry Edge Solutionsstocked in 13 maximize productivity on press. Rolls				,	cifically desi	gned to m	inimize od	ze and	
			S9230352	233	1				
24WCT/767HM/40SC-DES									
2.4 mil white top-coated BOPP compa savings.767HM is a versatile hot melt surfaces. Liner is a white densified kra	adhesive with qu	ick tack. It st	ands up to mo	pisture and adheres sec			_	∌d	
Dry Edge Solutionsstocked in 13 maximize productivity on press. Rolls					cifically desi	gned to m	inimize od	ze and	
			S9230552	180	1				
26WCT / 767HM / 12PE									
The 2.6 mil glossy white BOPP facer Adheres securely to low-energy and t								ıre.	
			S9167360	154	1				
•	Kansas City, MO Minneapolis, MN		tlanta, GA s Angeles, CA			I - Invent	n		



Facer		Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN KC	MIN	4
HOT N	IELT PRODUCTS								
2WPET /	/ 254HM / 40SC								
hard-t	mil white polyester with c to-stick-to substrates sucl ure has a dry edge for ea	h as rough textures, con	aminated s						This
				SC514600	318	C			
3WBOPF	P / 254HMHCW / 40SC	;							
other	il white polypropylene con hard-to-stick-to substrate edge for ease of converti	s such as rough textures	_						
				SC509600	286	C			
3WBOPF	P / 298HMHCW / 40SC	 ;							
for ou	mil white polypropylene f tdoor markings of monito structure has a dry edge f	red crops. Also works we	ell on rough					-	
				SC503900	232	C			
3WBOPF	P / 298HMHCW / 78LF								
outdo	mil white polypropylene f or markings of monitored ure has a dry edge for ea	crops. Also works well of	n rough su						
				SC503500	318	C			
60ML / 2	54HMHCW / 40SC								
	Matte Litho paper combito-stick-to substrates sucl								ther
				SC514700	338	C			
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA			I - Invento	n	
							111 10	om -	



					Approx Wgt/	m Z O Z Z G
Facer		Adhesive	Liner	Item	MMSI	MIN ATL LA
HOT N	MELT PRODUCTS					
60ML / 2	298HMHCWT / 40SC					
outdo						nesive is approved by the USDA for structure has a dry edge for ease of
				SC512200	284	C
PATTI	ERNED COUPONS					
1MBSCI	PP15PET2UPW102					
adhe						ns across the web. The pattern provides t release provides consumer-friendly peel
				SC510300	162	C
1MBSCI	PP15PET3UPN102					
provi	coupon base with a 1.4 mil des adhesive-free areas ald umer-friendly peel and no p	ong the long edges, wh				ons across the web. The pattern onsistent release provides
				SC501300	162	C
1MBSCI	PP15PET4UPN102					
provi	coupon base with a 1.4 mil des adhesive-free areas ald umer-friendly peel and no p	ong the long edges, wh				ons across the web. The pattern onsistent release provides
				SC510400	162	C
1MBSCI	PP15PET4UPW102					
4-up adhe	coupon base with a 1.4 mil					ns across the web. The pattern provides t release provides consumer-friendly peel
				SC510200	162	C
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA		I - Inventory C - Custom
						TIP Item



Facer		Adhesive	Liner	Item	Approx Wgt/ MMSI	GB WIN WIN ATL
PATTE	ERNED COUPON	s				
1MBSCF	PP15PET6UPN102					
provid		along the long edges, wh				oons across the web. The pattern consistent release provides
				SC510100	162	C
1MBSCF	PP40SC2UPW853					
adhes		short edges, which allow				across the web. The pattern provides t release provides consumer-friendly pee
				SC510800	186	C
1MBSCF	PP40SC3UPN853					
adhes	•	long edges, which allow			·	is across the web. The pattern provides release provides consumer-friendly peel
				SC510900	186	С
1MBSCF	PP40SC4UPN853					
adhes						is across the web. The pattern provides release provides consumer-friendly peel
				SC511000	186	C
1MBSCF	PP40SC4UPW853					
adhes	•	·				across the web. The pattern provides t release provides consumer-friendly pee
				SC502600	186	C
				SC502600	186	C
				SC502600	186	C
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		SC502600 Atlanta, GA s Angeles, CA	186	I - Inventory C - Custom



Facer		Adhesive	Liner	Item	Approx Wgt/ MMSI	M M M M	MIN ATL
PATTER	RNED COUPONS						
Univers	P40SCUNIV cal coupon base with a 4 ed breakaway adhesive						
				SC502700	186	C	
DURAB	LE TAGS						
60# wh	PROOF ECONOMY ite FSC® certified paper sistant for security purpos				n. This durable materia	al is designed for tags th	at need to be
				SC501700	378	C	
INTEGR	RATED PRODUC	rs .					
	ayflat liner designed for r compatible. Custom ma			orinter applies	its own adhesive to th	e back of the form. Flexo	and laser
				SC503700	69	C	
such as	7 / 41LF vlic adhesive transfer tap s, shipping and return lab promotions. Available in	els for e-commerce, me				_	
				SC515600	215	C	
A hot m	7HM / 40SC nelt adhesive transfer tap n forms such as, shipping ncluded in mailed promo	g and return labels for e-	commerce,	, medical form			
	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		utlanta, GA s Angeles, CA		I - Inventor C - Custom TIP Iter	



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB WIN	MIN ATL	4
INTEGRATED PRO	DDUCTS						
BL20CLR4.0							
	ck laminate with 4 inch pattern Liner. When the card is remove			lm / Break Away Coa	ating / 2.0 mil PET	Film / 515 Perm	anent
			SC504300	340	C		
BL20CLR7.75							
	ck laminate with 7.75 inch patt 40# Paper Liner. When the ca				Coating / 2.0 mil P	PET Film / 515	
			SC511100	340	C		
BL20CLRFG							
A 2.0 mil clear PET bac	ck laminate with full gum adhe	sive up to 30	inches - 2.0 mil		way Coating / 2.0	mil PET Film / 5	15
	40# Paper Liner. When the ca	ard is removed	d, a clear windo	w remains.			
	40# Paper Liner. When the ca	ard is removed	d, a clear windo	w remains.	C		
	40# Paper Liner. When the ca	ard is removed			С		
Permanent Adhesive / BLPAPER4.0 A 40# paper back lamir	40# Paper Liner. When the can be seen as the can be	esive - 40# Pa	SC504200	340 nated to 1.0 mil Clea	r PET Film / Break	Away Coating /	2.0
Permanent Adhesive / - BLPAPER4.0 A 40# paper back lamir	nate with 4 inch patterned adh	esive - 40# Pa	SC504200	340 nated to 1.0 mil Clea	r PET Film / Break	Away Coating /	2.0
BLPAPER4.0 A 40# paper back lamir mil Clear PET Film / 51	nate with 4 inch patterned adh	esive - 40# Pa	SC504200 aper Liner lamin	340 nated to 1.0 mil Clea s removed, a paper	r PET Film / Break	Away Coating /	2.0
BLPAPER4.0 A 40# paper back lamir mil Clear PET Film / 51 BLPAPERFG A 40# paper back lamir	nate with 4 inch patterned adh	esive - 40# Pa Paper Liner. V	SC504200 aper Liner lamin When the card is SC506000 - 40# Paper Lin	340 nated to 1.0 mil Cleas removed, a paper 401 er laminated to 1.0 mil Cleas	r PET Film / Break window remains. C mil Clear PET Film	n / Break Away C	
BLPAPER4.0 A 40# paper back lamir mil Clear PET Film / 51 BLPAPERFG A 40# paper back lamir	nate with 4 inch patterned adh 5 Permanent Adhesive / 40# nate with full gum adhesive up	esive - 40# Pa Paper Liner. V	SC504200 aper Liner lamin When the card is SC506000 - 40# Paper Lin	340 nated to 1.0 mil Cleas removed, a paper 401 er laminated to 1.0 mil Cleas	r PET Film / Break window remains. C mil Clear PET Film	n / Break Away C	
BLPAPER4.0 A 40# paper back lamir mil Clear PET Film / 51 BLPAPERFG A 40# paper back lamir	nate with 4 inch patterned adh 5 Permanent Adhesive / 40# nate with full gum adhesive up	esive - 40# Pa Paper Liner. V	SC504200 aper Liner lamin When the card is SC506000 - 40# Paper Liner. When the companion of the companio	ated to 1.0 mil Cleas removed, a paper 401 der laminated to 1.0 mil cleas removed, a paper service and service an	r PET Film / Break window remains. C mil Clear PET Film	n / Break Away C	
BLPAPER4.0 A 40# paper back lamir mil Clear PET Film / 51 BLPAPERFG A 40# paper back lamir / 2.0 mil Clear PET Film	nate with 4 inch patterned adh 5 Permanent Adhesive / 40# nate with full gum adhesive up n / 515 Permanent Adhesive /	esive - 40# Pa Paper Liner. V	SC504200 aper Liner lamin When the card is SC506000 - 40# Paper Liner. When the companion of the companio	ated to 1.0 mil Cleas removed, a paper 401 der laminated to 1.0 mil cleas removed, a paper service and service an	r PET Film / Break window remains. C mil Clear PET Film	n / Break Away C	
BLPAPER4.0 A 40# paper back lamir mil Clear PET Film / 51 BLPAPERFG A 40# paper back lamir / 2.0 mil Clear PET Film	nate with 4 inch patterned adh 5 Permanent Adhesive / 40# nate with full gum adhesive up n / 515 Permanent Adhesive /	esive - 40# Pa Paper Liner. V to 30 inches 40# Paper Lin	aper Liner laming/when the card is SC506000 - 40# Paper Liner. When the construction of SC506100	ated to 1.0 mil Cleas removed, a paper 401 der laminated to 1.0 pard is removed, a page 401	r PET Film / Break window remains. C mil Clear PET Film aper window rema	n / Break Away C	
BLPAPER4.0 A 40# paper back lamir mil Clear PET Film / 51 BLPAPERFG A 40# paper back lamir / 2.0 mil Clear PET Film	nate with 4 inch patterned adh 5 Permanent Adhesive / 40# nate with full gum adhesive up n / 515 Permanent Adhesive /	esive - 40# Pa Paper Liner. V to 30 inches 40# Paper Lin	aper Liner laming/when the card is SC506000 - 40# Paper Liner. When the construction of SC506100	ated to 1.0 mil Cleas removed, a paper 401 der laminated to 1.0 pard is removed, a page 401	r PET Film / Break window remains. C mil Clear PET Film aper window rema	n / Break Away C	



PIGGYBACKS 0# EDP SMUDGE RESISTANT					
A 50# (74 g/m²) general purpose FSC®-certified paper.	uncoated paper. Bri	ght white wit	th excellent smud	dge resistance. Desig	gned for high performance.
050ED	0758M 0758M	40SC 40SC	S7725060	356	C
4# SEMI-GLOSS					
, , ,	0 0	0 1	. ,	0	h-speed stripping and die-cutting.
Smooth surface provides excelle	nt printing with flexo,	UV letterpre	ess, and offset m	nethods. FSC®-certific	ed paper.
054SG	00515 00515	12NB 40SC	S9075360	319	•
054SG	0758M 0758M	40SC 50SC	S7686660	379	C
054SG	0758M 0758M	40SC 40SC	S8027060	361	
0# DULL LITHO					
60# (89 g/m²) high quality, dull fir FSC®-certified paper.	nish litho offering exc	ellent print a	and die-cut prope	erties. Good for flexo	graphic and offset printing.
061DL	0758M 0758M	40SC 40SC	S8719060	377	C

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
	,		_ · · · · · · · · · · · · · · · · ·	TIP Item

S8138960

338

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

40SC

40SC

0758M

0758M

VALUT



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	NIW	KC	Z	ATL	4
HOT MELT DRY EDGE SOLUT	TIONS									

054SG/767HM/12PE-DES

54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Clear 1.2 mil polyester liner with an excellent surface for die-cutting. Great strength for high-speed converting and application. ---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230452 199 I

054SG/767HM/40SC-DES

54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper.767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control. ---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230352 233 I

24WCT/767HM/40SC-DES

2.4 mil white top-coated BOPP compatible with water-based, UV flexo, and UV inkjet presses. Thinner for resource and shipping savings.767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control. ---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230552 180 **I**

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA
TIP Item



November



	WHITE PAP	ERS - HIC		S					
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
057HG / 720 / 40SC	57# CAST COATED HI GLOSS 720 ALL TEMP ADHESIVE	S7824560	No	\checkmark	\checkmark		\checkmark		\checkmark
057HG / 751 / 40SC	57# CAST COATED HI GLOSS 751 PERMANENT ADHESIVE (HEAVY CT. WT.)	S8060260	No				\checkmark		
	WHITE PAP	ERS - SE	MI-GLOS	S					
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054SG / 278 / 40SC	54# C1S SEMI GLOSS FSC 278 ULTRA REMOVABLE ADH	S8164560	No	abla					
054SG / 633 / 40SC	54# C1S SEMI GLOSS FSC 633 REMOVABLE ADHESIVE	S9175160	No	\checkmark				\checkmark	
054SG / 700 / 40SC	54# C1S SEMI GLOSS FSC 700 PERMANENT ADHESIVE	S7755860	Yes	\checkmark					
054SG / 720 / 012NB	54# C1S SEMI GLOSS FSC 720 ALL-TEMP ADHESIVE	S8121860	No	\checkmark	\checkmark	\checkmark			V
054SG / 720 / 40SC	54# C1S SEMI GLOSS FSC 720 ALL-TEMP ADHESIVE	S7724460	Yes, Except: WIN-15-No KC-15-No ATL-15-No LA-15-No	5/10/15	5/10/15	5/10/15	\checkmark	5/10/15	5/10/15
054SG / 720G / 40SC	54# C1S SEMI GLOSS FSC ALL TEMP ADHESIVE	S9184260	No	5/10/15	5/10/15	5/10/15	\checkmark	5/10/15	5/10/15
054SG / 720M / 40SC	54# C1S SEMI GLOSS FSC 720M ALL TEMP ADHESIVE	S8849360	Yes, Except: GB-1.25/2.5-N 0 LA-15-No	1.25/ 2.5/ 5/ 10/ 15	5/10/15			5/10/15	5/10/15
054SG / 720M / 012NB	54# C1S SEMI GLOSS FSC 720M ALL TEMP ADHESIVE	S8898960	No	5/10/15	\checkmark	\checkmark			\checkmark
054SG / 747 / 40SC	54# C1S SEMI GLOSS FSC 747 PERMANENT ADHESIVE	S7739560	Yes	\checkmark	\checkmark				
054SG / 751 / 012NB	54# C1S SEMI GLOSS FSC 751 PERMANENT ADHESIVE	S8823660	No	\checkmark					
054SG / 751 / 40SC	54# C1S SEMI GLOSS FSC 751 PERMANENT ADHESIVE	S7748960	Yes, Except: ATL-No	\checkmark	\checkmark		\checkmark	\checkmark	V
054SG / 757 / 0PRLF	54# C1S SEMI GLOSS FSC TACKIFIED PERM ADH	S9234260	No	√ [†] 10/15					
054SG / 757 / 40SC	54# C1S SEMI GLOSS FSC TACKIFIED PERM ADH	S9022460	No	\checkmark		\checkmark			

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT?

CALL 1-800-445-4269

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



FAX ORDERS 1-800-705-0111

Tailored Inventory Products (T.I.P.)

November

	MUUTE DA	DEDE CE	MI OLOG	·	and the late				
Structure	WHITE PAI	Item #	Splice Free	S GB	WIN	KC	MIN	ATL	LA
			1100						
054SG / 758M / 41LF	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S9176660	No	5/10/15					
054SG / 758M / 0PRLF	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S8082660	No	10/ 15 (exact)	10/15 (exact)	10/ 15 (exact)			
054SG / 805 / 0PRLF	54# C1S SEMI GLOSS FSC 805 REMOVABLE ADHESIVE	S8941160	No						
054SG / 80361 / PRLF	54# C1S SEMI GLOSS FSC 80361 REMOVABLE ADHESIVE	S8001560	No	à 5/10/15					
054SA / 720 / 40SC	054SG OPAQUE FSC 720 ALL-TEMP ADHESIVE	S8820660	No	\checkmark					
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE	S8901460	No	2.5/5/10					
060PR / 272 / 40SC	PREFERRED SEMI GLOSS FSC 272 ULTRA REMOVABLE ADH	S7018060	No	\checkmark					
060PR / 275 / 41WK	PREFERRED SEMI GLOSS FSC 275 ULTRA REMOVABLE ADH	S9156360	No	\checkmark					
060PA / 758M / 40SC	060PR OPAQUE FSC 758M PERMANENT ADHESIVE	S7712860	No	\checkmark	\checkmark				\checkmark
060SG / 720 / 40SC	58# SEMI GLOSS LITHO FSC 720 ALL-TEMP ADHESIVE	S7804560	No	\checkmark	√ 5/10/15				
060SG / 720 / 012NB	58# SEMI GLOSS LITHO FSC 720 ALL TEMP ADHESIVE	S8210060	No	\checkmark		\checkmark			10
060SG / 720G / 40SC	58# SEMI GLOSS LITHO FSC ALL TEMP ADHESIVE	S9286860	No	\checkmark	5/10/15				
060SG / 720M / 40SC	58# SEMI GLOSS LITHO FSC 720M ALL TEMP ADHESIVE	S8899160	No	\checkmark	\checkmark	\checkmark			\checkmark
060SG / 758M / 60LF	58# SEMI GLOSS LITHO FSC 758M PERMANENT ADHESIVE	S8003760	No		5/ 10/ 15 (exact)				
	WHITE I	PAPERS -	MATTE						
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
061DL / 720 / 40SC	60# DULL LITHO FSC 720 ALL-TEMP ADHESIVE	S4331060	No	\checkmark					
061DL / 758M / 40SC	60# DULL LITHO FSC 758M PERMANENT ADHESIVE	S8769360	Yes, Except: GB-5/10/20-N o	5/ 10/ 15/ 20					

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CALL 1-800-445-4269

November 7, 2025

CAN'T FIND IT?

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November



	Т	AG STOCK	(
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
008GB	8 PT TAG C2S FSC	S7670560	No	\checkmark		Ш			Ш
008GB / 504 / 40SC	8 PT TAG C2S FSC 504 PERMANENT ADHESIVE	S9941860	No	\checkmark					
		EDP	Splice						
Structure	Description	Item #	Free	GB	WIN	KC	MIN	ATL	LA
050ED / 720 / 40SC	50# EDP FSC 720 ALL-TEMP ADHESIVE	S6069060	No	\checkmark					
050ED / 720 / 50SC	50# EDP FSC 720 ALL-TEMP ADHESIVE	S6499060	No*	\checkmark	V				
	PHA	RMACEUTI	CAL						
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
021RX / 508 / 40SC	3.0 MIL PHARMACY DT FSC 508 PERMANENT ADHESIVE	S9174760	No*			\checkmark			\checkmark
021RX / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9174660	No*	5/10/15	√ 5/10/15				
20RXE / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9229660	No	5/10/15					
	ELUOP	ESCENT PA	ADEDO						
Structure	Description	Item #	Splice	GB	WIN	KC	MIN	ATL	LA
Structure	Description	iteiii#	Free	GB	WIIN	KC .	IVIIIA	AIL	LA
054GZ / 720 / 40SC	FSC GREEN FLUORESCENT 720 ALL TEMP ADHESIVE	S6231060	No	\checkmark					
054GZ / 720 / 40SC	FSC GREEN FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7656360	No						\checkmark
054GZ / 758M / 0PBLF	FSC GREEN FLUORESCENT 758M PERMANENT ADHESIVE	S8189860	No						
054OZ / 720 / 40SC	FSC ORANGE FLUORESCENT 720 ALL TEMP ADHESIVE	S6235060	No	\checkmark					
054OZ / 720 / 40SC	FSC ORANGE FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7607960	No						

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



nber 🧥

November

					See See 14				
	FLUOR	ESCENT P	APERS						
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054OZ / 758M / 0PBLF	FSC ORANGE FLUORESCENT 758M PERMANENT ADHESIVE	S8190060	No						
054PZ / 720 / 40SC	FSC PINK FLUORESCENT 720 ALL TEMP ADHESIVE	S8034360	No	\checkmark					
054PZ / 720 / 40SC	FSC PINK FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7748660	No						\checkmark
054PZ / 758M / 0PBLF	FSC PINK FLUORESCENT 758M PERMANENT ADHESIVE	S8190160	No	✓ †					
054RZ / 720 / 40SC	FSC RED FLUORESCENT 720 ALL TEMP ADHESIVE	S6066060	No	\checkmark	\checkmark	\checkmark		\checkmark	
054RZ / 720 / 40SC	FSC RED FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7743960	No						\checkmark
054RZ/758M/0PBLF	FSC RED FLUORESCENT 758M PERMANENT ADHESIVE	S8190260	No	✓ †					
054YZ / 720 / 40SC	FSC YELLOW FLUORESCENT 720 ALL TEMP ADHESIVE	S6237060	No	\checkmark					
054YZ / 720 / 40SC	FSC YELLOW FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7748760	No						\checkmark
054YZ / 758M / 0PBLF	FSC YELLOW FLUORESCENT 758M PERMANENT ADHESIVE	S8189960	No						
	BEER	& WINE L							
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE	S8901460	No	2.5/5/10					
061DL / 720 / 40SC	60# DULL LITHO FSC 720 ALL-TEMP ADHESIVE	S4331060	No	\checkmark					
061DL / 758M / 40SC	60# DULL LITHO FSC 758M PERMANENT ADHESIVE	S8769360	Yes, Except: GB-5/10/20-N o	5/ 10/ 15/ 20					
OWEL4 / 747 / 44PM	ESTATELBL#4 WHI LAID FSC 747 PERMANENT ADHESIVE	S8748260	No	2.5/5/10					
OWEL8 / 747 / 44PM	FSC ESTATE #8 WH VELLUM 747 PERMANENT ADHESIVE	S8266860	No	2.5/5/10					2.5/5/10
OWEL9 / 747 / 44PM	ESTATELBL#9 CRM LAID FSC 747 PERMANENT ADHESIVE	S8742160	No	2.5/5/10					2.5/5/10

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT?

CALL 1-800-445-4269



November

				/	and the second				
	BEER	& WINE LA	ABEL						
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
			1100						
0WCSW / 747 / 44PM	FSC CLASSICCRESTSOLAR WH 747 PERMANENT ADHESIVE	S8741852	No	2.5/5/10					
70BWF / 747 / 12NB	FSC BRIGHT WHITE FELT WS PERMANENT ADHESIVE	S8903752	No	2.5/5/10					
70BWF / 747 / 44PM	FSC BRIGHT WHITE FELT WS 747 PERMANENT ADHESIVE	S8903652	No	2.5/5/10					
KONAL / 720 / 39NK	FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	S8796760	No	2.5/5/10					
PLRNB / 720 / 39NK	FSC ECO WHITE WS 100%PCW 720 ALL TEMP ADHESIVE	S9089960	No	\checkmark					
56MSW / 720 / 012NB	SILVER MET PAPER WS 720 ALL-TEMP ADHESIVE	S9106860	No	✓ †					
56MSW / 720 / 40SC	SILVER MET PAPER WS 720 ALL TEMP ADHESIVE	S8982560	No	\checkmark					
	SDEC	IALTY PAF	EDS						
	OI LO								
Structure	Description		Splice	GB	WIN	KC	MIN	ATI	I A
Structure	Description	Item #		GB	WIN	KC	MIN	ATL	LA
Structure 054WS / 747 / 40SC	Description 54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE		Splice	GB ✓ 2.5/5/10	WIN	KC	MIN	ATL	LA
	54# SG WET STRENGTH FSC	Item #	Splice Free	<u></u>					_
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE 60# NATURAL KRAFT PAPER	Item # \$8901460	Splice Free No	2.5/5/10					
054WS / 747 / 40SC 060GM / 720 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE 60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE 60# NATURAL KRAFT PAPER	S8901460 S8083760	Splice Free No	2.5/5/10					
054WS / 747 / 40SC 060GM / 720 / 40SC 060GM / 758M / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE 60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE 60# NATURAL KRAFT PAPER 758M PERMANENT ADHESIVE FSC WATER DISSOLVE PAPER	S8901460 S8083760 S7649360	No No* No	2.5/5/10					
054WS / 747 / 40SC 060GM / 720 / 40SC 060GM / 758M / 40SC H2ODP / 611 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE 60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE 60# NATURAL KRAFT PAPER 758M PERMANENT ADHESIVE FSC WATER DISSOLVE PAPER WATER DISSOLVABLE ADH FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	\$8901460 \$8083760 \$7649360 \$8210460 \$8796760	No No* No No No	2.5/5/10 \[\sqrt{1} 2.5/5/10 \] \[\sqrt{2} 2.5/5/10					
054WS / 747 / 40SC 060GM / 720 / 40SC 060GM / 758M / 40SC H2ODP / 611 / 40SC KONAL / 720 / 39NK	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE 60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE 60# NATURAL KRAFT PAPER 758M PERMANENT ADHESIVE FSC WATER DISSOLVE PAPER WATER DISSOLVABLE ADH FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	S8901460 S8083760 S7649360 S8210460 S8796760	No No* No No No	2.5/5/10 2.5/5/10 2.5/5/10 2.5/5/10					
054WS / 747 / 40SC 060GM / 720 / 40SC 060GM / 758M / 40SC H2ODP / 611 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE 60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE 60# NATURAL KRAFT PAPER 758M PERMANENT ADHESIVE FSC WATER DISSOLVE PAPER WATER DISSOLVABLE ADH FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	\$8901460 \$8083760 \$7649360 \$8210460 \$8796760	No No No No No	2.5/5/10 \[\sqrt{1} 2.5/5/10 \] \[\sqrt{2} 2.5/5/10					
054WS / 747 / 40SC 060GM / 720 / 40SC 060GM / 758M / 40SC H2ODP / 611 / 40SC KONAL / 720 / 39NK	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE 60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE 60# NATURAL KRAFT PAPER 758M PERMANENT ADHESIVE FSC WATER DISSOLVE PAPER WATER DISSOLVABLE ADH FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	S8901460 S8083760 S7649360 S8210460 S8796760	No No No No Soll Splice	2.5/5/10 2.5/5/10 2.5/5/10 2.5/5/10					

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November

					TIT I				
	LAMI								
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
055DG / 720 / 40SC	DULL GOLD LAM FOIL FSC 720 ALL TEMP ADHESIVE	S6300060	No	\checkmark					
055DS / 720 / 40SC	DULL SILVER LAM FOIL FSC 720 ALL TEMP ADHESIVE	S6306060	No	\checkmark	V				V
	FOIL	SUBSTITU	TES						
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
018MT / 720 / 40SC	1.85MIL METALIZED TCBOPP 720 ALL-TEMP ADHESIVE	S9036760	No	\checkmark	\checkmark				
018MT / 720G / 40SC	1.85MIL METALIZED TCBOPP ALL TEMP ADHESIVE	S9287060	No	\checkmark					
018MT / 751 / 40SC	1.85MIL METALIZED TCBOPP 751 PERMANENT ADHESIVE	S9137460	No	\checkmark					√ 5/1
018MT / 960 / 012NB	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9210460	Yes	\checkmark					\checkmark
018MT / 960 / 40SC	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9221660	No	\checkmark		\checkmark			\checkmark
018MT / 976S / 012NB	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9210860	No	\checkmark					
018MT / 976S / 40SC	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9240660	No	\checkmark					
021MU / 720 / 40SC	2 MIL METALIZED TC BOPP 720 ALL-TEMP ADHESIVE	S8031460	No	\checkmark	\checkmark				
021MU / 960 / 40SC	2 MIL METALIZED TC BOPP GP FILM ADHESIVE	S9221860	No						\checkmark
057MS / 720 / 40SC	SILVER METALLIZED PAPER 720 ALL TEMP ADHESIVE	S6203060	No	\checkmark		\checkmark			\checkmark
56MSW / 720 / 012NB	SILVER MET PAPER WS 720 ALL-TEMP ADHESIVE	S9106860	No						
56MSW / 720 / 40SC	SILVER MET PAPER WS 720 ALL TEMP ADHESIVE	S8982560	No	\checkmark					

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



November



	THERM	MAL TRAN	ISFER							
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
026TT / 747 / 40SC	2.6 MIL WHITE TT BOPP 747 PERMANENT ADHESIVE	S8773660	No*							
050HS / 272 / 40SC	HI SPEED THER TRANS FSC 272 ULTRA REMOVABLE ADH	S7019060	No	\checkmark						
050HS / 275 / 41WK	HI SPEED THER TRANS FSC 275 ULTRA REMOVABLE ADH	S9156260	No	\checkmark						
095TK / 538 / 50SC	107 MICRON TC KIMDURA 538 REMOVABLE ADHESIVE	S3286060	No	\checkmark						
095TK / 751 / 50SC	107 MICRON TC KIMDURA 751 PERMANENT ADHESIVE	S5391060	No	\checkmark						
0TTFP / 531 / 40SC	SELECT THERMAL TRANS FSC 531 REMOVABLE ADHESIVE	S7843160	No*	\checkmark						
0TTFP / 720 / 40SC	SELECT THERMAL TRANS FSC 720 ALL-TEMP ADHESIVE	S7833160	Yes	\checkmark		\checkmark				
0TTFP / 720G / 40SC	SELECT THERMAL TRANS FSC ALL TEMP ADHESIVE	S9286960	No	\checkmark		\checkmark				
0TTFP / 757 / 40SC	SELECT THERMAL TRANS FSC TACKIFIED PERM ADH	S9234160	No	\checkmark						
0TTFP / 758M / 40SC	SELECT THERMAL TRANS FSC 758M PERMANENT ADHESIVE	S7664660	Yes	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark	
0TTFA / 758M / 40SC	0TTFP OPAQUE FSC 758M PERMANENT ADHESIVE	S7711260	No	\checkmark						
100WP / 747 / 40SC	3.7 ML THERMAL TRAN BOPP 747 PERMANENT ADHESIVE	S7605960	No*	\checkmark						
VALUT / 278 / 40SC	FSC-VALUE THERMAL TRANS 278 ULTRA REMOVABLE ADH	S8175760	No	\checkmark						
VALUT / 531 / 40SC	FSC-VALUE THERMAL TRANS 531 REMOVABLE ADHESIVE	S9109660	No*	\checkmark						
VALUT / 720 / 40SC	FSC-VALUE THERMAL TRANS 720 ALL-TEMP ADHESIVE	S7851360	Yes, Except: GB-5/15-No* WIN-5/15-No* KC-No* ATL-5/15-No* LA-5/15-No*	5/10/15	5/10/15	5/10/15		5/10/15	5/10/15	
VALUT / 751 / 40SC	FSC-VALUE THERMAL TRANS 751 PERMANENT ADHESIVE	S7841560	No*				\checkmark			
VALUT / 751 / 40SC	FSC-VALUE THERMAL TRANS 751 PERMANENT ADHESIVE	S8278660	No*		\checkmark					
VALUT / 757 / 40SC	FSC-VALUE THERMAL TRANS TACKIFIED PERM ADH	S9013660	Yes, Except: GB-No* WIN-5/15-No* KC-No* MN-No* ATL-5/15-No* LA-No*	5/10/15	5/10/15	5/10/15	5/10/15	5/10/15	5/10/15	

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT?

CALL 1-800-445-4269



November



				- 4	and the se				
	THERI	MAL TRAN	ISFER						
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
VALUT / 758M / 40SC	FSC-VALUE THERMAL TRANS 758M PERMANENT ADHESIVE	S7839660	Yes, Except: GB-5/15-No* WIN-5/15-No* KC-5/15-No* MN-5/15-No* ATL-5/15-No*	5/10/15	5/10/15	5/10/15	5/10/15	5/10/15	5/10/15
VALUT / 720G / 40SC	FSC-VALUE THERMAL TRANS ALL TEMP ADHESIVE	S9284360	No	5/10/15	5/10/15	5/10/15		5/10/15	5/10/15
VALTE / 720 / 40SC	42# THERMAL TRANSFER FSC 720 ALL TEMP ADHESIVE	S9216160	No	5/10/15				5/10/15	5/10/15
VALTE / 757 / 40SC	42# THERMAL TRANSFER FSC TACKIFIED PERM ADH	S9244860	No	5/10/15		5/10/15		5/10/15	5/10/15
	DIRE	ECT THER							
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
021RX / 508 / 40SC	3.0 MIL PHARMACY DT FSC 508 PERMANENT ADHESIVE	S9174760	No*			V			\checkmark
021RX / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9174660	No*	5/10/15	5/10/15				
20RXE / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9229660	No	5/10/15					
022TD / 720 / 40SC	HI SENSITIVITY DT FSC 720 ALL TEMP ADHESIVE	S6290060	No*	5/10/15					
015DT / 720 / 40SC	2.3 MIL TC DT FSC 720 ALL TEMP ADHESIVE	S9192179	No	5/10/15					
23DTE / 720 / 40SC	TC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9231660	No	5/10/15	\checkmark				
024DT / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S8814460	Yes, Except: GB-5/10/15-N o* WIN-No* KC-No* ATL-No*	5/ 10/ 15/ 20	10/15	5/10/15		10	
24DTE / 633 / 40SC	TC RESISTANT DT FSC 633 REMOVABLE ADHESIVE	S9249760	No	\checkmark					
24DTE / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S9250760	No	5/ 10/ 15/ 20					5/10/15
024NT / 720 / 40SC	NTC DIR THERMAL FSC 720 ALL TEMP ADHESIVE	S9195479	No	5/10/15					

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November

	DIRECT THERMAL										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA		
25DTE / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S9247160	No	2.5/ 5/ 10/ 15	5/10/15	5/10/15		5/10/15	5/10/15		
25DTE / 751 / 40SC	TC RESISTANT DT FSC 751 PERMANENT ADHESIVE	S9254260	No	√ 5/10/15							
25DTE / 757 / 40SC	TC RESISTANT DT FSC TACKIFIED PERM ADH	S9254160	No	√ 5/10/15	5/10/15						
025NT / 720 / 40SC	NTC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S8153252	Yes, Except: WIN-5/15-No* ATL-No* LA-5/15-No*		5/10/15			5/10/15	5/10/15		
25NTE / 633 / 40SC	NTC DIRECT THERMAL FSC 633 REMOVABLE ADHESIVE	S9252560	No	√ 5/10/15							
25NTE / 720 / 40SC	NTC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9239960	No	√ 5/10/15	√ 5/10/15	5/10/15	5/10/15	5/10/15	5/10/15		
25NTE / 757 / 40SC	NTC DIRECT THERMAL FSC TACKIFIED PERM ADH	S9247560	No	√ 5/10/15	√ 5/10/15						
24VTB / 720 / 40SC	VALUE TC DIRECT THER FSC 720 ALL TEMP ADHESIVE	S9030960	No*	5/10/15	5/10/15	5/10/15		5/10/15	5 /10/15		
24VTB / 853 / 40SC	VALUE TC DIRECT THER FSC 853 ALL TEMP ADHESIVE	S9169560	No*	\checkmark							
070MK / 720 / 40SC	76 MICRON SYN DT 720 ALL-TEMP ADHESIVE	S4335060	No	\checkmark		\checkmark					
070MK / 751 / 40SC	76 MICRON SYN DT 751 PERMANENT ADHESIVE	S5503060	No	5/10/15							
095RK / 720 / 012NB	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S8980560	No	✓ †							
095RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S4101060	No*		\checkmark	\checkmark		\checkmark			
096RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S9177360	No	\checkmark	\checkmark						
96RKE / 720 / 40SC	4.0 MIL DIR THER BOPP 720 ALL TEMP ADHESIVE	S9271460	No	\checkmark	\checkmark						

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



November



DIRECT THERMAL (NO PHENOLS ADDED)											
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA		
021RX / 508 / 40SC	3.0 MIL PHARMACY DT FSC 508 PERMANENT ADHESIVE	S9174760	No*			V			V		
021RX / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9174660	No*	5/10/15	√ 5/10/15						
20RXE / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9229660	No	5/10/15							
23DTE / 720 / 40SC	TC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9231660	No	√ 5/10/15	\checkmark						
24DTE / 633 / 40SC	TC RESISTANT DT FSC 633 REMOVABLE ADHESIVE	S9249760	No	\checkmark							
24DTE / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S9250760	No	5/ 10/ 15/ 20					5/10/15		
25DTE / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S9247160	No	2.5/ 5/ 10/ 15	5/10/15	5/10/15	\checkmark	√ 5/10/15	5/10/15		
25DTE / 751 / 40SC	TC RESISTANT DT FSC 751 PERMANENT ADHESIVE	S9254260	No	√ 5/10/15							
25DTE / 757 / 40SC	TC RESISTANT DT FSC TACKIFIED PERM ADH	S9254160	No	5/10/15	5/10/15						
25NTE / 633 / 40SC	NTC DIRECT THERMAL FSC 633 REMOVABLE ADHESIVE	S9252560	No	5/10/15							
25NTE / 720 / 40SC	NTC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9239960	No	5/10/15	5/10/15	5/10/15	5/10/15	5/10/15	5/10/15		
25NTE / 757 / 40SC	NTC DIRECT THERMAL FSC TACKIFIED PERM ADH	S9247560	No	5/10/15	5/10/15						
96RKE / 720 / 40SC	4.0 MIL DIR THER BOPP 720 ALL TEMP ADHESIVE	S9271460	No	\checkmark							
	INK	JET/LAS	ER								
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA		
050LJ / 720 / 0PBLF	SUPER BRIGHT LJ FSC 720 ALL-TEMP ADHESIVE	S8214960	Yes	 ✓ †							
050LJ / 751 / 0PBLF	SUPER BRIGHT LJ FSC 751 PERMANENT ADHESIVE	S8218060	Yes	☑ †		✓ †			√ †		
050LJ / 757 / 0PBLF	SUPER BRIGHT LJ FSC TACKIFIED PERM ADH	S9207460	No	☑ †							
050LJ/758M/0PBLF	SUPER BRIGHT LJ FSC 758M PERMANENT ADHESIVE	S8165060	Yes	⊘ †							

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November

	INK	JET/LAS	ER							
Structure	Description	Item #	Splice	GB	WIN	KC	MIN	ATL	LA	
	·		Free							
F47LJ / 720 / 40SC	FSC SUPER BRIGHT LJ 720 ALL TEMP ADHESIVE	S9284760	No	√ 15						
F47LJ / 758M / 41LF	FSC SUPER BRIGHT LJ 758M PERMANENT ADHESIVE	S9171560	No	√ † 10/15						
F47LJ / 758M / 0PBLF	FSC SUPER BRIGHT LJ 758M PERMANENT ADHESIVE	S9172060	No	√ † 10/15						
054GZ / 758M / 0PBLF	FSC GREEN FLUORESCENT 758M PERMANENT ADHESIVE	S8189860	No	\checkmark						
054OZ/758M/0PBLF	FSC ORANGE FLUORESCENT 758M PERMANENT ADHESIVE	S8190060	No	✓ †						
054PZ / 758M / 0PBLF	FSC PINK FLUORESCENT 758M PERMANENT ADHESIVE	S8190160	No	\checkmark						
054RZ/758M/0PBLF	FSC RED FLUORESCENT 758M PERMANENT ADHESIVE	S8190260	No	✓ †						
054YZ / 758M / 0PBLF	FSC YELLOW FLUORESCENT 758M PERMANENT ADHESIVE	S8189960	No	\checkmark						
1GINK / 720 / 40SC	FSC HIGH GLOSS INKJET 720 ALL TEMP ADHESIVE	S8721460	No	1.25/ 2.5/ 5/ 10						
SG2NK / 720M / 40SC	SEMI-GLOSS WB INKJET FSC 720M ALL TEMP ADHESIVE	S9189560	No	1.25/ 2.5/ 5/ 10						
07INK / 720 / 40SC	60# MATTE CTD INKJET FSC 720 ALL TEMP ADHESIVE	S9206460	No	1.25/ 2.5/ 5/ 10						
34WIJ / 720 / 40SC	3.4 MIL MATTE WH IJ BOPP 720 ALL TEMP ADHESIVE	S9177960	No	2.5/5/10						
SGINK / 720 / 40SC	SEMI-GLOSS WB INKJET 720 ALL TEMP ADHESIVE	S9117479	No	\checkmark						
	FILMS: POLY	PROPYLEN	NES (CLI Splice	EAR)						
Structure	Description	Item #	Free	GB	WIN	KC	MIN	ATL	LA	
018CT / 720 / 40SC	1.85 MIL TC CLEAR BOPP 720 ALL-TEMP ADHESIVE	S9064560	No	\checkmark	\checkmark					
018CT / 720G / 40SC	1.85 MIL TC CLEAR BOPP ALL TEMP ADHESIVE	S9183560	No	\checkmark	\checkmark					
018CT / 720M / 40SC	1.85 MIL TC CLEAR BOPP 720M ALL TEMP ADHESIVE	S9090660	No	\checkmark						

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT?

CALL 1-800-445-4269

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November

FILMS: POLYPROPYLENES (CLEAR)												
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA			
018CT / 751 / 40SC	1.85 MIL TC CLEAR BOPP 751 PERMANENT ADHESIVE	S9092760	No	\checkmark	V							
018CT / 776S / 40SC	1.85 MIL TC CLEAR BOPP PET RECYCLABLE ADHESIVE	S9095260	No	\checkmark								
018CT / 960 / 012NB	1.85 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9202560	No						✓ [†]			
018CT / 960 / 39NK	1.85 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9221960	No	\checkmark								
018CT / 960 / 40SC	1.85 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9213560	No	\checkmark					\checkmark			
018CT / 960 / 92NB	1.85 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9211060	No	√ [†] 5/10/15								
018CT / 976S / 012NB	1.85 MIL TC CLEAR BOPP APR WASHAWAY ALLTEMP ADH	S9226660	No									
018CT / 976S / 40SC	1.85 MIL TC CLEAR BOPP APR WASHAWAY ALLTEMP ADH	S9213860	No	\checkmark								
020CL / 751 / 40SC	2.0 MIL TC CLEAR BOPP 751 PERMANENT ADHESIVE	S8782260	No				\checkmark					
020CL / 960 / 012NB	2.0 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9222060	No	\checkmark								
020CL / 960 / 40SC	2.0 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9221160	No	\checkmark	\checkmark		\checkmark		\checkmark			
036CG / 347 / 50SC	3.6 ML CLEAR TC BOPP GLASS REMOVABLE ADHESIVE	S6883060	No	2.5/5/10								
036CG / 347 / 74LF	3.6 ML CLEAR TC BOPP GLASS REMOVABLE ADHESIVE	S9127360	No	✓ †								
	FILMS: POLYI	PROPYLEI	NES (WH	IITE)								
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA			
023WP / 720 / 40SC	2.3 MIL TC WHITE BOPP 720 ALL-TEMP ADHESIVE	S7630960	Yes	\checkmark	V							
023WP / 950 / 40SC	2.3 MIL TC WHITE BOPP GP FILM ADHESIVE	S9221260	No	\checkmark	\checkmark				\checkmark			
023WT / 720M / 40SC	2.3 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9133560	No	\checkmark					\checkmark			
023WT / 950 / 40SC	2.3 MIL TC WHITE BOPP GP FILM ADHESIVE	S9221560	No			\checkmark						

^{*} Indicates a runnable splice ** Indicates <u>yellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT?

CALL 1-800-445-4269



November

FILMS: POLYPROPYLENES (WHITE)											
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA		
024TL / 720 / 40SC	2.4 MIL WHITE BOPP 720 ALL TEMP ADHESIVE	S8773560	No	\checkmark					\checkmark		
024TL / 751 / 40SC	2.4 MIL WHITE BOPP 751 PERMANENT ADHESIVE	S8787060	No	\checkmark							
024TL / 751 / 012NB	2.4 MIL WHITE BOPP 751 PERMANENT ADHESIVE	S8832660	No	\checkmark							
024TL / 950 / 40SC	2.4 MIL WHITE BOPP GP FILM ADHESIVE	S9221060	No	V					\checkmark		
24WCB / 720M / 40SC	2.4 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9256960	No	\checkmark					\checkmark		
24WCB / 720M / 12NB	2.4 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9257060	No	✓ †					✓ †		
24WCB / 751 / 012NB	2.4 MIL TC WHITE BOPP 751 PERMANENT ADHESIVE	S9259060	No	✓ †							
24WCB / 751 / 40SC	2.4 MIL TC WHITE BOPP 751 PERMANENT ADHESIVE	S9258860	No	\checkmark					\checkmark		
24WCB / 950 / 40SC	2.4 MIL TC WHITE BOPP GP FILM ADHESIVE	S9242960	No	\checkmark					\checkmark		
24WCB / 950 / 012NB	2.4 MIL TC WHITE BOPP GP FILM ADHESIVE	S9242860	No	✓ †					✓ †		
24WCB / 950 / 92NB	2.4 MIL TC WHITE BOPP GP FILM ADHESIVE	S9250460	No	√ †							
24WCB / 976S / 012NB	2.4 MIL TC WHITE BOPP APR WASHAWAY ALLTEMP ADH	S9273360	No	✓ †							
24WCB / 976S / 40SC	2.4 MIL TC WHITE BOPP APR WASHAWAY ALLTEMP ADH	S9273260	No	\checkmark							
24WCT / 720M / 012NB	2.4 MIL TC WHI BOPP 720M ALL TEMP ADHESIVE	S9182460	No	√ † 10/15							
24WCT / 720 / 40SC	2.4 MIL TC WHI BOPP 720 ALL-TEMP ADHESIVE	S9134360	No	\checkmark					\checkmark		
24WCT / 720M / 40SC	2.4 MIL TC WHI BOPP 720M ALL TEMP ADHESIVE	S9119160	No	\checkmark							
24WCT / 751 / 40SC	2.4 MIL TC WHI BOPP 751 PERMANENT ADHESIVE	S9123660	No	\checkmark							
24WCT / 751 / 012NB	2.4 MIL TC WHI BOPP 751 PERMANENT ADHESIVE	S9121060	No								
24WCT / 776S / 40SC	2.4 MIL TC WHI BOPP PET RECYCLABLE ADHESIVE	S9120460	No	\checkmark					\checkmark		

^{*} Indicates a runnable splice ** Indicates <u>yellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November

FILMS: POLYPROPYLENES (WHITE)												
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA			
24WCT / 950 / 012NB	2.4 MIL TC WHI BOPP GP FILM ADHESIVE	S9221460	No	√ †					\checkmark			
24WCT / 950 / 40SC	2.4 MIL TC WHI BOPP GP FILM ADHESIVE	S9215260	No	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark			
24WCT / 950 / 92NB	2.4 MIL TC WHI BOPP GP FILM ADHESIVE	S9209960	No	√ † 5/10/15								
24WCT / 976S / 012NB	2.4 MIL TC WHI BOPP APR WASHAWAY ALLTEMP ADH	S9226060	No	✓ †								
24WCT / 976S / 40SC	2.4 MIL TC WHI BOPP APR WASHAWAY ALLTEMP ADH	S9238560	No	\checkmark					\checkmark			
026TL	2.6 MIL WHITE TC BOPP	S6397560	No	5/10/20								
026TL / 720 / 40SC	2.6 MIL WHITE TC BOPP 720 ALL-TEMP ADHESIVE	S6173060	No	\checkmark								
026TL / 747 / 40SC	2.6 MIL WHITE TC BOPP 747 PERMANENT ADHESIVE	S7600560	No	\checkmark								
026TL / 751 / 40SC	2.6 MIL WHITE TC BOPP 751 PERMANENT ADHESIVE	S5384060	No	\checkmark	\checkmark							
026TL / 950 / 40SC	2.6 MIL WHITE TC BOPP GP FILM ADHESIVE	S9215460	No			\checkmark			\checkmark			
26WCB / 720M / 012NB	2.6 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9259760	No	☑ †								
26WCB / 720M / 40SC	2.6 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9259160	No	\checkmark								
26WCT	2.6M WHI CAVITATED BOPP	S9120660	No	5/10/20								
26WCT / 633 / 40SC	2.6M WHI CAVITATED BOPP 633 REMOVABLE ADHESIVE	S9133660	No	\checkmark								
26WCT / 720 / 012NB	2.6M WHI CAVITATED BOPP 720 ALL TEMP ADHESIVE	S9125460	No	√ † 10								
26WCT / 720 / 40SC	2.6M WHI CAVITATED BOPP 720 ALL-TEMP ADHESIVE	S9121160	No	\checkmark								
26WCT / 720M / 40SC	2.6M WHI CAVITATED BOPP 720M ALL TEMP ADHESIVE	S9168060	No	\checkmark								
26WCT / 747 / 40SC	2.6M WHI CAVITATED BOPP 747 PERMANENT ADHESIVE	S9123260	No	\checkmark								
26WCT / 751 / 40SC	2.6M WHI CAVITATED BOPP 751 PERMANENT ADHESIVE	S9021560	No	\checkmark								
26WCT / 767HM / 12PET	2.6TCWBOPP76712PET	S9167360	No*	✓ †								

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT?

CALL 1-800-445-4269



November

- All and a second												
	FILMS: POLY	PROPYLEI	NES (WH	HTE)								
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA			
26WCT / 950 / 012NB	2.6M WHI CAVITATED BOPP GP FILM ADHESIVE	S9222360	No	√ †								
26WCT / 950 / 40SC	2.6M WHI CAVITATED BOPP GP FILM ADHESIVE	S9215360	No	\checkmark	\checkmark				\checkmark			
34WIJ / 720 / 40SC	3.4 MIL MATTE WH IJ BOPP 720 ALL TEMP ADHESIVE	S9177960	No	2.5/5/10								
036WG / 347 / 50SC	3.6 ML WHITE TC BOPP GLASS REMOVABLE ADHESIVE	S6888060	No	2.5/5/10								
036WG / 347 / 74LF	3.6 ML WHITE TC BOPP GLASS REMOVABLE ADHESIVE	S9157660	No	✓ †								
	FILMS: POLYPROPY	LENES (V		EIMAG	ing)							
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA			
026TT / 747 / 40SC	2.6 MIL WHITE TT BOPP 747 PERMANENT ADHESIVE	S8773660	No*	\checkmark								
070MK / 720 / 40SC	76 MICRON SYN DT 720 ALL-TEMP ADHESIVE	S4335060	No	\checkmark		\checkmark			\checkmark			
070MK / 751 / 40SC	76 MICRON SYN DT 751 PERMANENT ADHESIVE	S5503060	No	5/10/15								
095RK / 720 / 012NB	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S8980560	No	✓ †								
095RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S4101060	No*		\checkmark	\checkmark		\checkmark				
095TK / 538 / 50SC	107 MICRON TC KIMDURA 538 REMOVABLE ADHESIVE	S3286060	No	\checkmark								
095TK / 751 / 50SC	107 MICRON TC KIMDURA 751 PERMANENT ADHESIVE	S5391060	No	\checkmark								
096RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S9177360	No	\checkmark	\checkmark							
96RKE / 720 / 40SC	4.0 MIL DIR THER BOPP 720 ALL TEMP ADHESIVE	S9271460	No	\checkmark	\checkmark							
100WP / 747 / 40SC	3.7 ML THERMAL TRAN BOPP 747 PERMANENT ADHESIVE	S7605960	No*	\checkmark								

^{*} Indicates a runnable splice ** Indicates <u>yellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November

FILMS: POLYPROPYLENES (METALIZED)											
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA		
018MT / 720 / 40SC	1.85MIL METALIZED TCBOPP 720 ALL-TEMP ADHESIVE	S9036760	No	\checkmark	\checkmark						
018MT / 720G / 40SC	1.85MIL METALIZED TCBOPP ALL TEMP ADHESIVE	S9287060	No	\checkmark							
018MT / 751 / 40SC	1.85MIL METALIZED TCBOPP 751 PERMANENT ADHESIVE	S9137460	No	\checkmark					√ 5/1		
018MT / 960 / 012NB	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9210460	Yes						\checkmark		
018MT / 960 / 40SC	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9221660	No	$\overline{\checkmark}$		\checkmark			\checkmark		
018MT / 976S / 012NB	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9210860	No								
018MT / 976S / 40SC	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9240660	No	\checkmark							
021MU / 720 / 40SC	2 MIL METALIZED TC BOPP 720 ALL-TEMP ADHESIVE	S8031460	No	$\overline{\checkmark}$	\checkmark						
021MU / 960 / 40SC	2 MIL METALIZED TC BOPP GP FILM ADHESIVE	S9221860	No						\checkmark		
	FII MS:	POLYSTY	RENES								
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA		
015PN / 720 / 40SC	1.5MIL CLEAR POLYSTYRENE 720 ALL TEMP ADHESIVE	S8175860	No				V				
Structure	FILMS:	: POLYES	TERS Splice Free	GB	WIN	KC	MIN	ATL	LA		
2VWPT / 406 / 50SC	2 MIL VALUE WHITE PET TACKIFIED PERM ADHESIVE	S8089560	No	2.5/5/10							

^{*} Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



November



PIGGYBACKS										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
054SG / 515 / 012NB / 515 / 40SC	54# C1S SEMI GLOSS FSC PERMANENT ADHESIVE	S9075360	No	\checkmark						
054SG / 758M / 40SC / 758M / 40SC	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S8027060	No	\checkmark						
VALUT / 757 / 40SC / 757 / 40SC	FSC-VALUE THERMAL TRANS TACKIFIED PERM ADH	S9137960	No	\checkmark						
VALUT / 758M / 40SC / 758M / 40SC	FSC-VALUE THERMAL TRANS 758M PERMANENT ADHESIVE	S8138960	No	\checkmark						

- Minimum one slit roll at 3", minimum length varies by product.
- Rolls 5,000' or less are palletized poker chip (stacked on slit edge) with 45 inch maximum height including pallet.
- Rolls 10,000' or greater are palletized on the round (cradle packed).
- All pallets will be stretch wrapped.
- All rolls on 3 inch cores, except as noted.

- Orders placed by 3:00 PM (time zone applicable to location from which shipment originates) will be shipped next business day.
- Orders placed before cutoff time cannot be changed or cancelled after cutoff time.
- No early pickup arrangements, please.

GB=Green Bay, WI WIN=Winchester, VA KC=Kansas City, MO MIN=Minneapolis, MN ATL=Atlanta, GA LA=Los Angeles, CA

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT?

CALL 1-800-445-4269

^{*} Indicates a runnable splice **Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores