GREEN BAY PACKAGING

COATED PRODUCTS

Product Guide

Coated Products

www.gbpcoated.com

1.800.445.4269 - USA and Canada 001.920.337.1800 - Outside USA



PRESSURE-SENSITIVE LABEL STOCK STORAGE CONDITIONS AND SHELF LIFE

Storage Conditions

- The storage and converting conditions should be as close to TAPPI standards of 73°F (23°C) and 50% relative humidity as possible.
- Products should be stored in their original stretch wrap until the time they will be used on press.
- The material should be allowed to acclimate to your press room's environment for 24 hours before the stretch wrap is removed and the roll is loaded onto the press.
- Keep rolls off the concrete floors and away from any other sources of moisture contamination.
- Rotate your stock. Use the oldest inventory first.

Shelf Life

- Pressure-sensitive label material should be used within one year from date of purchase, unless otherwise stated on the data sheet.
- The one-year shelf life is part of our standard conditions of sale on all products. Green Bay Packaging will not accept any claims for pressure-sensitive material older than one year.
- The label stock should retain its functional performance after a year. The acrylic adhesive is chemically stable and will not oxidize or lose tack, and the silicone release level should remain the same.
- After application, the adhesive should not degrade or lose tack over time. However, in some applications, including very high moisture and temperature for example, adhesive performance may suffer.

LAYFLAT LABEL MATERIAL RECOMMENDATIONS

- Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60°F and 80°F (16°C and 27°C) and the relative humidity is between 40% and 60%.
- The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- Rotate your stock. Use oldest inventory first.
- Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- We are not able to guarantee layflat performance of labelstock produced with some removable adhesives.

CAN'T FIND IT ? CALL 1 - 800 - 445 - 4269



ORDERING INFORMATION: U.S. STANDARD

MINIMUM ORDER QUANTITY

(varies by product)

TAILORED INVENTORY PROGRAM (TIP)

(delivery only within the continental USA) SHORT LENGTH UPCHARGE

INVENTORY CUSTOM

1 MMSI 3 MMSI

3" Minimum on all TIP Items

For items not on the Short-Length TIP program, master rolls may be cut into shorter rolls *if* the order meets the minimum quantity of 1 MMSI for inventoried products or up to 3 MMSI for custom runs.

Roll Length	<u>Charge</u>
1,250' to 2,499'	\$.05/MSI
500' to 1,249'	\$.10/MSI
150' to 499'	\$.15/MSI

CUSTOM REWINDING/SPLICING UPCHARGE

SLITTING UPCHARGE

SLITTING TOLERANCE

CORE SIZES

OVERRUN / UNDERRUN FINISHING ALLOWANCES .03/MSI

0-17 cuts, no upcharge 18+ cuts .02/MSI 2" minimum slit width

+/- 1/32"

For core size, see the Data Sheet for your specific item.

TIP	+/- 5%
Inventory	+/- 5%
Custom Single Pass	+/- 10%
Piggybacks	+/- 15%
Special Materials	+/- 20%

Product shelf life is one year unless otherwise stated on the component data sheet.

In addition to +/- % on overall order quantity, roll length may also be +/- % of ordered length. Customers may designate "exact roll length" on non-trimless items only. Additional splices may be required to meet exact roll length requests.

CAN'T FIND IT ? CALL 1 - 800 - 445 - 4269



ORDERING INFORMATION: METRIC SYSTEM

MINIMUM ORDER QUANTITY

(varies by product)

TAILORED INVENTORY PROGRAM (TIP)

(delivery only within the continental USA) SHORT LENGTH UPCHARGE INVENTORY CUSTOM 645 sq. Mts 1935 sq. Mts

76.2mm Minimum on all TIP Items

For items not on the Short-Length TIP program, master rolls may be cut into shorter rolls *if* the order meets the minimum quantity of 1 MMSI for inventoried products or up to 3 MMSI for custom runs.

Roll Length	<u>Charge</u>
380 to 761 Meters	\$.05/MSI
152 to 379 Meters	\$.10/MSI
45.7 to 151 Meters	\$.15/MSI

CUSTOM REWINDING/SPLICING UPCHARGE

SLITTING UPCHARGE

SLITTING TOLERANCE

CORE SIZES

OVERRUN / UNDERRUN FINISHING ALLOWANCES .05/sq. Mts

0-17 cuts, no upcharge 18+ cuts .03/sq. Mts 51mm minimum slit width

+/- 0.7mm

For core size, see the Data Sheet for your specific item.

Inventory	+/- 5%
Custom Single Pass	+/- 10%
Piggybacks	+/- 15%
Special Materials	+/- 20%

Product shelf life is one year unless otherwise stated on the component data sheet.

In addition to +/- % on overall order quantity, roll length may also be +/- % of ordered length. Customers may designate "exact roll length" on non-trimless items only. Additional splices may be required to meet exact roll length requests.

CAN'T FIND IT ? CALL 1 - 800 - 445 - 4269

UPDATED May, 2024 ORDERING INFO (Metric System): Page 3

TERMS AND CONDITIONS

- Entire Agreement. These Terms and Conditions shall constitute the entire agreement (the "Agreement" or "Terms and Conditions") of Green Bay Packaging Inc. ("Seller") and Buyer with respect to the subject matter hereof. These Terms and Conditions are controlling and shall supersede any prior or contemporaneous agreements, understandings or representations, oral or written, relating to the subject matter hereof. These Terms and Conditions shall govern in the event of any conflict between these Terms and Conditions and any provision contained in any subsequent Purchase Order or otherwise, the terms of which, whether conflicting, supplemental or otherwise, are hereby expressly rejected.
- 2. Shipment, Title and Risk of Loss. Unless otherwise mutually agreed in writing, shipment shall be F.O.B. Origin. Title and risk of loss pass from Seller to Buyer upon delivery to a carrier.
- 3. Freight. Shipments are F.O.B. Origin, with full freight allowed on shipments of 9 MMSI or more. Inventory and non-inventory items may be combined to meet the 9 MMSI minimum requirement for full freight allowed shipments, provided entire order is shipped at one time from one location to one destination. For all shipments fewer than 9 MMSI terms are F.O.B. Origin, freight prepaid and added, in which the shipping and handling charges shall be added to the face amount of the invoice.
- 4. **Payment.** Net 30 days following the date of invoice. 1% discount on payments received within 10 days of date of invoice. Amounts not paid in full within 30 days of date of invoice will be subject to a service charge of 1% per month on the unpaid balance to be included on each month's statement until paid in full.
- 5. **Taxes and Other Charges.** In addition to any price herein provided, Buyer shall be liable for any tax, fee or other charge imposed on Seller at any time upon the sale and/or shipment of the goods sold hereunder, now imposed by federal, state, municipal or any other governmental authorities or hereafter becoming effective for or during the period hereof.
- 6. Cancellation or Default by Buyer. This order may not be cancelled in whole or in part by Buyer except with Seller's written consent. If at any time, in Seller's opinion, Buyer's credit is impaired, or if Buyer shall fail to pay to Seller any amount when due, under this Agreement or any other agreement, or if at any time Buyer shall indicate an intention to refuse to perform or on an inability to perform its obligation hereunder, Seller may at its option terminate this Agreement as regards further shipments and thereupon all obligations of Buyer with respect to shipments previously made shall become immediately due and payable. In the event of such termination, Buyer shall remain liable to Seller for any and all loss or damage sustained due to Buyer's default.
- 7. Force Majeure. Seller shall not be liable for any loss, damage, delays, changes in shipment schedules or failure to deliver caused by any event beyond its reasonable control, including, without limitation, accident, fire, actual or threatened strike or riot, explosion, mechanical breakdown (including technological or information systems), plant shutdown, unavailability of or interference with necessary transportation, any raw material or power shortage, compliance with any law, regulation or order, acts of God or public enemy, prior orders from others, or limitations on Seller's or its suppliers' products or marketing activities or any other cause or contingency beyond Seller's control. If by reason of any such circumstance, Seller's supply of the goods herein specified shall be insufficient to meet all requirements, including its own, Seller shall have the right, at its option and without liability, to allocate its available supply of goods among its present and future customers, including Seller's affiliated divisions and companies, in such manner as Seller deems equitable.
- 8. Limitation on Warranty and Remedies. Seller warrants that the goods to be sold hereunder will conform to the description on the face hereof, and any specifications provided in writing to Buyer and will be of Seller's standard quality. Buyer represents that it has used its own independent skill and expertise in connection with the selection and use of the goods purchased pursuant to this Agreement, and that it will independently determine the suitability for each use for which it is purchased. When UL recognition is provided to Buyer, goods will meet applicable guidelines of Underwriting Laboratories. THIS WARRANTY IS EXCLUSIVE, AND EXCEPT AS EXPRESSLY SET OUT IN THIS AGREEMENT, SELLER MAKES NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, AND DISCLAIMS ALL OTHER WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN THE EVENT THE GOODS ARE NOT IN COMPLIANCE WITH SELLER'S WARRANTY HEREUNDER, BUYER'S SOLE REMEDY SHALL BE A CREDIT FOR THE COST OF SUCH GOODS OR, AT SELLER'S OPTION, REPLACEMENT OF SUCH GOODS. SELLER SHALL UNDER NO CIRCUMSTANCES, WHETHER FOR A FAILURE OF ITS LIMITED REMEDY OR OTHERWISE, BE LIABLE TO BUYER OR OTHERWISE FOR SPECIAL, INCIDENTAL, DIRECT, PUNITIVE, OR CONSEQUENTIAL DAMAGES. NO WAIVER, ALTERATION, ADDITION OR MODIFICATION OF THE FOREGOING CONDITIONS SHALL BE VALID UNLESS MADE IN WRITING AND SIGNED BY AN OFFICER OF SELLER. All warranties and certifications are made by Seller to Buyer and to no other parties including, but not limited to, Buyer's customers and any other end users.
- 9. Limitation of Actions. Any claim must be made in writing within 10 days after receipt of goods, if for quantity, or within 30 days after receipt of goods, if for quality, loss of or damage to goods, and the goods must be held available at Buyer's place of business for Seller's inspection. Any action for breach of this Agreement, other than for non-payment hereunder, must be commenced within one year of the date of shipment, or due date of delivery in the event of non-delivery, of the particular shipment upon which such claim is based. No claim may in any event be made after goods have in any way been used or processed by the Buyer. Buyer's remedies set forth herein are exclusive and the total liability of Seller for damages with respect to this Agreement, or anything done in connection therewith, shall be limited to the purchase price of the particular shipment with respect to which such damages are claimed.
- 10. Returns and Transit Damage Claims. No goods may be returned to Seller without Seller's written consent. Goods returned without Seller's prior written authorization will be refused. Buyer must note any shortage or damage on the delivery receipt at the time of delivery. Any concealed damage must be reported to the delivering carrier within 5 days, and the entire package must be retained at Buyer's place of business until after a damage inspection report is issued by the carrier. The following documents must accompany any transit damage claim: original paid freight bill; original or certified copy of the original bill of lading; copy of the invoice for the shipment; copy of the destination inspection report or delivery receipt noting the shortage or damage.
- 11. Governing Law. This Agreement shall be governed by and construed in accordance with the internal laws of the state of Wisconsin, U.S.A.
- 12. Amendment. This Agreement shall not be amended except by a writing signed by an officer of the Seller and specifically stating that it is an amendment.

			Target (MILS)
Title	Code	Description	(Microns)
WHITE PAPERS - HIGH-GLOS	SS		
57# CAST COATED HIGH-GLOSS	057HG	57# (85 g/m ²) high-gloss sheet with a smooth, reflective surface designed for top-quality graphic reproduction.	3.7 95.0
ENCORE GLOSS	060EG	61# (89 g/m ²) super calendered high-gloss sheet. This C1S paper is designed for premium labeling applications. Non-cast coated paper featuring excellent gloss and suitable for process printing.	2.8 72.0
WHITE PAPERS - SEMI-GLOS	SS		
53# SEMI-GLOSS OPAQUE	054SA	53# (78 g/m ²) semi-gloss with a gray opaque barrier coating on the back. Designed for cover up labels. Excellent opacity, so the errors will not be visible. Smooth print surface for attractive graphic reproduction. FSC®-certified paper.	2.6 66.0
53# SEMI-GLOSS	054SG	53# (78 g/m ²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.	2.6 66.0
54# WET STRENGTH SEMI-GLOSS	054WS	54# (80 g/m ²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	2.9 80.0
SEMI-GLOSS PREFERRED OPAQUE	060PA	60# (88.8/m ²) Semi-Gloss Preferred (060PR) with a gray opaque barrier coating. Designed for cover up labels. Excellent print surface with flexo, toner, or offset. FSC®-certified paper.	3.1 79.0
SEMI-GLOSS PREFERRED	060PR	60# (88.8/m ²) semi-gloss, multi-purpose paper with superior gloss and print qualities. A warm white color. Excellent print surface for flexo, toner, or offset. FSC®-certified paper.	3.1 79.0
58# SEMI-GLOSS	060SG	58# (87 g/m ²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent graphic results with flexo, offset, or toner-based printing. FSC®-certified paper.	3.0 76.0
80# SEMI-GLOSS	080SG	80# (118 g/m ²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent print surface for flexo, toner, or offset. This heavier sheet offers greater stiffness and opacity. FSC®-certified paper.	4.2 107.0



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

TitleCodeDescription(Microns)WHITE PAPERS - SEMI-GLOSS554 (78 g/m²) C15 bright blue-white semi-gloss. High strength property surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.2.9PSC®: CERTIFIED 53#F54 (78 g/m²) C15 bright blue-white sami-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.74.0PSC®: CERTIFIED 53#F54 (78 g/m²) C15 bright blue-white sami-gloss. High strength property stratee provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.74.060# SEMI-GLOSS WITH 30%, POST-CONSUMER WASTER60SG R 6605 (69 g/m²) clasy-coated matte smooth paper. Offers a great printing application. Smooth print surface for outstanding graphics. FSC®-certified paper.2.760# SEMI-GLOSS WITH POST-CONSUMER WASTE600 (89 g/m²) clasy-coated matte smooth paper. Offers a great printing a variety of digital preses.3.860# LITHO MATTE060LMA 600 (89 g/m²) clasy-coated matte smooth paper. Offers a great printing a variety of digital preses.3.060# DULL LITHO061DL60# (89 g/m²) high quality, duli finish litho offering excellent print and dia-cut properties. Cood for flexographic and offset printing. FSC®-certified paper.3.060# DULL LITHO061DL60# (89 g/m²) semi-gloss sheet designed for printing on HP Indigo preses. It has been certified by RT for use on the wet500 and wes000 preses. Has a blue-white shad with high brightness and opacity. Exceptionally strong. FSC®-certified paper.3.0 <td< th=""><th>T:41</th><th>Codo</th><th>Description</th><th>Target (MILS) (Missana)</th></td<>	T :41	Codo	Description	Target (MILS) (Missana)
55# SEMI-GLOSS 55# (78 g/m²) C1S bright blue-while semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cuting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper. 73.7 FSC® CERTIFIED 53# F545G 53# (78 g/m²) C1S bright blue-while semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cuting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper. 2.9 60# SEMI-GLOSS WITH 30% R609G A 60# (89 g/m²)semi-gloss face stock with 30% post-consumer recycled apper. 74.0 60# SEMI-GLOSS WITH 30% R609G A 60# (89 g/m²)semi-gloss face stock with 30% post-consumer recycled apper. 66.6 WHITE PAPERS - MATTE 60# LITHO MATTE 060LM A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing and in a variety of digital presses. 3.8 60# DULL LITHO 061D 60# (89 g/m²) high quality, dull finish lith offering excellent printing and in a variety of digital presses. 3.0 FSC®-certified paper. 55% (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified paper. 3.0 WHITE PAPERS - INDIGO TOPCOATED 55% (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified paper. 3.0 NDIGO TOPCOATED 55# D55% 55% (81 g/m²) semi-gloss sheet designed for pri			Description	(MICIONS)
makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. 73.7 FSC®-CERTIFIED 53# F54SG 53# (78 g/m) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. 2.9 60# SEMI-GLOSS WITH 30%, POSC-Certified paper. R60SG A 60# (69 g/m ³)semi-gloss face stock with 30% post-consumer recycled explication. Smooth print surface for outstanding graphics. FSC®-certified paper. 2.7 60# SEMI-GLOSS WITH 30%, POSC-CONSUMER WASTE R60SG A 60# (69 g/m ³)semi-gloss face stock with 30% post-consumer recycled paper. 68.6 VHITE PAPERS - MATTE 60# LITHO MATTE 060LM A 60# (89 g/m ³) clay-coated matte smooth paper. Offers a great printing and in a variey of digital presses. 3.8 60# DULL LITHO 061LL 064# (89 g/m ³) high quality, dull finish litho offering excellent print and disc-cut properties. Good for flexographic and offset printing. FSC®-certified paper. 3.0 WHITE PAPERS - INDIGO TOPCOATED 55# (81 g/m ³) semi-gloss sheet designed for printing on HP Indigo presses. Thas a bue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 3.0 VHITE PAPERS - INDIGO TOPCOATED 55# (81 g/m ³) semi-gloss sheet designed for printing on HP Indigo presses. Thas a bue-white shade with high brightness and opacity. Excepti	WHITE PAPERS - SEMI-GLOS	SS (cont.)		
SEMI-GLOSS PAPER makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper. 74.0 60# SEMI-GLOSS WITH 30% R60SG A 60# (89 g/m ²)semi-gloss face stock with 30% post-consumer recycled fiber. Excellent strength characteristics enhance label converting and application. Smooth print surface for outstanding graphics. FSC®-certified paper. 2.7 60# SEMI-GLOSS WITH 30% R60SG A 60# (89 g/m ²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses. 3.8 60# DULL LITHO 061DL 60# (89 g/m ²) high quality, dull finish liho offering excellent printing and in a variety of digital presses. 3.0 60# DULL LITHO 061DL 60# (89 g/m ²) high quality, dull finish liho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper. 3.0 VHITE PAPERS - INDIGO TOPCOATED 55# (81 g/m ²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 76.0 76.0 INDIGO TOPCOATED 55# D5SSG 55# (81 g/m ²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 76.0 76.0 TAG STOCK Start as blue-white shade with high brightness and op	55# SEMI-GLOSS	55SSG	makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods.	
SEMI-GLOSS PAPER makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper. 74.0 60# SEMI-GLOSS WITH 30% R60SG A 60# (89 g/m ²) semi-gloss face stock with 30% post-consumer recycled fiber. Excellent strength characteristics enhance label converting and application. Smooth print surface for outstanding graphics. FSC®-certified paper. 6.6 WHITE PAPERS - MATTE 60# LITHO MATTE 060LM A 60# (89 g/m ²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses. 3.8 60# DULL LITHO 061DL 60# (89 g/m ²) high quality, dull finish litho offering excellent printing. FSC®-certified paper. 3.0 VHITE PAPERS - INDIGO TOPCOATED 55# (81 g/m ²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 3.0 TAG STOCK 3 POINT GLOSS WHITE 008GB A glossy, bright white, 130# (192 g/m ²) board with excellent print set as a 203.0	FSC® CERTIFIED 53#	F54SG	53# (78 g/m ²) C1S bright blue-white semi-gloss. High strength property	2.9
POST-CONSUMER WASTE fiber. Excellent strength characteristics enhance label converting and application. Smooth print surface for outstanding graphics. FSC®-certified paper. 68.6 WHITE PAPERS - MATTE 600LM A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses. 3.8 60# DULL LITHO 061DL 60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper. 3.0 WHITE PAPERS - INDIGO TOPCOATED 76.0 76.0 INDIGO TOPCOATED 55# D558G 55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 3.0 TAG STOCK 8 POINT GLOSS WHITE 008GB A glossy, bright white, 130# (192 g/m²) board with excellent print and characteristics. Coated on both sides, allowing for multiple uses - as a 203.0 8.0	SEMI-GLOSS PAPER		makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods.	
POST-CONSUMER WASTE fiber. Excellent strength characteristics enhance label converting and application. Smooth print surface for outstanding graphics. FSC®-certified paper. 68.6 WHITE PAPERS - MATTE 600LM A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses. 3.8 60# DULL LITHO 061DL 60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper. 3.0 WHITE PAPERS - INDIGO TOPCOATED 76.0 76.0 INDIGO TOPCOATED 55# D558G 55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 3.0 TAG STOCK 8 POINT GLOSS WHITE 008GB A glossy, bright white, 130# (192 g/m²) board with excellent print and characteristics. Coated on both sides, allowing for multiple uses - as a 203.0 8.0	60# SEMI-GLOSS WITH 30%	R60SG	A 60# (89 g/m ²)semi-gloss face stock with 30% post-consumer recycled	2.7
60# LITHO MATTE 060LM A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing suface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses. 3.8 60# DULL LITHO 061DL 60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper. 3.0 WHITE PAPERS - INDIGO TOPCOATED FSC®-certified paper. 76.0 INDIGO TOPCOATED 55# D55SG 55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 3.0 TAG STOCK 8 POINT GLOSS WHITE CLASS WHITE 008GB A glossy, bright white, 130# (192 g/m²) board with excellent print 8.0	POST-CONSUMER WASTE		fiber. Excellent strength characteristics enhance label converting and application. Smooth print surface for outstanding graphics. FSC®-certified	68.6
surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses. 97.0 60# DULL LITHO 061DL 60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper. 3.0 WHITE PAPERS - INDIGO TOPCOATED INDIGO TOPCOATED 55# D55SG 55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 3.0 TAG STOCK 8 POINT GLOSS WHITE CLAY COATED TAG 008GB A glossy, bright white, 130# (192 g/m²) board with excellent print 8.0	WHITE PAPERS - MATTE			
surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses. 97.0 60# DULL LITHO 061DL 60# (89 g/m²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper. 3.0 WHITE PAPERS - INDIGO TOPCOATED INDIGO TOPCOATED 55# D55SG 55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 3.0 TAG STOCK 8 POINT GLOSS WHITE CLAY COATED TAG 008GB A glossy, bright white, 130# (192 g/m²) board with excellent print 8.0				
die-cut properties. Good for flexographic and offset printing. 76.0 FSC®-certified paper. 76.0 WHITE PAPERS - INDIGO TOPCOATED 1000000000000000000000000000000000000	60# LITHO MATTE	060LM	surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in	
die-cut properties. Good for flexographic and offset printing. 76.0 FSC®-certified paper. 76.0 WHITE PAPERS - INDIGO TOPCOATED 1000000000000000000000000000000000000		061DI	60# (89 a/m ²) high quality dull finish lithe offering excellent print and	3.0
INDIGO TOPCOATED 55# SEMI-GLOSSD55SG55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper.3.0TAG STOCK008GB CLAY COATED TAGA glossy, bright white, 130# (192 g/m²) board with excellent print characteristics. Coated on both sides, allowing for multiple uses - as a 		UTDE	die-cut properties. Good for flexographic and offset printing.	
INDIGO TOPCOATED 55# SEMI-GLOSSD55SG55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper.3.0TAG STOCK008GB CLAY COATED TAGA glossy, bright white, 130# (192 g/m²) board with excellent print characteristics. Coated on both sides, allowing for multiple uses - as a 203.08.0 203.0	WHITE PAPERS - INDIGO TO	PCOATED		
SEMI-GLOSS presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. 76.0 TAG STOCK 8 POINT GLOSS WHITE CLAY COATED TAG 008GB A glossy, bright white, 130# (192 g/m²) board with excellent print characteristics. Coated on both sides, allowing for multiple uses - as a 203.0 8.0				
presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper. TAG STOCK 8 POINT GLOSS WHITE CLAY COATED TAG 008GB 00	INDIGO TOPCOATED 55#	D55SG		3.0
8 POINT GLOSS WHITE008GBA glossy, bright white, 130# (192 g/m²) board with excellent print8.0CLAY COATED TAGcharacteristics. Coated on both sides, allowing for multiple uses - as a203.0	SEMI-GLOSS		presses. Has a blue-white shade with high brightness and opacity.	76.0
8 POINT GLOSS WHITE008GBA glossy, bright white, 130# (192 g/m²) board with excellent print8.0CLAY COATED TAGcharacteristics. Coated on both sides, allowing for multiple uses - as a203.0	TAG STOCK			
CLAY COATED TAG characteristics. Coated on both sides, allowing for multiple uses - as a 203.0				
		008GB	characteristics. Coated on both sides, allowing for multiple uses - as a	



Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
EDP		·	
50# EDP SMUDGE RESISTANT	050ED	A 50# (74 g/m ²) general purpose uncoated paper. Bright white with excellent smudge resistance. Designed for high performance. FSC®-certified paper.	3.5 88.9
PHARMACEUTICAL			
40# PHARMACEUTICAL LITHO	040PL	40# (60 g/m ²) lightweight C1S semi-gloss litho with good ink holdout. Candidate for pharmaceutical and nutritional labeling.	2.0 52.0
FLUORESCENT PAPERS			
BLUE FLUORESCENT	054BZ	57# (84 g/m ²) blue matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.	3.9 99.0
GREEN FLUORESCENT	054GZ	57# (84 g/m ²) green matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0
ORANGE FLUORESCENT	054OZ	57# (84 g/m ²) orange matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0
PINK FLUORESCENT	054PZ	57# (84 g/m ²) pink matte fluorescent coated paper. Designed for laser, price marking, inkjet, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0
RED FLUORESCENT	054RZ	57# (84 g/m ²) red matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0
YELLOW CHARTREUSE FLUORESCENT	054YZ	57# (84 g/m ²) yellow chartreuse matte fluorescent coated paper. Designed for laser, inkjet, price marking, promotional and general roll label applications. FSC®-certified paper.	3.9 99.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

			Target (MILS)
Title	Code	Description	(Microns)
BEER & WINE LABEL			
54# WET STRENGTH SEMI-GLOSS	054WS	54# (80 g/m ²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	2.9 80.0
CLASSIC CREST* SOLAR	0WCSW	60# (89 g/m ²) smooth, uncoated white paper with an excellent printing	4.4
WHITE SMOOTH		surface, high strength, and dimensional stability. Perfect for wine labels and other upscale products. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc.	112.0
ESTATE LABEL* #4 WHITE	0WEL4	60# (89 g/m ²) white, laid, uncoated, wet strength paper. Maintains its	5.5
LAID		visual integrity when wet. Perfect for wine and beer labels. Its high-end look matches well with upscale products. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper.	140.0
ESTATE LABEL* #8 WHITE	0WEL8	60# (89 g/m ²) uncoated, white, wet strength paper. Maintains its integrity	4.8
SMOOTH		when wet. Designed for wine and other high-end labels, such as gourmet foods and cosmetics. *Registered Trademark of Neenah Paper, Inc. FSC®-certified paper.	122.0
ESTATE LABEL* #9 CREAM	0WEL9	60# (89 g/m ²) uncoated cream wet strength paper. Maintains its integrity	5.4
LAID		when wet. Perfect for wine and other upscale labels, such as gourmet foods and cosmetics. FSC®-certified paper. *Registered Trademark of Neenah Paper, Inc.	137.0
SILVER METALIZED WET	56MSW	56# (83 g/m ²) top coated silver metalized paper. Wet strength for use in	2.8
STRENGTH PAPER		moist environments including refrigerated foods and chilled beverages. The metallic look makes a product's graphics stand out. Not recommended for HP Indigo Presses.	71.0
70# BRIGHT WHITE FELT	70BWF	70# (103 g/m ²) uncoated bright white, wet strength paper. Perfect for	5.7
		wine, beer, and other beverage labels. The rich weight and texture makes it ideal for upscale food, home, and personal care products. FSC®-certified paper.	145.0
60# BLACK VELLUM	BKVLM	60# (89 g/m ²) uncoated, black, smooth, wet strength paper. Maintains its	4.8
		integrity when wet. While it was designed for wine, beer, and other beverage labels, its unique look will make any product stand out on store shelves. FSC®-certified paper.	122.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

			Target (MILS)
Title	Code	Description	(Microns)
BEER & WINE LABEL (cont.)		
50# KONA LIGHT ROAST	KONAL	KONAL is a 50# (74g/m ²), 100% PCW recycled wet strength product. A blend of repurposed coffee bean bag fiber and post-consumer waste material. Perfect for labeling any coffee-related product, or environmentally-friendly packaging. FSC®-certified paper.	4.1 104.0
60# 100% PCW WET STRENGTH PAPER	PLRNB	A 60# (89 g/m ²) FSC®-certified, 100% post-consumer waste paper with wet strength. Resistant to moisture, it's perfect for beverage applications, like wine, beer and chilled spirits. Its luxurious look will enhance upscale food and personal care products.	4.3 109.0
SPECIALTY PAPERS			
54# WET STRENGTH SEMI-GLOSS	054WS	54# (80 g/m ²) C1S blue-white semi-gloss. Wet strength stands up to moisture. Ideal for chilled beverages, including beer and wine, or refrigerated foods. Smooth surface enhances print results with flexo, laser and other press types. FSC®-certified paper.	2.9 80.0
BROWN NATURAL KRAFT	060GM	60# (89 g/m ²) brown natural kraft paper. The natural look makes it perfect for labeling organic or other earth-friendly products. It can also be used for cover-up labels on corrugated containers.	5.5 140.0
60# HEMP PAPER	1HEMP	A 60# (89 g/m ²) paper made with 25% hemp fibers and 75% post-consumer waste. Designed for labeling cannabis and other hemp products. With no virgin wood content and a natural look it is also a perfect match for organic and other eco-friendly products.	5.0 127.0
TRANSLUCENT PAPER	1TRCT	A 42# (62 g/m ²) ultra-clear translucent paper. It is well-suited for wafer seal mailing tabs. Can be used for tamper-evident seals. Also provides a unique look for primary package decoration.	2.3 58.4
TRANSLUCENT PAPER	3TRCT	A 33# (49 g/m ²) ultra-clear translucent paper. It is well-suited for wafer seal mailing tabs. Can be used for tamper-evident seals. Also provides a unique look for primary package decoration.	2.2 55.9
DISSOLVABLE PAPER	H2ODP	A water-soluble paper. Coated with the dissolvable adhesive, 611, it disappears in seconds under running water. Leaves no residue on the container. Best dissolvable performance when printed with water-based inks. Keep wrapped until used. FSC®-certified.	3.5 89.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

			Target (MILS)
Title	Code	Description	(Microns)
SPECIALTY PAPERS (cont.)			
50# KONA LIGHT ROAST	KONAL	KONAL is a 50# (74g/m ²), 100% PCW recycled wet strength product. A	4.1
		blend of repurposed coffee bean bag fiber and post-consumer waste material. Perfect for labeling any coffee-related product, or	104.0
		environmentally-friendly packaging. FSC®-certified paper.	
LAMINATED FOILS			
BRIGHT GOLD FOIL	055BG	Top coated 70# (104 g/m ²) bright gold laminated foil. Suitable for water	3.6
		based, UV screen, UV flexo and embossing. FSC®-certified paper.	91.0
BRIGHT SILVER FOIL	055BS	Top coated 70# (104 g/m ²) bright silver laminated foil. Suitable for water	3.6
		based, UV screen, UV flexo and embossing. FSC®-certified paper.	91.0
DULL GOLD FOIL	055DG	Top coated 70# (104 g/m ²) dull gold laminated foil. Suitable for water	3.6
	00020	based, UV screen, UV flexo and embossing. FSC®-certified paper.	91.0
DULL SILVER FOIL	055DS	Top coated 70# (104 g/m ²) dull silver laminated foil. Suitable for water based, UV screen, UV flexo and embossing. FSC®-certified paper.	3.6 91.0
		based, UV screen, UV next and embossing. FSC®-centined paper.	91.0
FOIL SUBSTITUTES			
1.85 MIL SILVER	018MT	1.85 mil clear BOPP metalized on the back for durability. Top coated for	1.9
METALIZED BOPP	0.000	print compatibility with water-based and UV flexo, and UV inkjet. Great	47.0
		stiffness for automatic application. Ideal for bright label graphics that will	
		catch the eye of the consumer.	
2.0 MIL SILVER METALIZED	021MU	A 2.0 mil BOPP metalized on the back side for a shiny silver appearance.	2.0
BOPP		Top coated for printability with a wide range of ink systems.	51.0
HOLOGRAM PRISMATIC	056H5	64# (94 g/m²) decorative prismatic diffraction paper. Shim lines/seams are	3.3
DIFFRACTION: RAINBOW		present in holographic material. This gap in the pattern will be up to 1/32"	84.0
		wide. The area between the shim lines measures 30" machine direction (MD) and 48" cross direction (CD).	
		· · · · · · · · · · · · · · · · · · ·	
56# SILVER METALIZED	057MS	56# (83 g/m ²) top coated silver metalized paper. Not recommended for HP	2.5
PAPER		Indigo Presses.	64.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
FOIL SUBSTITUTES (cont.)			(
SILVER METALIZED WET STRENGTH PAPER	56MSW	56# (83 g/m ²) top coated silver metalized paper. Wet strength for use in moist environments including refrigerated foods and chilled beverages. The metallic look makes a product's graphics stand out. Not recommended for HP Indigo Presses.	2.8 71.0
THERMAL TRANSFER			
2.6 MIL THERMAL TRANSFER WHITE LABEL-LYTE™	026TT	2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is required. Label-Lyte is a trademark of Jindal Films America.	2.6 66.0
THERMAL TRANSFER WHITE LABEL-LYTE™	030TT	3.0 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is important. Label-Lyte is a Trademark of Jindal Films America.	3.0 76.0
HIGH SPEED COATED THERMAL TRANSFER	050HS	47# (70 g/m²) premium bright white, coated, ultra-smooth thermal transfer paper stock offering broad ribbon compatibility. FSC®-certified paper.	3.0 76.0
3.0 MIL TC MATTE WHITE BOPP	075WP	A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used with thermal transfer, flexography, screen, letterpress, and other print methods. It is moisture, chemical and tear resistant.	3.0 75.0
TOP COATED KIMDURA® FPG 95	095TK	A 4.2 mil Kimdura® BOPP specially top coated for thermal transfer, dot matrix, ion deposition and digital printing. Registered Trademark of Neenah Paper, Inc. © 2007 NPI All Rights Reserved.	4.2 107.0
SELECT THERMAL TRANSFER OPAQUE	0TTFA	A 44# (65 g/m ²) gray opaque multi-purpose thermal transfer sheet. Designed for cover up labels, with excellent opacity. Premium coating for enhanced flexo graphics. FSC®-certified paper.	2.9 72.0
SELECT THERMAL TRANSFER	0TTFP	A 44# (65 g/m ²) multi-purpose thermal transfer sheet. Premium coating for enhanced flexo-printed graphics. FSC®-certified paper.	2.9 72.0
MATTE WHITE BOPP	100WP	A 3.7 mil top coated matte white BOPP. UV resistant. A synthetic paper, it can be printed by thermal transfer, flexography, screen, and letterpress. Moisture, chemical and tear resistant. For drum label, outdoor and other demanding applications.	3.7 95.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

			Target (MILS)
Title	Code	Description	(Microns)
THERMAL TRANSFER (cont.)		
	VALTE	A 42# (62 g/m ²), top-coated thermal transfer sheet that offers high	2.4
TRANSFER		performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially	61.0
		for flood coating. FSC®-certified paper.	
VALUE THERMAL			
	VALUT	A 42# (62 g/m ²) top-coated, thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to	2.8 71.0
		conventional thermal transfer facers. Exceptional print quality, especially	71.0
		for flood coating. FSC®-certified paper.	
DIRECT THERMAL			
DIRECT MERMAE			
TOP COATED DIRECT	015DT	A 38# (56.2 g/m ²) high sensitivity, top coated direct thermal paper. This	2.3
THERMAL PAPER		thinner caliper facer allows more labels per roll. Ideal for hand-applied	58.4
		mobile printing applications. FSC®-certified paper.	
DIRECT THERMAL	20RXE	This 48# (71 g/m ²), no phenols added, top-coated paper resists	3.0
PRESCRIPTION VIAL		chemicals, including cleaners, hand sanitizers and lotions. Holds up in	76.2
LABEL		heat and humidity. Vital drug information remains legible under most	
		handling and storage conditions. FSC®-certified paper.	
DIRECT THERMAL	021RX	This 48# (71 g/m ²), no phenols added, top-coated paper resists	3.1
PRESCRIPTION VIAL		chemicals, including cleaners, hand sanitizers and lotions. Holds up in	78.0
LABEL		heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.	
		5	
RED FLUORESCENT	022FT	A 54# (80 g/m ²) bright red direct thermal coated paper. Images black.	3.1
DIRECT THERMAL		Intended for attention-grabbing promotional point-of-purchase labels, or color coded warehouse tracking. FSC®-certified paper.	79.0
NEAR IR PACKAGE	22PDE	A 48# (70 g/m ²), no phenols added, direct thermal paper top-coated for	3.1
DELIVERY DIRECT		handling durability. Near IR designed for package delivery. PCS and	78.7
THERMAL		scanning up to 670 nm. For high-heat environments. Resists imaging up to 100°C. Moderate to fast print speeds. FSC®-certified paper.	
		to 100 0. Moderate to rast print speeds. I Som-tertilled paper.	
PREMIUM TOP COATED TD	022TD	A 53# (78 g/m ²) top coated direct thermal coated paper for more	3.1
		demanding applications and higher imaging speeds. FSC®-certified	79.0
		paper.	



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

			Target
Title	Code	Description	(MILS) (Microns)
DIRECT THERMAL (cont.)	0000	Decemption	
DIRECT THERMAL (COIIL)			
ECONOMY TOP COATED	23DTE	A 48# (72 g/m ²), no phenols added, top coated direct thermal paper.	3.0
DIRECT THERMAL PAPER		Resistant to moisture, alcohol and heat. Ideal for shipping and warehousing applications. FSC®-certified paper.	76.2
ECONOMY TOP COATED	024DT	A 53# (78 g/m²) top coated direct thermal paper. Resistant to moisture, oil	3.2
DIRECT THERMAL PAPER		and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	81.0
ECONOMY TOP COATED	24DTE	A 50# (74 g/m ²), no phenols added, top coated direct thermal paper.	2.9
DIRECT THERMAL PAPER		Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	73.7
NON-TOP COATED DIRECT	024NT	A 47# (69.9 g/m ²) medium sensitivity non-top coated direct thermal paper	3.1
THERMAL PAPER		designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.	78.7
ECONOMY TOP COATED	025DT	A 47# (70 g/m ²) top coated direct thermal paper. Resistant to moisture, oil	3.1
DIRECT THERMAL PAPER		and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	79.0
ECONOMY TOP COATED	25DTE	A 49# (72.5 g/m ²), no phenols added, top coated direct thermal paper.	3.0
DIRECT THERMAL PAPER		Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	76.2
NON-TOP COATED DIRECT	025NT	A 51# (75 g/m ²) medium sensitivity non-top coated direct thermal paper	3.3
THERMAL PAPER		designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.	82.5
NON-TOP COATED DIRECT	25NTE	A 49# (73 g/m ²), no phenols added, medium sensitivity non-top coated	3.2
THERMAL PAPER		direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.	81.3



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
DIRECT THERMAL (cont.)			
3.0 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	070MK	A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned.	3.0 76.0
3.3 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	084MB	A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium degree of sensitivity. Use when moisture and environmental resistance are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned.	3.3 84.0
SYNTHETIC MEDIUM SENSITIVITY FILM	095RK	4.1 mil white BOPP film with direct thermal coating. Top coated for durability. Medium degree of sensitivity.	4.1 104.0
SYNTHETIC MEDIUM SENSITIVITY FILM	096RK	4.1 mil white BOPP film with direct thermal coating. Produces a dark image. Top coated for durability. Water and environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling.	4.1 104.0
TOP-COATED VALUE DIRECT THERMAL OPAQUE	24VTA	A 48# (71 g/m ²) top coated direct thermal paper with a gray opaque backside coating. Designed for cover up labels. Good environmental resistance for weigh scale, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper.	3.2 80.0
TOP COATED VALUE DIRECT THERMAL	24VTB	A 48# (71 g/m ²) top coated paper. Resists moisture, heat, humidity, fading, scuffing, chemicals, and plasticizers. Use for weigh scale applications, cold storage, freeze/thaw food products, and industrial environments. FSC®-certified paper.	3.2 80.0
3.0 MIL CLEAR DIRECT THERMAL FILM	30CDT	A 3.0 mil top-coated direct thermal polypropylene film with exceptional clarity. Designed for variable image printed labels that highlight the product. Has environmental and water resistance. White should be printed behind any barcode for scannability.	3.0 76.0

DIRECT THERMAL (NO PHENOLS ADDED)

DIRECT THERMAL	20RXE	This 48# (71 g/m ²), no phenols added, top-coated paper resists	3.0
PRESCRIPTION VIAL		chemicals, including cleaners, hand sanitizers and lotions. Holds up in	76.2
LABEL		heat and humidity. Vital drug information remains legible under most	
		handling and storage conditions. FSC®-certified paper.	



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
DIRECT THERMAL (NO PHEN		ED) (cont.)	
DIRECT THERMAL PRESCRIPTION VIAL LABEL	021RX	This 48# (71 g/m ²), no phenols added, top-coated paper resists chemicals, including cleaners, hand sanitizers and lotions. Holds up in heat and humidity. Vital drug information remains legible under most handling and storage conditions. FSC®-certified paper.	3.1 78.0
NEAR IR PACKAGE DELIVERY DIRECT THERMAL	22PDE	A 48# (70 g/m ²), no phenols added, direct thermal paper top-coated for handling durability. Near IR designed for package delivery. PCS and scanning up to 670 nm. For high-heat environments. Resists imaging up to 100°C. Moderate to fast print speeds. FSC®-certified paper.	3.1 78.7
ECONOMY TOP COATED DIRECT THERMAL PAPER	23DTE	A 48# (72 g/m ²), no phenols added, top coated direct thermal paper. Resistant to moisture, alcohol and heat. Ideal for shipping and warehousing applications. FSC®-certified paper.	3.0 76.2
ECONOMY TOP COATED DIRECT THERMAL PAPER	24DTE	A 50# (74 g/m ²), no phenols added, top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	2.9 73.7
ECONOMY TOP COATED DIRECT THERMAL PAPER	25DTE	A 49# (72.5 g/m ²), no phenols added, top coated direct thermal paper. Resistant to moisture, oil and heat. Also has plasticizer resistance at room temperature. Ideal for weigh scale labels, pharmacy, shipping and warehousing applications. FSC®-certified paper.	3.0 76.2
NON-TOP COATED DIRECT THERMAL PAPER	25NTE	A 49# (73 g/m ²), no phenols added, medium sensitivity non-top coated direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.	3.2 81.3
INK JET / LASER			
50# LASER JET WITH 100% PCW	R51LJ	A 50# (74 g/m ²) multi-purpose facer for laser and inkjet printing. Produced with 100% post-consumer waste. Has a bright, white color, so it is attractive while helping the environment. FSC® certified.	4.0 101.6
SUPER BRIGHT LASER JET	050LJ	51# (75 g/m ²) Exceptionally bright, uncoated, multi-purpose sheet for both laser and ink jet printing. FSC®-certified paper.	4.0 102.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

			Target (MILS)
Title	Code	Description	(Microns)
INK JET / LASER (cont.)			
BLUE FLUORESCENT	054BZ	57# (84 g/m ²) blue matte fluorescent coated paper. Designed for laser,	3.9
		price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.	99.0
GREEN FLUORESCENT	054GZ	57# (84 g/m ²) green matte fluorescent coated paper. Designed for laser,	3.9
		price marking and general roll label applications. FSC®-certified paper.	99.0
ORANGE FLUORESCENT	054OZ	57# (84 g/m ²) orange matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.	3.9 99.0
			33.0
PINK FLUORESCENT	054PZ	57# (84 g/m ²) pink matte fluorescent coated paper. Designed for laser,	3.9
		price marking and general roll label applications. FSC®-certified paper.	99.0
RED FLUORESCENT	054RZ	57# (84 g/m ²) red matte fluorescent coated paper. Designed for laser, price marking and general roll label applications. FSC®-certified paper.	3.9 99.0
YELLOW CHARTREUSE	054YZ	57# (84 g/m ²) yellow chartreuse matte fluorescent coated paper. Designed	3.9
FLUORESCENT		for laser, price marking and general roll label applications. FSC®-certified paper.	99.0
60# MATTE-COATED INK	07INK	A 60# (88 g/m ²) matte-coated, acid-free, inkjet sheet with an exceptionally	4.5
JET		bright, blue-white shade. It provides high resolution imaging, and excellent smear and water resistance. It is compatible with a broad array of inkjet printers. FSC®-certified.	114.3
59# GLOSS INKJET PAPER	1GINK	A 59# (87 g/m ²) high gloss inkjet paper. Offers high resolution imaging	4.1
		and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. Not recommended for flexo printing. FSC®-certified.	104.0
55# SEMI-GLOSS INKJET	SGINK	A 55# (81.4 g/m ²) semi gloss inkjet paper. Offers high resolution imaging	3.4
PAPER		and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks.	86.4
65# SEMI-GLOSS INKJET	SG2NK	A 65# (97 g/m²) semi gloss inkjet paper. Offers high resolution imaging	4.5
PAPER		and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. FSC®-certified.	114.3



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
INK JET / LASER (cont.)			
3.4 MIL MATTE WHITE INK JET BOPP	34WIJ	A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.	3.4 86.0
47# FSC®-CERTIFIED SUPER BRIGHT LASER JET	F47LJ	47# (70 g/m ²) Exceptionally bright, uncoated, multi-purpose sheet for laser and ink jet printing. Lighter weight for shipping savings. Thinner caliper for space savings and reduced packaging. Offers the option of more labels on a roll. FSC®-certified.	3.5 89.0
FILMS: POLYPROPYLENES	(CLEAR)		
1.85 MIL CLEAR TOP COATED BOPP	018CT	1.85 mil clear top-coated BOPP is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Ultra clear for a no-label look. Perfect for health and beauty aid, household care, and beverage labeling.	1.9 47.0
2.0 MIL CLEAR TOP COATED BOPP	020CL	2.0 mil clear top-coated BOPP offers excellent print results with water-based and UV flexo ink systems, and hot stamping. Ultra clear for a no-label look. Perfect for health and beauty aid, household care, pharmaceutical, and beverage labeling.	2.0 51.0
2.2 MIL FLEXICLEAR™ TC CONFORMABLE BOPP	022FC	A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiClear [™] is a Trademark of Green Bay Packaging Inc.	2.2 56.0
3.6 MIL CLEAR TC BOPP	036CG	A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.	3.6 91.0
FILMS: POLYPROPYLENES	(WHITE)		
	022514	A 2.2 militon control white BORD offering full wall to wall square	2.2

 2.2 MIL FLEXIWHITE™ TC CONFORMABLE BOPP
 022FW
 A 2.2 mil top coated white BOPP offering full wall-to-wall squeeze
 2.2

 conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiWhite™ is a Trademark of Green Bay Packaging Inc.
 56.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
FILMS: POLYPROPYLENES			
TIEMS. FOETFROFTEENES		лк.)	
2.3 MIL TOP COATED WHITE BOPP	023WB	A 2.3 mil white top coated BOPP, backside coated to aid in adhesive anchorage. Excellent compatibility using UV curing inks or water based flexo ink systems. High stiffness for conversion and automatic dispensing. Great choice for prime labeling.	2.3 58.0
2.3 MIL WHITE TOP	023WP	A 2.3 mil white top coated BOPP with excellent compatibility using UV	2.3
COATED BOPP		curing inks or water based flexo ink systems. High stiffness for conversion and automatic dispensing. Great choice for prime labeling.	58.0
2.3 MIL WHITE	023WT	2.3 mil solid white top-coated BOPP. Compatible with UV and	2.3
TOP-COATED BOPP		water-based flexo, and UV inkjet printing; also hot stamping. Exceptional opacity. Backside treated for adhesive anchorage. Great stiffness for auto application. Ideal for prime labeling.	58.0
2.4 MIL TOP COATED	024TL	A 2.4 mil glossy white BOPP top coated for ink adhesion. Has a distinctive	2.4
WHITE LABEL-LYTE™		pearlescent sheen. Excellent compatibility with UV curing inks and water based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.	61.0
2.6 MIL TOP COATED	026TL	A 2.6 mil glossy white BOPP top coated for ink adhesion. Has a distinctive	2.6
WHITE LABEL-LYTE™		pearlescent sheen. Excellent compatibility with UV curing inks and water based flexo ink systems. Label-Lyte is a Trademark of Jindal Films America.	69.0
3.6 MIL WHITE TC BOPP	036WG	A 3.6 mil white BOPP film. UV resistance and top coating suitable for UV	3.6
		screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.	91.0
2.4 MIL WHITE	24WCB	2.4 mil white top-coated BOPP. Compatible with water-based and UV	2.4
TOP-COATED BOPP		flexo, and UV inkjet presses. Thinner for resource and shipping savings. Backside coated for adhesive anchorage. Glossy look. Perfect for prime label applications; health and beauty aid, household care, and beverage labeling.	61.0
2.4 MIL WHITE	24WCT	2.4 mil white top-coated BOPP. It is compatible with water-based and UV	2.4
TOP-COATED BOPP		flexo, and UV inkjet presses. Thinner for resource and shipping savings. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling.	61.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
FILMS: POLYPROPYLENES	(WHITE) (co	ont.)	
2.6 Mil WHITE TOP-COATED BOPP	26WCB	2.6 mil white top-coated BOPP. Compatible with water-based and UV flexo, and UV inkjet presses. Backside coated for adhesive anchorage. Glossy look. Perfect for prime label applications; health and beauty aid, household care, and beverage labeling.	2.6 66.0
2.6 MIL WHITE TOP-COATED BOPP	26WCT	2.6 mil white top-coated BOPP. It is compatible with water-based and UV flexo, and UV inkjet presses. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling.	2.6 66.0
3.4 MIL MATTE WHITE INKJET BOPP	34WIJ	A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.	3.4 86.4
FILMS: POLYPROPYLENES	(VARIABLE	IMAGING)	
2.6 MIL THERMAL TRANSFER WHITE LABEL-LYTE™	026TT	2.6 mil White Label-Lyte BOPP with a thermal transfer top coat. Designed for variable imaging applications where moisture resistance, or long-term performance, is required. Label-Lyte is a trademark of Jindal Films America.	2.6 66.0
THERMAL TRANSFER WHITE LABEL-LYTE™	030TT	White Label-Lyte BOPP with a thermal transfer top coat. Label-Lyte is a Trademark of Jindal Films America.	3.0 76.0
3.0 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	070MK	A 3.0 mil BOPP direct thermal film. Medium degree of sensitivity. Top coated for durability. Use when moisture and environmental resistance are important. Dark image for excellent ability to be read and scanned.	3.0 76.0
3.0 MIL TC MATTE WHITE BOPP	075WP	A 3.0 mil top coated matte white BOPP. A synthetic paper, it can be used with thermal transfer, flexography, screen, letterpress, and other print	3.0 75.0
3.3 MIL SYNTHETIC MEDIUM SENSITIVITY FILM	084MB	A 3.3 mil BOPP direct thermal film. Top coated for durability. Medium degree of sensitivity. Use when moisture and environmental resistance are important. Good stiffness for ease of dispensing. Dark image for excellent ability to be read and scanned.	3.3 84.0
SYNTHETIC MEDIUM SENSITIVITY FILM	095RK	4.1 mil white BOPP film with direct thermal coating. Top coated for durability. Medium degree of sensitivity.	4.1 104.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

			Target (MILS)
Title	Code	Description	(Microns)
FILMS: POLYPROPYLENES	(VARIABLE	MAGING) (cont.)	X 7
	(
TOP COATED KIMDURA®	095TK	A 4.2 mil (92 g/m²) Kimdura® BOPP specially top coated for thermal	4.2
FPG 95		transfer, dot matrix, ion deposition and digital printing. Registered	107.0
		Trademark of Neenah Paper, Inc. © 2007 NPI All Rights Reserved.	
SYNTHETIC MEDIUM	096RK	4.1 mil white BOPP film with direct thermal coating. Produces a dark	4.1
SENSITIVITY FILM		image. Top coated for durability. Water and environmental resistant. Use	104.0
		for industrial labeling, ski lift tickets, baggage tags, product labels, and	
		retail shelf labeling.	
MATTE WHITE BOPP	100WP	A 3.7 mil top coated matte white BOPP. UV resistant. For use with thermal	3.7
		transfer and other print methods. Consider for drum label, outdoor and	95.0
		other demanding applications.	
FILMS: POLYPROPYLENES	(METALIZE	נט	
1.85 MIL SILVER	018MT	1.85 mil clear BOPP metalized on the back for durability. Top coated for	1.9
METALIZED BOPP		print compatibility with water-based and UV flexo, and UV inkjet. Great	47.0
		stiffness for automatic application. Ideal for bright label graphics that will	
		catch the eye of the consumer.	
2.0 MIL SILVER METALIZED	021MU	A 2.0 mil BOPP metalized on the back side for a shiny silver appearance.	2.0
BOPP		Top coated for printability with a wide range of ink systems.	51.0
FILMS: POLYSTYRENES			
1.5 MIL CLEAR	015PN	A 1.5 mil corona treated clear polystyrene. Perfect for use as a base for	1.5
POLYSTYRENE		peel-off coupons and booklets.	38.0
2.0 MIL CLEAR	020PN	A 2.0 mil corona treated clear polystyrene. Stiffness allows easy	2.0
POLYSTYRENE		converting and dispensing.	51.0
2.5 MIL CLEAR	025PN	A 2.5 mil corona treated clear polystyrene. Stiffness allows easy	2.5
POLYSTYRENE		converting and dispensing. Great for use as a mailing tab.	64.0
2.5 MIL WHITE	25PSW	A 2.5 mil corona treated white polystyrene. Stiffness allows easy	2.5
POLYSTYRENE		converting and dispensing.	64.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

Title	Code	Description	Target (MILS) (Microns)
FILMS: POLYESTERS			(
2 MIL CLEAR TOP COATED POLYESTER	020MY	A very clear, top coated polyester film. Top coating allows for printing with most standard flexo and UV letterpress inks.	2.0 51.0
2.0 MIL VALUE WHITE POLYESTER	2VWPT	A matte, white polyester film, top-coated for water-based and U.V. flexographic ink adhesion, and thermal transfer printing. Designed for durable applications – resistant to heat and chemicals. High tear strength.	2.0 50.0
FILMS: CLEAR SPECIALTY			
2 MIL CLEAR ACETATE	020AC	A 2.0 mil clear acetate film with good clarity and printability. It is compostable. Has relatively low tear resistance and is good for tamperproof applications. Meets the ASTM D6400 compost standard.	2.0 51.0
FILMS: WHITE SPECIALTY			
TYVEK®	046TV	DuPont [™] Tyvek® (1073D) is a 7.5 mil, strong, transluscent polyolefin with exceptional strength and moisture resistance. DuPont [™] and Tyvek® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.	7.6 191.0
PIGGYBACKS			
54# SEMI-GLOSS	054SG	54# (78 g/m ²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, UV letterpress, and offset methods. FSC®-certified paper.	2.6 66.0
60# DULL LITHO	061DL	60# (89 g/m ²) high quality, dull finish litho offering excellent print and die-cut properties. Good for flexographic and offset printing. FSC®-certified paper.	3.0 76.0
VALUE THERMAL TRANSFER	VALUT	A 42# (62 g/m ²) top-coated, thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.	2.8 70.0



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

	Minimum Application Temp	Service Temp Range	Description
COLD-1	ТЕМР		
00552	-20°F -29°C	-65° to +120°F -54° to +49°C	Acrylic freezer adhesive used in many film wrapped meat and dairy applications, including the more difficult blast freeze environment.
00720	-20°F -29°C	-65° to +180°F -54° to +82°C	A soft, general purpose, all-temperature acrylic adhesive for paper and film labels. Adheres to a variety of packages in a broad range of temperatures. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
00853	0°F -18°C	-50° to +125°F -46° to + 52°C	A cold-temperature acrylic adhesive, designed to run cleanly on press. Perfect for weigh scale applications.
0720M	-20°F -29°C	-65° to +180°F -54° to +82°F	A versatile cold-temperature acrylic adhesive that adheres to many packaging materials in a broad range of temperatures. Faster stripping than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0976S	-20°F -29°C	-65 to 180°F -54 to 82°C	All-temperature acrylic adhesive designed for PET, Colored HDPE, and PP recycling. Will wash off PET clamshells, bottles, and other containers. Carries APR critical guidance approval for PET, Colored HDPE and PP recycling when paired with clear, white, and metalized BOPP films.
PERMA	NENT		
00103	+40°F + 4°C	-65° to +200°F -54° to +93°C	A soft, high performance film label acrylic adhesive with excellent clarity and adhesion to low energy surfaces, along with outstanding wet-out.
00406	+10°F -12°C	-40° to +300°F -40° to +150°C	A permanent acrylic adhesive designed for film face stocks used in durable applications. Has high tack and excellent adhesion to low energy surfaces. An environmentally-friendly alternative to solvent adhesives.
00504	+35°F + 2°C	-40° to +160°F -40° to +71°C	A general purpose acrylic emulsion used primarily with paper substrates.
00506	+45°F + 7°C	-65° to +200°F -54° to +93°C	A general purpose acrylic emulsion adhesive with good UV stability. Non-yellowing, and generally used with film face stocks.
00508	+45°F + 7°C	-65° to +200°F -54° to +93°C	A hard, acrylic adhesive. Useful for prime label pharmaceutical (pill bottles). Good for curved surfaces greater than 1/2" diameter requiring mandrel hold. Offers some reposition time on low-energy plastics. Glove friendly.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

	Minimum Application Temp	Service Temp Range	Description
PERMA	NENT (cont.)		
00515	+40°F +4°C	-40° to +250°F -40° to +121°C	A permanent, acrylic adhesive that has good water whitening resistance and adheres well to low surface energy plastics. Good combination of quick tack and high shear makes it ideal for mailing tabs.
00525	+45° F +7°C	-65°F to +200°F -54°C to +93°C	A general purpose permanent, pharmaceutical acrylic adhesive. A higher coat weight version of 508. This adhesive is ideal for rough surfaces. Holds tight in difficult, small diameter applications. Repositionable on some surfaces.
00600	-10°F -23°C	-50° to +125°F -46° to +52°C	A permanent acrylic adhesive, which removes from glass bottles in a 100°F water bath. Designed for wine and other beverage labeling. Can be used in a wide range of temperatures, including cold applications. Removal times depend on facer and bottle type.
00700	+35°F +2°C	-65° to +200°F -54° to +93°C	A general purpose acrylic emulsion for paper. Repositions on many low energy plastics.
00747	0°F -18°C	-65° to +200°F -54° to +93°C	A general purpose, acrylic permanent that displays excellent adhesion over a broad temperature range while providing aggressive performance. Perfect for wine labeling, as it can withstand ice bucket conditions.
00751	+45°F +7°C	-65° to +200°F -54° to +93°C	A paper and film compatible acrylic with good adhesion to many substrates. Excellent die-cutting and stripping. Exceptional mandrel hold.
00950	25°F -4°C	-40° to +160°F -40° to +71°C	General purpose filmic adhesive designed for prime label applications. High shear properties leading to excellent press convertibility. Provides good open time for label repositioning. Performs at application temperatures as low as 25°F. Meets APR Preferred Design for Recycling on HDPE (colored) and PP substrates.
00960	14°F -10°C	-40° to +160°F -40° to +71°C	General purpose filmic adhesive designed for prime label applications. Excellent clarity and improved blush resistance. Higher shear film adhesive for improved press convertibility. Performs at application temperatures as low as 14°F. Meets APR Preferred Design for Recycling on HDPE (colored) and PP substrates.
0758M	+35°F +2°C	-65° to +200°F -54° to +93°C	An acrylic general purpose permanent adhesive with great die-cutting and stripping properties. Adheres well to many substrates, including corrugated.
0776S	+25°F -4°C	-65° to +200°F -54° to +93°C	A general purpose acrylic adhesive designed for PET recycling. Will wash off PET clamshells, bottles, and other containers during recycling leaving no adhesive residue behind. When combined with specific facers it has APR Critical Guidance Recognition.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

	Minimum Application Temp	Service Temp Range	Description
REMO	/ABLE		
00272	+20°F -7°C	-10° to +120°F -23° to +49°C	Non-toxic paper removable microsphere acrylic adhesive with good clean removal. Great choice for kiddie stickers, business forms, and price labels.
00275	+35°F +2°C	+20° to +120°F -7° to +49°C	Most universal acrylic microsphere adhering to corrugated, glass, metal, and plastics. No residue on glass or credit cards. Repositionable. Not recommended for small labels, or flood coated applications. Repulpable when applied to paper face stocks.
00278	+20°F -7°C	-10 to +120°F -23 to +49°C	Ultra-removable microsphere acrylic adhesive for paper face stocks. Adheres to, and removes cleanly from, a variety of substrates. Perfect for kiddie stickers, and short-term labeling such as price marking, promotions, and logistics.
00347	+35°F +2°C	-40° to +180°F -40° to + 82°C	Specialized removable acrylic for film face stocks. Has low peel and no-build properties. Designed for clean and easy removal from glass even after extended periods of time and temperature changes.
00531	+40°F +4°C	0° to +140°F -18° to +60°C	General purpose removable acrylic adhesive for use with paper or film face stocks. Removes from some glass, plastic, and textile surfaces.
00532	+35°F +2°C	-40° to +160°F -40° to +71°C	Textile acrylic adhesive that removes cleanly from most fabrics. Not recommended for leather, suede or silk. Be sure to test. All textile applications are different.
00538	+45°F +7°C	0° to +160°F -18° to +71°C	A moderate-to-tight acrylic removable for use with films and strong paper face stocks.
00611	+21°F -6°C	-40° to +172°F -40° to +78°C	A water dissolvable acrylic adhesive. It adheres to, and washes off, many substrates including most plastics, stainless steel and glass. Combined with the dissolvable facer, H2ODP, the label disappears in 30 seconds. Can be used with other face stocks.
00633	30°F -1°C	-65° to +200° F -54° to +93° C	An aggressive removable acrylic adhesive with a clean release for paper and film labels. It adheres to, and removes from, a wide variety of surfaces. Does not ghost. Good mandrel hold. Ideal for resealable closure labels.
00805	0°F -18°C	-50° to +125°F -46° to +52°C	A lighter tack acrylic adhesive for kiddie stickers. Can also be used for other applications requiring short-term removability. Works in a wide range of temperatures.
80361	0°F -18°C	-50° to +125°F -46° to +52°C	Acrylic adhesive designed for short-term removability. Consider for kiddie stickers.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

	Minimum Application Temp	Service Temp Range	Description
RECYC	LABLE		
00611	+21°F -6°C	-40° to +172°F -40° to +78°C	A water dissolvable acrylic adhesive. It adheres to, and washes off, many substrates including most plastics, stainless steel and glass. Combined with the dissolvable facer, H2ODP, the label disappears in 30 seconds. Can be used with other face stocks.
00720	-20°F -29°C	-65° to +180°F -54° to +82°C	A soft, general purpose, all-temperature acrylic adhesive for paper and film labels. Adheres to a variety of packages in a broad range of temperatures. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
00757	+32°F +0°C	-58° to +199°F -50° to +93°C	A permanent acrylic adhesive with an aggressive bond to many surfaces, including low-energy plastics and corrugated. Harder adhesive for clean converting. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0720M	-20°F -29°C	-65° to +180°F -54° to +82°F	A hard, versatile cold-temperature acrylic adhesive that adheres to many packaging materials in a broad range of temperatures. Faster stripping than many cold-temp adhesives. Meets the TLMI Recycling Protocol TLMI-LRP-2 for paper recycling compatibility.
0776S	+25°F -4°C	-65° to +200°F -54° to +93°C	A general-purpose acrylic adhesive designed for PET recycling. Will wash off PET clamshells, bottles, and other containers during recycling leaving no adhesive residue behind. When combined with specific facers it meets APR Critical Guidance protocol.
0976S	-20°F -29°C	-65 to 180°F -54 to 82°C	All-temperature acrylic adhesive designed for PET, Colored HDPE, and PP recycling. Will wash off PET clamshells, bottles, and other containers. Carries APR critical guidance approval for PET, Colored HDPE and PP recycling when paired with clear, white, and metalized BOPP films.



Green Bay Packaging Inc. Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

LINER SELECTION GUIDE

Title	Code	Target (Mils) (Microns)	Description
PAPER ROLL-TO-ROLL			
1.7 MIL WHITE GLASSINE	17GL	1.7 43.0	A 28# (45 g/m ²) white glassine provides an excellent surface for die-cutting. The thinner gauge allows more labels on a roll, and the lighter weight provides lower shipping costs saving you and your customers time and money.
2.4 MIL NATURAL KRAFT LINER	39NK	2.4 61.0	Produced without bleaching, this is a more environmentally-friendly, 39# (64 g/m ²) super calendered densified kraft liner offering good die-cutting and stripping. Can be recycled with corrugated.
2.4 MIL SEMI-BLEACHED DENSIFIED KRAFT	40SC	2.4 61.0	A white densified kraft sheet 41# (67 g/m ²) with excellent point-to-point caliper control.
41# WHITE KRAFT LINER	41WK	2.7 69.0	A premium, 41# (66 g/m ²) white kraft liner that is designed for roll-to-roll and fan-fold applications. Outstanding performance die cutting both paper and film.
3.2 MIL SEMI-BLEACHED DENSIFIED KRAFT	50SC	3.2 81.0	A white densified kraft sheet 53# (86 g/m ²) with excellent point-to-point caliper control.
PAPER ROLL-TO-SHEET			
3.4 MIL LASER LINER	0PBLF	3.4 87.0	A premium, 50# (82 g/m ²) white kraft liner that is designed for roll-to-sheet and fan fold applications. Ideal for smooth feeding in desktop laser and inkjet printers. Suitable for die cutting both paper and film.
2.2 MIL CLAY COATED LAY FLAT	0PRLF	3.2 82.0	A premium, 53# (87 g/m ²) white kraft liner. Suitable for roll-to-sheet and fan fold applications. Designed for four-color process printing on the back side. Can be used for die cutting both paper and film.
3.2 MIL KRAFT LAY FLAT	32KLF	3.2 81.0	Designed for roll-to-sheet and fan fold applications, 32KLF is a premium, white kraft 45# (73 g/m ²) liner. It is back side printable. This liner can be used with both paper and film facestocks.
2.7 MIL LASER LINER	41LF	2.7 69.0	A premium, 41# (66 g/m ²) white kraft liner that is designed for roll-to-sheet and fan fold applications. Ideal for smooth feeding in desktop laser and inkjet printers. Suitable for die cutting both paper and film.
3.2 MIL PRINTABLE LAY FLAT LINER	53CRT	3.2 81.0	A 54# (88 g/m ²) blue-white kraft liner. Good dimensional stability for roll-to-sheet lay flat applications. Features a coated back side for a premium appearance and flexo printability. Suitable for charity mailing labels.



Coated Products Operations

All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.

LINER SELECTION GUIDE

Title	Code	Target (Mils) (Microns)	Description	
PAPER ROLL-TO-SHEET (cont.)				
3.5 MIL CLAY COATED LAY FLAT	60LF	3.5 88.0	A 56# (92 g/m ²) liner with high white visual appeal. Ideal for sheeted or fan fold applications. Designed for four-color process printing on the back side.	
4.6 MIL LAY FLAT LINER	74LF	4.6 117.0	A white 74# (121 g/m ²) kraft liner that offers good dimensional stability for roll-to-sheet applications. Perfect for facer materials and applications that need extra rigidity to lay flat.	
FILM				
1.2 MIL CLEAR POLYESTER	12NB	1.2 30.0	Clear polyester with an excellent surface for die-cutting. Great strength for high speed converting and application.	
1.2 MIL CLEAR POLYESTER	12PE	1.2 31.0	Clear polyester liner with a firm surface for die-cutting. Easy release for high speed converting and application.	
1.4 MIL CLEAR POLYESTER	15PT	1.4 36.0	Clear polyester liner with an excellent surface for die-cutting and high speed automatic applications.	
.92 MIL CLEAR POLYESTER	IL CLEAR POLYESTER 92NB 0.9 Clear polyester with an excellent surface for die-cutting speed converting and application. The benefits of thin include reducing plastic use, decreasing shipping we labels on a roll.			
POLY KRAFT				
3.1 MIL NATURAL KRAFT/POLYPROPYLENE	44PM	3.1 72.0	A 44# (72 g/m ²) natural kraft liner extrusion coated with polypropylene. Designed to prevent V-type tears and is an excellent choice for high speed automatic applications. Commonly used in wine label applications.	



All statements, technical information and recommendations about Green Bay Packaging Inc. products are based upon tests believed to be reliable, but do not constitute a guarantee or warranty. All products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purpose.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

acer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIM	KC	MIN	ATL	LA
WHITE PAPERS - HIG	H-GLOSS									
7# CAST COATED HIGH-G	LOSS									
57# (85 g/m²) high-gloss sh	eet with a smooth, reflect	tive surface o	designed for top-	quality graphic repr	oduction.					
057HG	00504	40SC	S7823760	248	С			I		
057HG	00720	40SC	S7824560	244		I		I		I
057HG	00747	40SC	S7813760	246	С					
057HG	00751	40SC	S8060260	249	С			I		
057HG	00751	40SC	S8941560	242	С	1				

featuring excellent gloss and suitable for process printing.

060EG	00720	40SC	S7146060	252	C	
WHITE PAPERS - SEMI-GL	.OSS					

53# SEMI-GLOSS OPAQUE

53# (78 g/m²) semi-gloss with a gray opaque barrier coating on the back. Designed for cover up labels. Excellent opacity, so the errors will not be visible. Smooth print surface for attractive graphic reproduction. FSC®-certified paper.

054SA 00720	40SC	S8820660	232	
--------------------	------	----------	-----	--

Locations: GB - Green Bay, WI WIN - Winchester, VA KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269

July 13, 2025

Papers



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

cer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN KC	MIN	ATL	P
/HITE PAPERS - SE	MI-GLOSS								
# SEMI-GLOSS									
53# (78 g/m ²) C1S bright bl Smooth surface provides e				-		ing and d	ie-cutti	ng.	
054SG	00278	40SC	S8164560	227					
054SG	00508	40SC	S7558760	235	С				
054SG	00515 00515	12NB 40SC	S9075360	319					
054SG	00532	40SC	S8280160	230	С				
054SG	00552	40SC	S9931260	236	С				
054SG	00633	40SC	S9175160	233	1			I	
054SG	00700	40SC	S7755860	239	1				
054SG	00720	40SC	S7724460	232			I	I	
054SG	00720	12NB	S8121860	198					I
054SG	00751	40SC	S7748960	239			I	I	
054SG	00751	12NB	S8823660	199					
054SG	00751	40SC	S8895960	235	C			I	
054SG	00805	0PRLF	S8941160	258					
054SG	0720M	40SC	S8849360	235	1			I	I
054SG	0720M	12NB	S8898960	198					I
054SG	0758M 0758M	40SC 50SC	S7686660	375	С				
054SG	0758M 0758M	40SC 40SC	S8027060	355					
054SG	0758M	0PRLF	S8082660	262	1				
054SG	0758M	41LF	S9176660	235					
cations: GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - LA - L	Atlanta, GA			I - Invento C - Custon	-		

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

2005	Adhesive	Liner	ltor	Approx Wgt/	GB	MIN	KC	MIM	ATL LA
^{acer} WHITE PAPERS - S		Liner	Item	MMSI	- 1				
3# SEMI-GLOSS - conti									
	t blue-white semi-gloss. High s excellent printing with flexo,			-	-speed strip	ping a	Ind die	cutting].
054SG	80361	0PRLF	S8001560	262					
4# WET STRENGTH SE	MI-GLOSS								
	white semi-gloss. Wet streng oth surface enhances print res			-	-		and wir	ne, or	
054WS	00747	40SC	S8901460	238					
054WS	00747	12NB	S8906760	201	С				
SEMI-GLOSS PREFERRI	ED OPAQUE								
60# (88.8/m²) Semi-Glos flexo, toner, or offset. FS	s Preferred (060PR) with a g C®-certified paper.	ray opaque l	barrier coating.	Designed for cover up	labels. Exc	ellent	print s	urface	with
060PA	00720	40SC	S7709260	251	С				
060PA	0758M	40SC	S7712860	249		I			
SEMI-GLOSS PREFERRI	ED								
60# (88.8/m²) semi-gloss toner, or offset. FSC®-ce	s, multi-purpose paper with su ertified paper.	uperior gloss	and print qualit	ies. A warm white colo	or. Excellent	print s	surface	for flex	КО,
	00272	40SC	S7018060	245					
060PR									
060PR 060PR	00275	41WK	S9156360	241					
		41WK	S9156360	241					
		41WK	S9156360	241	•		1		1
		41WK	S9156360	241					
		41WK	S9156360	241					
		41WK	S9156360	241	•				
	00275 I KC - Kansas City, MO	ATL -	S9156360 Atlanta, GA os Angeles, CA	241			nventory		

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	ů	NIM	KC	MIN	ATL	Γ		
WHITE PAPERS - SEI 58# SEMI-GLOSS												
58# (87 g/m ²) semi-gloss m flexo, offset, or toner-based		0	and print qualiti	es. Bright blue-whit	e shade. Ex	cellen	t graphi	ic resu	ults wit	h		
060SG	00720	40SC	S7804560	244								
060SG	00747	40SC	S7813460	244		C						
060SG	00751	40SC	S7821360	249		C						
060SG	0720M	40SC	S8899160	247						1		
060SG	0758M	60LF	S8003760	280								

80# SEMI-GLOSS

80# (118 g/m²) semi-gloss multi-purpose paper with superior gloss and print qualities. Bright blue-white shade. Excellent print surface for flexo, toner, or offset. This heavier sheet offers greater stiffness and opacity. FSC®-certified paper.

080SG	00720	40SC	S8153960	290	C
080SG	00751	60LF	S8732360	331	C
080SG	0758M	40SC	S8098160	294	C

FSC® CERTIFIED 53# SEMI-GLOSS PAPER

53# (78 g/m²) C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. Smooth surface provides excellent printing with flexo, toner, and offset methods. FSC®-certified paper.

F54SG	00720	40SC	S8792860	234	C
F54SG	00747	40SC	S7739560	233	

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CALL 1-800-445-4269 CAN'T FIND IT ?

July 13, 2025



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	MIM	MIN KC	ATL	P
WHITE PAPERS - S	EMI-GLOSS								
60# SEMI-GLOSS WITH 3	80% POST-CONSUMER W	VASTE							
	ss face stock with 30% post-c surface for outstanding grap		5	0	racteristics enh	ance la	abel conv	erting an	d
R60SG	00720	40SC	S8187460	248	С				
R60SG	00720	39NK	S8743660	246	С	L			
WHITE PAPERS - M	IATTE								

60# LITHO MATTE

A 60# (89 g/m²) clay-coated matte smooth paper. Offers a great printing surface for excellent graphic reproduction. Its very matte appearance provides a unique look in package design. Perfect for flexo printing and in a variety of digital presses.

060LM	00720	40SC	S8842760	251	C
060LM	00751	40SC	S8830560	251	C

KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

> CALL 1-800-445-4269 CAN'T FIND IT ?



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIM	КC	MIN	ATL	Γ
WHITE PAPERS - MATTE	Autoare		nem					Ē		
60# DULL LITHO										
60# (89 g/m²) high quality, dull finish lit FSC®-certified paper.	ho offering exc	ellent print a	nd die-cut prope	erties. Good for flexog	raphic and	l offset	printir	ng.		
061DL	00504	40SC	S7754060	253	С					
061DL	00700	40SC	S7746460	253	С					
061DL	00720	40SC	S4331060	251						
061DL	00751	40SC	S7752260	253	С					
061DL	00751	32KLF	S8047760	263	С					
061DL	0758M	0PRLF	S8003060	277	С					
061DL	0758M	40SC	S8769360	245						

WHITE PAPERS - INDIGO TOPCOATED

INDIGO TOPCOATED 55# SEMI-GLOSS

55# (81 g/m²) semi-gloss sheet designed for printing on HP Indigo presses. It has been certified by RIT for use on the ws4500 and ws6000 presses. Has a blue-white shade with high brightness and opacity. Exceptionally strong. FSC®-certified paper.

D55SG	00720	40SC	S8142460	239	C
D55SG	00751	40SC	S8126960	237	C

Locations:	GB - Green Bay, WI
	WIN - Winchester, VA

KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CALL 1-800-445-4269 CAN'T FIND IT ?

July 13, 2025



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN MIN ATL LA
TAG STOCK					
8 POINT GLOSS WHITE	E CLAY COATED TAG				
0 , 0	130# (192 g/m²) board with exce structure. FSC®-certified paper		haracteristics.	Coated on both side	s, allowing for multiple uses - as a tag, or
008GB	00504	40SC	S9941860	398	
008GB	00532	40SC	S9941260	395	C
008GB	00751	40SC	S7666660	400	CI
008GB			S7670560	273	
EDP					

50# EDP SMUDGE RESISTANT

A 50# (74 g/m²) general purpose uncoated paper. Bright white with excellent smudge resistance. Designed for high performance. FSC®-certified paper.

050ED	00700	50SC	S7032060	252	CI
050ED	00720	40SC	S6069060	228	
050ED	00720	50SC	S6499060	249	
050ED	0758M	50SC	S7648760	248	C
050ED	0758M	40SC	S7648960	231	C
050ED	0758M 0758M	40SC 40SC	S7725060	356	C

PHARMACEUTICAL

40# PHARMACEUTICAL LITHO

40# (60 g/m²) lightweight C1S semi-gloss litho with good ink holdout. Candidate for pharmaceutical and nutritional labeling.

040PL	00751	40SC	S5545060	209	C

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory	
WIN Winshoster V/A MIN Minneepelie MN I A Les Angeles CA	
WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA C - Custom	

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CALL 1-800-445-4269 CAN'T FIND IT ?



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	MIN ATL	۲
LUORESCENT PAPE	ERS						
LUE FLUORESCENT							
57# (84 g/m ²) blue matte flue	orescent coated paper. De	esigned for la	aser, inkjet, price	e marking, promotion	nal and general roll la	bel applicatio	ns.
Unique color makes labels s	stand out. Offers another	option when	using color cod	ed labels. FSC®-cer	tified paper.		
054BZ	00720	40SC	S8122860	239	C		
REEN FLUORESCENT							
57# (84 g/m²) green matte fl FSC®-certified paper.	luorescent coated paper. [Designed for	laser, inkjet, pri	ce marking, promoti	onal and general roll I	abel applicati	ons.
054GZ	00720	40SC	S6231060	239			
054GZ	00720	40SC	S7656360	243	C		
054GZ	0758M	0PBLF	S8189860	262			
RANGE FLUORESCENT							
57# (84 g/m ²) orange matte FSC®-certified paper.	fluorescent coated paper.	Designed fo	or laser, inkjet, p	rice marking, promo	tional and general roll	label applica	tions.
054OZ	00720	40SC	S6235060	239			
054OZ	00720	40SC	S7607960	243	C		
054OZ	0758M	0PBLF	S8190060	262			
INK FLUORESCENT							
INK FLUORESCENT 57# (84 g/m²) pink matte flue FSC®-certified paper.	orescent coated paper. De	esigned for la	aser, price mark	ing, inkjet, promotior	nal and general roll la	bel application	าร.
57# (84 g/m ²) pink matte flue	orescent coated paper. De 00720	esigned for la	aser, price mark S7748660	ing, inkjet, promotior 243	nal and general roll la	bel application	າs.
57# (84 g/m ²) pink matte flue FSC®-certified paper.		-				bel application	าร.
57# (84 g/m ²) pink matte flue FSC®-certified paper. 054PZ	00720	40SC	S7748660	243		bel application	ns.
57# (84 g/m²) pink matte flue FSC®-certified paper. 054PZ 054PZ	00720 00720	40SC 40SC	S7748660 S8034360	243 239		bel application	ns.

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269


cer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB WIN WIN ATL
LUORESCENT PAPER	S				
D FLUORESCENT					
57# (84 g/m ²) red matte fluores FSC®-certified paper.	cent coated paper. De	signed for la	ser, inkjet, price	marking, promotiona	I and general roll label applications.
054RZ	00720	40SC	S6066060	239	
054RZ	00720	40SC	S7743960	243	CI
054RZ	0758M	0PBLF	S8190260	262	
LLOW CHARTREUSE FLUC	DRESCENT				
57# (84 g/m ²) yellow chartreuse applications. FSC®-certified pa		ated paper. D	Designed for lase	er, inkjet, price markir	ng, promotional and general roll label
054YZ	00720	40SC	S6237060	239	
054YZ	00720	40SC	S7748760	243	C
054YZ	0758M	0PBLF	S8189960	262	
EER & WINE LABEL					
# WET STRENGTH SEMI-GL 54# (80 g/m ²) C1S blue-white s refrigerated foods. Smooth surf	semi-gloss. Wet streng			-	-
054WS	00747	40SC	S8901460	238	
054WS	00747	12NB	S8906760	201	C
ASSIC CREST* SOLAR WH	ITE SMOOTH				
60# (89 g/m ²) smooth, uncoate	ed white paper with an e		-	-	ensional stability. Perfect for wine label
	ed white paper with an e		-	-	nsional stability. Perfect for wine label
60# (89 g/m ²) smooth, uncoate	ed white paper with an e		-	-	ensional stability. Perfect for wine label
60# (89 g/m ²) smooth, uncoate and other upscale products. FS	ed white paper with an e SC®-certified paper. *R	Registered Tr	ademark of Nee	nah Paper, Inc.	ensional stability. Perfect for wine label
60# (89 g/m ²) smooth, uncoate and other upscale products. FS	ed white paper with an e SC®-certified paper. *R	Registered Tr	ademark of Nee	nah Paper, Inc.	ensional stability. Perfect for wine label
60# (89 g/m ²) smooth, uncoate and other upscale products. FS 0WCSW	ed white paper with an o SC®-certified paper. *R 00747	egistered Tr	ademark of Nee S8741852	nah Paper, Inc.	
and other upscale products. FS	ed white paper with an e SC®-certified paper. *R	Registered Tr 44PM ATL -	ademark of Nee	nah Paper, Inc.	I - Inventory C - Custom TIP Item

way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CALL 1-800-445-4269 CAN'T FIND IT ?



Coated Products Operations

BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer		Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC MIN ATL LA
BEER & \	WINE LABEL					
ESTATE LA	BEL* #4 WHITE LA	ID				
		ted, wet strength paper. products. *Registered T		-		t for wine and beer labels. Its high-end d paper.
0WEL4		00747	44PM	S8748260	258	
ESTATE LA	BEL* #8 WHITE SN	ЮОТН				
		wet strength paper. Mai Registered Trademark (-	e and other high-end labels, such as
0WEL8		00747	44PM	S8266860	258	
ESTATE LA	BEL* #9 CREAM LA	AID				
		vet strength paper. Main tified paper. *Registere				nd other upscale labels, such as gourmet
0WEL9		00747	44PM	S8742160	258	
SILVER ME	TALIZED WET STR	ENGTH PAPER				
		metalized paper. Wet st akes a product's graphic	-		-	refrigerated foods and chilled Presses.
56MSW		00720	40SC	S8982560	241	
70# BRIGHT	WHITE FELT					
		white, wet strength pap home, and personal ca			-	abels. The rich weight and texture
70BWF		00747	44PM	S8903652	279	
70BWF		00747	12NB	S8903752	237	
	s - Green Bay, WI N - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA ₋os Angeles, CA		I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269

Papers



sated i roudels operations

BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

				Approx Wgt/	LA AT WIN GB
acer BEER & WINE LABEL	Adhesive	Liner	ltem	MMSI	
00# BLACK VELLUM					
60# (89 g/m²) uncoated, black, beverage labels, its unique look					vas designed for wine, beer, and other er.
BKVLM	00747	40SC	S8909252	253	C
BKVLM	00747	44PM	S8936852	258	C
50# KONA LIGHT ROAST KONAL is a 50# (74g/m²), 1009 material. Perfect for labeling an					an bag fiber and post-consumer waste certified paper.
KONAL	00720	39NK	S8796760	228	
KONAL	00747	40SC	S8939760	232	C
SPECIALTY PAPERS 4# WET STRENGTH SEMI-GL 54# (80 g/m ²) C1S blue-white s refrigerated foods. Smooth surf	semi-gloss. Wet strengt				ges, including beer and wine, or ®-certified paper.
054WS	00747	40SC	S8901460	238	
054WS	00747	12NB	S8906760	201	C
ocations: GB - Green Bay, WI	KC - Kansas City, MO	ATL -	Atlanta, GA		I - Inventory
WIN - Winchester, VA	MIN - Minneapolis, MN		os Angeles, CA		C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	MIM	¥C	ATL	P
SPECIALTY PAPERS									
BROWN NATURAL KRAFT 60# (89 g/m ²) brown natural kraf used for cover-up labels on corru		ok makes i	t perfect for label	ing organic or other ea	arth-friendly	produc	cts. It c	an als	o be
060GM	00720	40SC	S8083760	264	С				
060GM	0758M	40SC	S7649360	264					
60# HEMP PAPER A 60# (89 g/m ²) paper made with With no virgin wood content and 1HEMP				-		nd oth	ner hem	ıp prod	ucts.
				-		_		-	
TRANSLUCENT PAPER A 42# (62 g/m ²) ultra-clear transl a unique look for primary package		suited for v	vafer seal mailing	g tabs. Can be used fo	r tamper-evi	dent s	eals. A	lso pro	vides
1TRCT	00515	40SC	S9204660	211	С	T			
1TRCT	00751	40SC	S9193960	207	С				
1TRCT	00757	40SC	S9189960	208	С				н.
DISSOLVABLE PAPER A water-soluble paper. Coated w container. Best dissolvable perfor H20DP					-		o resid	ue on t	he
50# KONA LIGHT ROAST KONAL is a 50# (74g/m ²), 100% material. Perfect for labeling any					-		st-consi	umer w	aste
KONAL	00720	39NK	S8796760	228	1				
KONAL	00751	39NK	S8841160	228	C				
	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA .os Angeles, CA			C - Cu	ventory istom IP Item		

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



		Adhesive	Liner	ltem	MMSI	GB	MIM	MIN MIN	ATL	P
AMIN	IATED FOILS									
RIGHT	GOLD FOIL									
Тор с	oated 70# (104 g/m ²) br	ight gold laminated foil.	Suitable for	water based, U	/ screen, UV flexo	and embossing	g. FSC®	8-certified	l paper.	
055B	G	00720	40SC	S6301060	276					I
RIGHT	SILVER FOIL									
Тор с	oated 70# (104 g/m²) br	ight silver laminated foil.	Suitable fo	or water based, U	V screen, UV flexc	and embossir	ng. FSC	®-certifie	d paper	
055B	S	00720	40SC	S6299060	276					I
055B	S	00751	40SC	S5732060	281	C				
JLL GO	OLD FOIL									
Тор с	oated 70# (104 g/m²) du	Ill gold laminated foil. Su	iitable for w	vater based, UV s	creen, UV flexo an	nd embossing.	FSC®-c	certified p	aper.	
055D	G	00720	40SC	S6300060	276					
ULL SI		Ill silver laminated foil. S	uitable for v	water based, UV	screen, UV flexo a	nd embossing.	FSC®-	-certified	paper.	
ULL SI	oated 70# (104 g/m²) du	III silver laminated foil. S 00720	uitable for v 40SC	water based, UV S6306060	screen, UV flexo a 276	nd embossing.	FSC®-	-certified	paper.	1
ULL SI	oated 70# (104 g/m²) du					nd embossing. I C	. FSC®-	-certified	paper.	1
ULL SI Top c 055D 055D	oated 70# (104 g/m²) du 9S 9S	00720	40SC	S6306060	276		FSC®-	-certified	paper.	1
ULL SII Top c 055D 055D	oated 70# (104 g/m²) du ps SUBSTITUTES	00720 00751	40SC	S6306060	276		FSC®-	-certified	paper.	1
ULL SII Top c 055D 055D 055D	oated 70# (104 g/m²) du os os SUBSTITUTES SILVER METALIZEE	00720 00751 • BOPP	40SC 40SC	S6306060 S4601060	276 281	C				1
ULL SII Top c 055D 055D OIL S 85 MIL 1.85 n	oated 70# (104 g/m²) du os SUBSTITUTES SILVER METALIZEE nil clear BOPP metalize	00720 00751	40SC 40SC ty. Top coa	S6306060 S4601060	276 281 patibility with water	C -based and U				1
ULL SII Top c 055D 055D OIL S 85 MIL 1.85 n	oated 70# (104 g/m²) du S S S UBSTITUTES SILVER METALIZEE nil clear BOPP metalize stiffness for automatic a	00720 00751 D BOPP d on the back for durabili	40SC 40SC ty. Top coa	S6306060 S4601060	276 281 patibility with water	C -based and U				1
ULL SII Top c 055D 055D OIL S 85 MIL 1.85 n Great	oated 70# (104 g/m²) du S S S UBSTITUTES SILVER METALIZEE nil clear BOPP metalize stiffness for automatic a	00720 00751 • BOPP d on the back for durabili application. Ideal for brigh	40SC 40SC ty. Top coa nt label grap	S6306060 S4601060 Ited for print com phics that will cat	276 281 patibility with water ch the eye of the co	C -based and U				1
ULL SII Top cr 055D 055D OIL S 85 MIL 1.85 n Great	oated 70# (104 g/m²) du S S S UBSTITUTES SILVER METALIZEE nil clear BOPP metalize stiffness for automatic a	00720 00751 • BOPP d on the back for durabili application. Ideal for brigh	40SC 40SC ty. Top coa nt label grap	S6306060 S4601060 Ited for print com phics that will cat	276 281 patibility with water ch the eye of the co	C -based and U				
ULL SII Top c 055D 055D OIL S 85 MIL 1.85 n Great	oated 70# (104 g/m²) du S S S UBSTITUTES SILVER METALIZEE nil clear BOPP metalize stiffness for automatic a	00720 00751 • BOPP d on the back for durabili application. Ideal for brigh	40SC 40SC ty. Top coa nt label grap	S6306060 S4601060 Ited for print com phics that will cat	276 281 patibility with water ch the eye of the co	C -based and U				1
ULL SII Top c 055D 055D OIL S .85 MIL 1.85 n Great	oated 70# (104 g/m²) du S S S UBSTITUTES SILVER METALIZEE nil clear BOPP metalize stiffness for automatic a	00720 00751 • BOPP d on the back for durabili application. Ideal for brigh	40SC 40SC ty. Top coa nt label grap	S6306060 S4601060 Ited for print com phics that will cat	276 281 patibility with water ch the eye of the co	C -based and U				
ULL SII Top c 055D 055D OIL S .85 MIL 1.85 n Great	oated 70# (104 g/m²) du S S S UBSTITUTES SILVER METALIZEE nil clear BOPP metalize stiffness for automatic a	00720 00751 • BOPP d on the back for durabili application. Ideal for brigh	40SC 40SC ty. Top coa nt label grap	S6306060 S4601060 Ited for print com phics that will cat	276 281 patibility with water ch the eye of the co	C -based and U				
ULL SII Top c 055D 055D OIL S .85 MIL 1.85 n Great	oated 70# (104 g/m²) du S S S UBSTITUTES SILVER METALIZEE nil clear BOPP metalize stiffness for automatic a IT	00720 00751 • BOPP d on the back for durabili application. Ideal for brigh	40SC 40SC ty. Top coa ht label grap 40SC	S6306060 S4601060 Ited for print com phics that will cat	276 281 patibility with water ch the eye of the co	C -based and U	/ flexo, , I I - Inv C - Cu	and UV in		

standard Terms and Conditions as in effect at the time of sale shall control.



cer OIL SUBSTITUTES	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	MIM	Ř	NIW	ATL	۲
) MIL SILVER METALIZED E	BOPP									
A 2.0 mil BOPP metalized on t	he back side for a shin	y silver appe	earance. Top co	ated for printability w	ith a wide ran	ge of in	nk syst	ems.		
021MU	00720	40SC	S8031460	186						
021MU	00751	40SC	S7345060	191	С					
DLOGRAM PRISMATIC DIFF	RACTION: RAINBO	wc								
64# (94 g/m ²) decorative prism 1/32" wide. The area between						o in the	patteri	n will I	oe up	to
056H5	00751	40SC	S4607060	253	C					
# SILVER METALIZED PAP	ER									
56# (83 g/m ²) top coated silver	r metalized paper. Not	recommende	ed for HP Indigo	Presses.						
057MS	00720	40SC	S6203060	241			I			I
057MS	00751	40SC	S5841060	242	1					
56# (83 g/m ²) top coated silver beverages. The metallic look n	r metalized paper. Wet nakes a product's grap	hics stand or	ut. Not recomm	ended for HP Indigo F	-	oods a	nd chill	ed		
56# (83 g/m ²) top coated silver	metalized paper. Wet	-		-	-	oods a	nd chill	ed		
56# (83 g/m ²) top coated silver beverages. The metallic look n	r metalized paper. Wet nakes a product's grap	hics stand or	ut. Not recomm	ended for HP Indigo F	-	oods a	nd chill	ed		
56# (83 g/m ²) top coated silver beverages. The metallic look n	r metalized paper. Wet nakes a product's grap	hics stand or	ut. Not recomm	ended for HP Indigo F	-	oods a	nd chill	ed		
56# (83 g/m²) top coated silver beverages. The metallic look n 56MSW	r metalized paper. Wet nakes a product's grapi 00720	40SC	ut. Not recomm \$8982560	ended for HP Indigo F	-	oods a	nd chill	ed		
56# (83 g/m²) top coated silver beverages. The metallic look n 56MSW	r metalized paper. Wet nakes a product's grap	hics stand ou 40SC	ut. Not recomm	ended for HP Indigo F	-	I - Ir C - C	nd chill			
56# (83 g/m²) top coated silver beverages. The metallic look n 56MSW	r metalized paper. Wet nakes a product's grapi 00720 KC - Kansas City, MO MIN - Minneapolis, MN	ATL - LA - L	s8982560	ended for HP Indigo F 241	-	I - In C - C	nventory Justom TIP Item			
beverages. The metallic look n 56MSW cations: GB - Green Bay, WI WIN - Winchester, VA	r metalized paper. Wet nakes a product's grapi 00720 KC - Kansas City, MO MIN - Minneapolis, MN n patterns available:	ATL - LA - L Minimum cus nsin, and no a	Atlanta, GA .os Angeles, CA tomer order Qty gent or represent	ended for HP Indigo F 241 is 18 MMSI Please tative has authority to ac	allow 4 to 6 we	I - Ir C - C Reeks for	nventory Custom FIP Item r deliver			

July 13, 2025



Facer		Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	KC KC	NIN T	
THERMAL	TRANSFER								
2.6 MIL THER	MAL TRANSFER	WHITE LABEL-LYT	E™						
		with a thermal transfer red. Label-Lyte is a trac		-		ions where mo	isture resi	stance, o)r
026TT		00747	40SC	S8773660	192	1			
3.0 mil Whit		LABEL-LYTE™ with a thermal transfer tant. Label-Lyte is a Tr		-		ions where mo	isture resi	stance, d	or
030TT		00747	40SC	S5213060	199	С			
47# (70 g/m paper.	COATED THERM 1 ²) premium bright w	hite, coated, ultra-smoo			-	bbon compatib	ility. FSC@	8-certifie	d
050HS		00272	40SC	S7019060	218				
050HS		00275	41WK	S9156260	214				
050HS		0758M	40SC	S7699560	227	С			
A 3.0 mil top		PP BOPP. A synthetic pa emical and tear resistar		be used with the	ermal transfer, flexogr	aphy, screen, l	etterpress	s, and oth	ier
075WP		00747	40SC	S8149152	214	С			
	Green Bay, WI	KC - Kansas City, MO		Atlanta, GA			I - Inventor	у	
WIN	- Winchester, VA	MIN - Minneapolis, MN	LA - L	os Angeles, CA			C - Custom TIP Iter		

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



er	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC MIN MIN
IERMAL TRANSFER	2				
P COATED KIMDURA® F	PG 95				
A 4.2 mil Kimdura® BOPP sp Neenah Paper, Inc. © 2007 N			er, dot matrix, ion	deposition and digit	al printing. Registered Trademark of
095TK	00506	40SC	S3252060	256	
095TK	00506	50SC	S3256060	272	C
095TK	00538	50SC	S3286060	272	
	00754	5000	05204000		
095TK LECT THERMAL TRANSF A 44# (65 g/m ²) gray opaque enhanced flexo graphics. FS 0TTFA	multi-purpose thermal t	50SC ransfer shee 40SC	S5391060 t. Designed for co S7711260	273 over up labels, with e 218	excellent opacity. Premium coating fo
LECT THERMAL TRANSF A 44# (65 g/m ²) gray opaque enhanced flexo graphics. FS 0TTFA	ER OPAQUE multi-purpose thermal to C®-certified paper. 0758M	ransfer shee	t. Designed for co	ver up labels, with e	excellent opacity. Premium coating fo
LECT THERMAL TRANSF A 44# (65 g/m ²) gray opaque enhanced flexo graphics. FS	ER OPAQUE multi-purpose thermal to C®-certified paper. 0758M	ransfer shee 40SC	t. Designed for co S7711260	ver up labels, with e 218	
LECT THERMAL TRANSF A 44# (65 g/m²) gray opaque enhanced flexo graphics. FS 0TTFA LECT THERMAL TRANSF	ER OPAQUE multi-purpose thermal to C®-certified paper. 0758M	ransfer shee 40SC	t. Designed for co S7711260	ver up labels, with e 218	
LECT THERMAL TRANSF A 44# (65 g/m²) gray opaque enhanced flexo graphics. FS OTTFA LECT THERMAL TRANSF A 44# (65 g/m²) multi-purpos	ER OPAQUE multi-purpose thermal to C®-certified paper. 0758M ER e thermal transfer sheet.	ansfer shee 40SC	t. Designed for co S7711260	over up labels, with e 218 ed flexo-printed gra	
LECT THERMAL TRANSF A 44# (65 g/m²) gray opaque enhanced flexo graphics. FS OTTFA LECT THERMAL TRANSF A 44# (65 g/m²) multi-purpos OTTFP	ER OPAQUE multi-purpose thermal to C®-certified paper. 0758M ER e thermal transfer sheet 00531	40SC	t. Designed for co S7711260 Doating for enhance S7843160	ver up labels, with e 218 ed flexo-printed gra 216	phics. FSC®-certified paper.
LECT THERMAL TRANSF A 44# (65 g/m ²) gray opaque enhanced flexo graphics. FS OTTFA LECT THERMAL TRANSF A 44# (65 g/m ²) multi-purpos OTTFP OTTFP	ER OPAQUE multi-purpose thermal to C®-certified paper. 0758M ER e thermal transfer sheet 00531 00700	40SC Premium c 40SC 40SC 40SC	t. Designed for co S7711260 oating for enhanc S7843160 S6745060	ed flexo-printed gra 218 218 216 218	phics. FSC®-certified paper.

Locations: GB - Green Bay, WI KC - Kansas City, MO ATL - Atlanta, GA I - Inventory WIN - Winchester, VA MIN - Minneapolis, MN LA - Los Angeles, CA C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer THERMAL TRANSFER	Adhesive	Liner	ltem	Approx Wgt/ MMSI	B	MIN KC	MIM	ATL	5
MATTE WHITE BOPP									
A 3.7 mil top coated matte white letterpress. Moisture, chemical ar		5		1	. 0	raphy, sc	reen, ai	nd	
100WP	00720	40SC	S8204960	227	С				
100WP	00747	50SC	S7604660	247	C				
100WP	00747	40SC	S7605960	229					
100WP	00751	40SC	S7206060	226	С				

VALUE THERMAL TRANSFER

A 42# (62 g/m²), top-coated thermal transfer sheet that offers high performance at a lower cost. Strength and opacity are comparable to conventional thermal transfer facers. Exceptional print quality, especially for flood coating. FSC®-certified paper.

VALTE	00720	40SC	S9216160	208	1 1	
VALTE	00757	40SC	S9244860	214		

Locations: GB - Green Bay, WI WIN - Winchester, VA KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269

July 13, 2025



er	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	Х С	ATL	P
HERMAL TRANSFE	ER							
LUE THERMAL TRANS	SFER							
	d, thermal transfer sheet that sfer facers. Exceptional prin	-				e compar	able to	
VALUT	00278	40SC	S8175760	200				
VALUT	00531	40SC	S9109660	212				
VALUT	00720	40SC	S7851360	210			1	1
VALUT	00720	12NB	S9178360	174	C			
VALUT	00751	40SC	S7841560	210	С		I	
VALUT	00751	40SC	S8278660	210	CI			
VALUT	00757	40SC	S9013660	213				1
VALUT	0758M	40SC	S7839660	210				1
VALUT	0758M 0758M	40SC 40SC	S8138960	338				
VALUT	0758M	17GL	S8777860	183	С			
IRECT THERMAL								
OP COATED DIRECT TH	IERMAL PAPER							
A 38# (56.2 g/m²) high sei	nsitivity, top coated direct th	ermal naner	This thinner ca	liner facer allows mo	re labels per roll	Ideal for h	hand-ann	lied

015E	от	00720	40SC	S9192179	249		
DIRECT	THERMAL PRESCRI	PTION VIAL LABEL					
	18# (71 g/m²), no phenols umidity. Vital drug inform				0	nitizers and lotions. Hold 0-certified paper.	s up in heat
021R	x	00751	40SC	S9174660	229		
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA		I - Inventor C - Custom TIP Iter	-

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer		Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN KC MIN	ATL	ΓA
DIRECT T	HERMAL								
RED FLUOR	ESCENT DIRECT T	HERMAL							
		thermal coated paper. FSC®-certified paper	-	ack. Intended for	r attention-grabbing	promotional poi	nt-of-purchase	e labels, o	or
022FT		00720	40SC	S9127860	234	T			
PREMIUM TO	P COATED TD								
A 53# (78 g	g/m ²) top coated direc	t thermal coated paper	for more o	demanding appli	cations and higher in	naging speeds.	FSC®-certifie	ed paper.	
022TD		00272	40SC	S7603560	230	1			
022TD		00275	41WK	S9156560	226	1			
022TD		00720	40SC	S6290060	234				
022TD		00747	40SC	S7552960	236	С			
022TD		0758M 0758M	40SC 40SC	S7657960	361	C			
A 53# (78 g	g/m ²) top coated direc	CT THERMAL PAPI t thermal paper. Resis v, shipping and wareho 00720	ant to moi			er resistance at	room temper	ature. Ide	al
	DATED DIRECT TH								
		tivity non-top coated di bils, fats or other simila				abels or applica	ations where t	he label is	5
024NT		00720	40SC	S9195479	220				
Locations: CB	Green Boy Wi	KC - Kansas City MC	ATI	Atlante CA			I Inventore		
Locations: GB - WIN	•	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA			I - Inventory C - Custom		
							TIP Item		
way bind the com	pany relative thereto. T	e at Green Bay, Wiscons hese prices are for promp ct at the time of sale shal	t shipment		-		-		



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN MIN ATL LA
DIRECT THERMAL					
ECONOMY TOP COATED DIRECT A 47# (70 g/m ²) top coated direct t			sture, oil and hea	at. Also has plastici:	zer resistance at room temperature. Ideal
for weigh scale labels, pharmacy, s	shipping and wareh	ousing appl	ications. FSC®-0	certified paper.	
025DT	00531	40SC	S8975760	221	
025DT	00633	40SC	S9176860	218	C
025DT	00720	40SC	S8975560	219	
025DT	00720	40SC	S9087260	222	C
025DT	00751	40SC	S8976560	226	
025DT	00757	40SC	S9018260	221	C

NON-TOP COATED DIRECT THERMAL PAPER

A 51# (75 g/m²) medium sensitivity non-top coated direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.

025NT	00531	40SC	S8274460	223	
025NT	00720	40SC	S8153252	224	C -
025NT	00720	40SC	S8153260	224	C
025NT	00757	40SC	S9232760	226	C
025NT	0758M	40SC	S8155352	226	C
025NT	0758M	40SC	S8155360	226	C



All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269

July 13, 2025



acer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	La Atl MIN
DIRECT THERMAL	Autosite	Enter	nom	MINIO		
.0 MIL SYNTHETIC MEDI	UM SENSITIVITY FILM					
	rmal film. Medium degree of for excellent ability to be re			lurability. Use when r	moisture and environr	nental resistance
070MK	00720	40SC	S4335060	208		
070MK	00747	40SC	S7600260	210	C	
070MK	00853	40SC	S5065060	204	C	
070MK	0776S	40SC	S9217360	201	C	
.3 MIL SYNTHETIC MEDI	UM SENSITIVITY FILM					
	rmal film. Top coated for dures for ease of dispensing. I		-			nental resistance
084MB	00278	40SC	S8872160	211	C	
084MB	00751	40SC	S8862460	221	C	
4.1 mil white BOPP film wi	ith direct thermal coating. To 00720	op coated fo 40SC	or durability. Mea	dium degree of sensi 237	tivity.	
00ED1/	00747	40SC	S7549860	240	С	
095RK						
SYNTHETIC MEDIUM SEN 4.1 mil white BOPP film wi	ISITIVITY FILM ith direct thermal coating. P ift tickets, baggage tags, pro		÷ .		Water and environme	ntal resistant. Use
SYNTHETIC MEDIUM SEN 4.1 mil white BOPP film wi	ith direct thermal coating. P		÷ .		6	ntal resistant. Use
EXAMPLE TIC MEDIUM SEN 4.1 mil white BOPP film wi for industrial labeling, ski li	ith direct thermal coating. P ift tickets, baggage tags, pro	oduct labels,	, and retail shelf	labeling.	6	
SYNTHETIC MEDIUM SEN 4.1 mil white BOPP film wi for industrial labeling, ski li 096RK	ith direct thermal coating. P ift tickets, baggage tags, pro 00504	oduct labels, 40SC	, and retail shelf S9194960	labeling. 231	6	
SYNTHETIC MEDIUM SEN 4.1 mil white BOPP film wi for industrial labeling, ski li 096RK	ith direct thermal coating. P ift tickets, baggage tags, pro 00504 00720 KC - Kansas City, MO	oduct labels, 40SC 40SC ATL -	, and retail shelf S9194960	labeling. 231	6	entory

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



IRECT THERMAL	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB WIN KC MIN ATL
P COATED VALUE DIRECT	THERMAL				
A 48# (71 g/m ²) top coated pap applications, cold storage, free					_
24VTB	00720	40SC	S9030960	221	
24VTB	00853	40SC	S9169560	223	
24VTB	00853	40SC	S9170460	220	
IRECT THERMAL (NO	PHENOLS ADD	ED)			
RECT THERMAL PRESCRIP	TION VIAL LABEL				
This 48# (71 g/m ²), no phenols and humidity. Vital drug information				-	nitizers and lotions. Holds up in heat 8-certified paper.
20RXE	00751	40SC	S9229660	229	
RECT THERMAL PRESCRIP	TION VIAL LABEL				
	added top costed pap	or rogista al	homicolo includio	a alaanara band aa	nitizora and lational Holda un in haat
This 48# (71 g/m ²), no phenols and humidity. Vital drug information					
and humidity. Vital drug information	ation remains legible un	ider most h	andling and stora	ge conditions. FSC	B-certified paper.
and humidity. Vital drug informa 021RX 021RX EAR IR PACKAGE DELIVER A 48# (70 g/m²), no phenols ad	ation remains legible un 00508 00751 Y DIRECT THERMAI Ided, direct thermal pap	40SC 40SC 40SC	andling and stora S9174760 S9174660 ed for handling du	ge conditions. FSC 229 229 Irability. Near IR de:	B-certified paper.
and humidity. Vital drug informa 021RX 021RX EAR IR PACKAGE DELIVER A 48# (70 g/m ²), no phenols ad	ation remains legible un 00508 00751 Y DIRECT THERMAI Ided, direct thermal pap	40SC 40SC 40SC	andling and stora S9174760 S9174660 ed for handling du	ge conditions. FSC 229 229 Irability. Near IR de:	B-certified paper.
and humidity. Vital drug informa 021RX 021RX EAR IR PACKAGE DELIVER A 48# (70 g/m²), no phenols ad scanning up to 670 nm. For hig 22PDE	ation remains legible un 00508 00751 Y DIRECT THERMAI Ided, direct thermal pap Ih-heat environments. F 00757	40SC 40SC - - er top-coate Resists imag 40SC	andling and stora S9174760 S9174660 ed for handling du ging up to 100°C.	229 229 rability. Near IR dea Moderate to fast pri	B-certified paper.
and humidity. Vital drug informa 021RX 021RX EAR IR PACKAGE DELIVER A 48# (70 g/m²), no phenols ad scanning up to 670 nm. For hig 22PDE	ation remains legible un 00508 00751 Y DIRECT THERMAI Ided, direct thermal pap Ih-heat environments. F 00757 ECT THERMAL PAP Ided, top coated direct t	40SC 40SC - er top-coat Resists imag 40SC ER	andling and stora S9174760 S9174660 ed for handling du ging up to 100°C. S9253852	ge conditions. FSC 229 229 rrability. Near IR de Moderate to fast pri 227	B-certified paper.
and humidity. Vital drug informa 021RX 021RX EAR IR PACKAGE DELIVER A 48# (70 g/m ²), no phenols ad scanning up to 670 nm. For hig 22PDE CONOMY TOP COATED DIR A 48# (72 g/m ²), no phenols ad	ation remains legible un 00508 00751 Y DIRECT THERMAI Ided, direct thermal pap Ih-heat environments. F 00757 ECT THERMAL PAP Ided, top coated direct t	40SC 40SC - er top-coat Resists imag 40SC ER	andling and stora S9174760 S9174660 ed for handling du ging up to 100°C. S9253852	ge conditions. FSC 229 229 rrability. Near IR de Moderate to fast pri 227	B-certified paper.

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



cer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	MIM	KC	MIN	ATL	A I
IRECT THERMAL	(NO PHENOLS ADI	DED)								
CONOMY TOP COATE	D DIRECT THERMAL PA	PER								
	ols added, top coated direct for weigh scale labels, pharr						er res	istan	ce at	
	00720		S9250760	217	eat. Also has	plastic	cizer re	esista	ince at	t
CONOMY TOP COATEL A 49# (72.5 g/m²), no ph		PER ect thermal pa	aper. Resistant te	o moisture, oil and h		•	cizer re	esista	ince at	t
CONOMY TOP COATEL A 49# (72.5 g/m²), no ph	D DIRECT THERMAL PA	PER ect thermal pa	aper. Resistant te	o moisture, oil and h		•	cizer re	esista	ince at	t
CONOMY TOP COATEL A 49# (72.5 g/m ²), no ph room temperature. Ideal	D DIRECT THERMAL PA enols added, top coated dire for weigh scale labels, pharr	PER ect thermal panacy, shippin	aper. Resistant t	o moisture, oil and h ing applications. FS		•	cizer re	esista	ince at	t

A 49# (73 g/m²), no phenols added, medium sensitivity non-top coated direct thermal paper designed for short duration labels or applications where the label is not exposed to solvents, water, oils, fats or other similar materials. FSC®-certified paper.

25NTE	00633	40SC	S9252560	222	
25NTE	00720	40SC	S9239960	224	
25NTE	00757	40SC	S9247560	226	

Locations: GB - Green Bay, WI WIN - Winchester, VA KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIM	KC	MIN	ATL	P
INK JET / LASER										

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

50# LASER JET WITH 100% PCW

A 50# (74 g/m²) multi-purpose facer for laser and inkjet printing. Produced with 100% post-consumer waste. Has a bright, white color, so it is attractive while helping the environment. FSC® certified.

R51LJ	00757	0PBLF	S9241660	254	C

SUPER BRIGHT LASER JET

51# (75 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for both laser and ink jet printing. FSC®-certified paper.

050LJ	00720	0PBLF	S8214960	250	
050LJ	00751	0PBLF	S8218060	255	
050LJ	00757	0PBLF	S9207460	254	
050LJ	0758M	32KLF	S8048560	239	C
050LJ	0758M	0PBLF	S8165060	253	
050LJ	0758M	41LF	S8238360	233	C
050LJ	0758M	53CRT	S9184660	261	C

BLUE FLUORESCENT

57# (84 g/m²) blue matte fluorescent coated paper. Designed for laser, price marking, promotional and general roll label applications. Unique color makes labels stand out. Offers another option when using color coded labels. FSC®-certified paper.

054B	Z	00720	40SC	S8122860	239	С		
Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL -	Atlanta, GA			I - Inventory	
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - L	os Angeles, CA			C - Custom TIP Item	
	d LASER products are reco stomer accepts responsibili			nimize core relate	d curl. Layflat is a	affected by small		
way bind the	ken subject to final acceptar e company relative thereto. rms and Conditions as in eff	These prices are for promp	t shipment a					



_				Approx Wgt/	GB WIN MIN MIN ATL LA
	Adhesive	Liner	ltem	MMSI	
INK JET / LASER					
Re	commendations fo	r Storage	and Handli	ng of Layflat Lab	el Material
degrees Fahrenheit (16 and 27 * The material should be allowed * Keep rolls off of concrete floors * Rotate your stock. Use oldest * Avoid long-term storage. For b	degrees Celsius) and d to acclimate to your factor s and away from any oth inventory first. Dest results, material sho are recommended on 6	the relative I cility's enviro ner sources o puld be utiliz	humidity is betwo net a condi of moisture cor red by the end-	ween 40% and 60%. tions for three days be ntamination. user within six months	
GREEN FLUORESCENT					
57# (84 g/m²) green matte fluc paper.	prescent coated paper. D	Designed for	laser, price ma	arking and general roll	label applications. FSC®-certified
054GZ	0758M	0PBLF	S8189860	262	
ORANGE FLUORESCENT					
57# (84 g/m²) orange matte flu paper.	lorescent coated paper.	Designed fo	or laser, price m	narking and general ro	II label applications. FSC®-certified
054OZ	0758M	0PBLF	S8190060	262	
PINK FLUORESCENT					
57# (84 g/m ²) pink matte fluore	escent coated paper. De	signed for la	aser, price mar	king and general roll la	abel applications. FSC®-certified paper.
054PZ	0758M	0PBLF	S8190160	262	
RED FLUORESCENT					
57# (84 g/m ²) red matte fluore	scent coated paper. Des	signed for la	ser, price mark	ing and general roll lat	bel applications. FSC®-certified paper.
054RZ	0758M	0PBLF	S8190260	262	
YELLOW CHARTREUSE FLU					
57# (84 g/m ²) yellow chartreus FSC®-certified paper.		ted paper. D	esigned for las	er, price marking and	general roll label applications.
054YZ	0758M	0PBLF	S8189960	262	
Locations: GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA		I - Inventory C - Custom
	• *		-		TIP Item
INK JET and LASER products are recorded cores. Customer accepts responsible			nimize core rela	teu curi. Layflat is affec	Red by Small
All orders taken subject to final accepta	-	-		-	
way bind the company relative thereto. standard Terms and Conditions as in e			ind are subject to	change without notice.	Green Bay Packaging's
	CAN'T FII	ND IT ?	CALL 1	-800-445-4269	9
FAX ORDERS 1-800-705-011	11	July '	13, 2025		Page 53



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	NIM	KC	MIN	ATL	P
INK JET / LASER										

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

60# MATTE-COATED INK JET

A 60# (88 g/m²) matte-coated, acid-free, inkjet sheet with an exceptionally bright, blue-white shade. It provides high resolution imaging, and excellent smear and water resistance. It is compatible with a broad array of inkjet printers. FSC®-certified.

07INK	00720	40SC	S9206460	248	
07INK	00751	40SC	S9205860	252	C
07INK			S9206260	125	C

59# GLOSS INKJET PAPER

A 59# (87 g/m²) high gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. Not recommended for flexo printing. FSC®-certified.

1GINK	00720	0PBLF	S8264660	283	C
1GINK	00720	40SC	S8721460	261	
1GINK	00751	40SC	S8714360	258	C
1GINK	0758M	41LF	S8718860	259	C

65# SEMI-GLOSS INKJET PAPER

A 65# (97 g/m²) semi gloss inkjet paper. Offers high resolution imaging and is perfect for photorealistic prints. Is universally compatible with dye inks and printable with a range of pigment inks. FSC®-certified.

SG2	NK	0720M	40SC	S9189560	329	1		
Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL -	Atlanta, GA			I - Inventory	
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - L	os Angeles, CA			C - Custom TIP Item	
	d LASER products are reco stomer accepts responsibili			nimize core relate	d curl. Layflat is affected b	y small		
All orders ta	ken subject to final acceptar	nce at Green Bay, Wisconsi	in, and no ag	gent or representat	ive has authority to accept a	ny order o	or in any	
way bind the	e company relative thereto.	These prices are for promp	t shipment a	and are subject to c	hange without notice. Gree	n Bay Pao	ckaqing's	
standard Te	rms and Conditions as in eff	ect at the time of sale shall	control.	,	0	,	5 5	
				CALL 1-8	800-445-4269			



Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	NIM	KC	MIN	ATL	Р
INK JET / LASER										

Recommendations for Storage and Handling of Layflat Label Material

- * Good layflat performance can be expected when label stock is converted in an environment where the temperature range is between 60 and 80 degrees Fahrenheit (16 and 27 degrees Celsius) and the relative humidity is between 40% and 60%.
- * The material should be allowed to acclimate to your facility's environmental conditions for three days before it is converted.
- * Keep rolls off of concrete floors and away from any other sources of moisture contamination.
- * Rotate your stock. Use oldest inventory first.
- * Avoid long-term storage. For best results, material should be utilized by the end-user within six months of manufacture.
- * INK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.

3.4 MIL MATTE WHITE INK JET BOPP

A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.

34WIJ	00720	40SC	S9177960	201	

47# FSC®-CERTIFIED SUPER BRIGHT LASER JET

47# (70 g/m²) Exceptionally bright, uncoated, multi-purpose sheet for laser and ink jet printing. Lighter weight for shipping savings. Thinner caliper for space savings and reduced packaging. Offers the option of more labels on a roll. FSC®-certified.

F47LJ	00757	41LF	S9077660	226	CI
F47LJ	0758M	41LF	S9171560	226	
F47LJ	0758M	0PBLF	S9172060	248	

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA		I - Inventory				
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA		C - Custom TIP Item				
	NK JET and LASER products are recommended on 6 inch O.D. cores to minimize core related curl. Layflat is affected by small cores. Customer accepts responsibility of curl if taken on 3 inch cores.								
All orders tal	ken subject to final acceptan	ice at Green Bay, Wisconsin, a	nd no agent or representative has au	thority to accept any order o	r in any				
way bind the	vay bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's								
standard Terms and Conditions as in effect at the time of sale shall control.									
		CAN'T FIND	IT? CALL 1-800-44	45-4269					



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIM	KC	MIM	ATL	ΓA
FILMS: POLYPROPYLENES	(CLEAR)									
1.85 MIL CLEAR TOP COATED BO	PP									
1.85 mil clear top-coated BOPP is co savings. Ultra clear for a no-label loo				, ,		source	e and	shippi	ng	
018CT	00720	40SC	S9064560	181	1	I.				
018CT	00751	40SC	S9092760	185		I				
018CT	00960	12NB	S9202560	144	1					
018CT	00960	40SC	S9213560	181						
018CT	00960	39NK	S9221960	180						
018CT	0720M	40SC	S9090660	181						
018CT	0776S	40SC	S9095260	178	1					
018CT	0776S	12NB	S9106460	144	C					
018CT	0976S	40SC	S9213860	176						
018CT	0976S	12NB	S9226660	143						

Locations: GB - Green Bay, WI WIN - Winchester, VA KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269

July 13, 2025



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	MIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES	(CLEAR)									
2.0 MIL CLEAR TOP COATED BOPP										
2.0 mil clear top-coated BOPP offers e no-label look. Perfect for health and be				·		nping	g. Ultra	a clea	r for a	
020CL	00103	40SC	S8763760	187	C					
020CL	00103	15PT	S8779560	165	С					
020CL	00720	40SC	S8766360	187	С					
020CL	00751	40SC	S8782260	191	C			I		
020CL	00751	12NB	S8838960	154	С					
020CL	00960	40SC	S9221160	187	1	I		I		
020CL	00960	12NB	S9222060	150	1					
020CL	0720M	40SC	S8997360	187	С					

2.2 MIL FLEXICLEAR™ TC CONFORMABLE BOPP

A 2.2 mil top coated clear BOPP offering full wall-to-wall squeeze conformability. Glossy look with a superior print receptive top coating for excellent ink adhesion and print quality. FlexiClear™ is a Trademark of Green Bay Packaging Inc.

022FC	00751	12NB	S8836560	160	C

3.6 MIL CLEAR TC BOPP

A 3.6 mil clear BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.

036CG	00347	50SC	S6883060	269	
036CG	00347	74LF	S9127360	316	

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



cer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB WIN WIN KC KC ATL ATL
ILMS: POLYPROPYLEN	ES (WHITE)				
2 MIL FLEXIWHITE™ TC CON	FORMABLE BOP	P			
A 2.2 mil top coated white BOPP excellent ink adhesion and print of	-				uperior print receptive top coating for
022FW	00751	40SC	S8103360	198	
022FW	00751	12NB	S8840360	164	C
3 MIL TOP COATED WHITE B	OPP				
A 2.3 mil white top coated BOPP flexo ink systems. High stiffness			-		y using UV curing inks or water based ing.
023WB	00633	12NB	S8167160	169	C
023WP	00103	12NB	S7895760	169	C
023WP	00103	40SC	S7000060	202	C
023WP	00720	40SC	S7630960	202	
023WP	00751	40SC	S7722460	207	C
023WP	00751	12NB	S8823860	170	C
023WP	00950	40SC	S9221260	202	
3 MIL WHITE TOP-COATED B	OPP				
2.3 mil solid white top-coated BO opacity. Backside treated for adh					
023WT	00950	40SC	S9221560	202	C
	0720M	40SC	S9133560	202	
023WT					
023WT					

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Coated Products Operations

BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	NIM	MIN	ATL	ΓA
FILMS: POLYPROPYLENES	(WHITE)								
2.4 MIL TOP COATED WHITE LABE	EL-LYTE™								
A 2.4 mil glossy white BOPP top coa water based flexo ink systems. Labe					compatibility	v with L	JV curing	g inks :	and
024TL	00720	40SC	S8773560	188					
024TL	00747	40SC	S8779660	190	С				
024TL	00751	40SC	S8787060	186					
024TL	00751	12NB	S8832660	153					
024TL	00950	92NB	S9215060	135	С				
024TL	00950	40SC	S9221060	185					
024TL	00950	12NB	S9222260	148	С				
024TL	0720M	40SC	S9042760	190	С				
024TL	0776S	40SC	S9070160	182	С				
024TL	0776S	12NB	S9070260	148	С				

Locations: GB - Green Bay, WI WIN - Winchester, VA KC - Kansas City, MO MIN - Minneapolis, MN ATL - Atlanta, GA LA - Los Angeles, CA I - Inventory C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT ? CALL 1-800-445-4269

July 13, 2025



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIM	К	MIN	ATL	Γ
FILMS: POLYPROPYLENES	(WHITE)									
2.6 MIL TOP COATED WHITE LABEL	-LYTE™									
A 2.6 mil glossy white BOPP top coate- water based flexo ink systems. Label-L					compatibili	ty wit	h UV	curing	inks	and
026TL	00103	40SC	S6174060	190	С					
026TL	00633	40SC	S8123660	189	С					
026TL	00720	40SC	S6173060	190	1					
026TL	00747	40SC	S7600560	195						
026TL	00751	40SC	S5384060	191	1	I.				
026TL	00751	12NB	S8825660	158	С					
026TL	00950	40SC	S9215460	190	С		I			1
026TL	00950	12NB	S9222160	153	С					
026TL			S6397560	70	С					

3.6 MIL WHITE TC BOPP

A 3.6 mil white BOPP film. UV resistance and top coating suitable for UV screen, UV flexo and waterbased inks. Can be used for window graphics, or other applications where a more substantial film is needed.

036WG	00347	50SC	S6888060	278	
036WG	00347	74LF	S9157660	325	

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Coated Products Operations

BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC MIN ATL LA
1)PP ompatible with wate			, ,	Thinner for resource and shipping savings. Ind beauty aid, household care, and
beverage labeling.	00950	12NB	S9242860	141	
24WCB	00950	40SC	S9242960	178	
24WCB	0720M	40SC	S9256960	179	
24WCB	0720M	12NB	S9257060	145	
24WCB	0976S	40SC	S9273260	175	
24WCB	0976S	12NB	S9273360	140	

2.4 MIL WHITE TOP-COATED BOPP

2.4 mil white top-coated BOPP. It is compatible with water-based and UV flexo, and UV inkjet presses. Thinner for resource and shipping savings. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling.

24WCT	00720	40SC	S9134360	180	
24WCT	00751	12NB	S9121060	148	
24WCT	00751	40SC	S9123660	182	
24WCT	00950	40SC	S9215260	181	
24WCT	00950	12NB	S9221460	143	
24WCT	0720M	40SC	S9119160	182	
24WCT	0776S	40SC	S9120460	177	

Locations:	GB - Green Bay, WI	KC - Kansas City, MO	ATL - Atlanta, GA	I - Inventory
	WIN - Winchester, VA	MIN - Minneapolis, MN	LA - Los Angeles, CA	C - Custom
				TIP Item

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.

CALL 1-800-445-4269 CAN'T FIND IT?

July 13, 2025



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN MIN ATL LA	
FILMS: POLYPROPYLENES	S (WHITE)					
2.6 Mil WHITE TOP-COATED BOP	P					
2.6 mil white top-coated BOPP. Cor Glossy look. Perfect for prime label				, ,	ackside coated for adhesive anchorage. e labeling.	
26WCB	00950	12NB	S9243060	155		
26WCB	00950	40SC	S9243160	192		
26WCB	0720M	40SC	S9259160	194		
26WCB	0720M	12NB	S9259760	160		
2.6 MIL WHITE TOP-COATED BOP	P					

2.6 mil white top-coated BOPP. It is compatible with water-based and UV flexo, and UV inkjet presses. Glossy look. Perfect for health and beauty aid, household care, and beverage labeling.

26WCT	00103	40SC	S9123160	185	C
26WCT	00720	40SC	S9121160	184	
26WCT	00747	40SC	S9123260	189	C
26WCT	00751	40SC	S9021560	186	
26WCT	00950	40SC	S9215360	185	
26WCT	00950	12NB	S9222360	148	
26WCT			S9120660	65	C

3.4 MIL MATTE WHITE INKJET BOPP

A 3.4 mil white matte BOPP that is a multi-purpose film for both water-based and pigment ink jet printing. Quick drying on press. The smooth surface allows graphics to really stand out on both black and white, and color printers. Good moisture resistance.



All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.





Facer	Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	MIM	MIN KC	ATL	LA
FILMS: POLYPROPY	LENES (VARIABLE	E IMAGI	NG)						
2.6 MIL THERMAL TRANSF	ER WHITE LABEL-LYT	E™							
2.6 mil White Label-Lyte BC			-		tions where m	oisture	resista	nce, or	
long-term performance, is re	equired. Laber-Lyte is a tra-	uemark of c	nndai fiims Ame	nca.					
026TT	00747	40SC	S8773660	192					
THERMAL TRANSFER WHI	ITE LABEL-LYTE™								
White Label-Lyte BOPP with	h a thermal transfer top coa	at. Label-Ly	rte is a Trademar	rk of Jindal Films Arr	ierica.				
030TT	00747	40SC	S5213060	199	С				
3.0 MIL SYNTHETIC MEDIU			-						
A 3.0 mil BOPP direct thern are important. Dark image f	<u> </u>			urability. Use when	moisture and	environ	mental	resistai	ice
070MK	00720	40SC	S4335060	208					
070MK	00747	40SC	S7600260	210	C				
070MK	00853	40SC	S5065060	204	С				
070MK	0776S	40SC	S9217360	201	С				
	BOPP								
3.0 MIL TC ΜΔΤΤΕ WHITE I			he used with the	rmal transfer flevog					
A 3.0 mil top coated matte	white BOPP. A synthetic pa	aper, it can	be used with the	ппагнапыет, пеход	raphy, screen,	letterp	ress, a	nd othe	ſ
	white BOPP. A synthetic pa	aper, it can	be used with the	innai transier, nexog	raphy, screen	letterp	oress, a	nd othe	r
A 3.0 mil top coated matte	white BOPP. A synthetic pa 00747	aper, it can l 40SC	S8149152	214	raphy, screen.	letterp	oress, a	nd othe	r
print 075WP	00747			-	_	letterp	press, a	nd othe	r
A 3.0 mil top coated matter print 075WP 3.3 MIL SYNTHETIC MEDIU	00747	40SC	S8149152	214	C				
A 3.0 mil top coated matte v print 075WP	00747 JM SENSITIVITY FILM nal film. Top coated for dur	40SC	S8149152	214 ensitivity. Use when	C moisture and				
A 3.0 mil top coated matter print 075WP 3.3 MIL SYNTHETIC MEDIU A 3.3 mil BOPP direct them	00747 JM SENSITIVITY FILM nal film. Top coated for dur	40SC	S8149152	214 ensitivity. Use when	C moisture and				
A 3.0 mil top coated matter print 075WP 3.3 MIL SYNTHETIC MEDIU A 3.3 mil BOPP direct therm are important. Good stiffnes	00747 UM SENSITIVITY FILM nal film. Top coated for dur ss for ease of dispensing. D 00278	40SC ability. Med Dark image 40SC	S8149152 lium degree of se for excellent abil	214 ensitivity. Use when i ity to be read and so 211	C moisture and anned.				
A 3.0 mil top coated matter print 075WP 3.3 MIL SYNTHETIC MEDIU A 3.3 mil BOPP direct therm are important. Good stiffnes 084MB	00747 IM SENSITIVITY FILM nal film. Top coated for dur ss for ease of dispensing. E	40SC ability. Med Dark image	S8149152 lium degree of se for excellent abil S8872160	214 ensitivity. Use when ity to be read and so	C moisture and anned. C				
A 3.0 mil top coated matter print 075WP 3.3 MIL SYNTHETIC MEDIU A 3.3 mil BOPP direct therm are important. Good stiffnes 084MB	00747 UM SENSITIVITY FILM nal film. Top coated for dur ss for ease of dispensing. D 00278	40SC ability. Med Dark image 40SC	S8149152 lium degree of se for excellent abil S8872160	214 ensitivity. Use when i ity to be read and so 211	C moisture and anned. C				
A 3.0 mil top coated matter print 075WP 3.3 MIL SYNTHETIC MEDIU A 3.3 mil BOPP direct therm are important. Good stiffnes 084MB	00747 UM SENSITIVITY FILM nal film. Top coated for dur ss for ease of dispensing. D 00278	40SC ability. Med Dark image 40SC 40SC	S8149152 lium degree of se for excellent abil S8872160	214 ensitivity. Use when i ity to be read and so 211	C moisture and anned. C	environ			

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	Ř	MIN	ATL	LA
FILMS: POLYPROPY	LENES (VARIABLI	E IMAGI	NG)						
SYNTHETIC MEDIUM SENS	SITIVITY FILM								
4.1 mil white BOPP film wit	h direct thermal coating. To	op coated fo	or durability. Mec	lium degree of sensiti	vity.				
095RK	00720	40SC	S4101060	237				1	
095RK	00747	40SC	S7549860	240	C				
TOP COATED KIMDURA®	FPG 95								
A 4.2 mil (92 g/m²) Kimdura Trademark of Neenah Pape	® BOPP specially top coa			matrix, ion deposition	and digital printi	ng. Re	gistere	∍d	
095TK	00506	40SC	S3252060	256	1				
095TK	00506	50SC	S3256060	272	C				
095TK	00538	50SC	S3286060	272					
095TK	00751	50SC	S5391060	273					
SYNTHETIC MEDIUM SENS									
4.1 mil white BOPP film with direct thermal coating. Produces a dark image. Top coated for durability. Water and environmental resistant. Use for industrial labeling, ski lift tickets, baggage tags, product labels, and retail shelf labeling.									

096RK	00504	40SC	S9194960	231	C
096RK	00720	40SC	S9177360	225	



All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC MIN ATL LA			
FILMS: POLYPROPYLENES	(VARIABL	e imagin	NG)					
A 3.7 mil top coated matte white BOF and other demanding applications.	PP. UV resistant	. For use with	thermal transf	er and other print met	thods. Consider for drum label, outdoor			
100WP	00720	40SC	S8204960	227	C			
100WP	00747	50SC	S7604660	247	C			
100WP	00747	40SC	S7605960	229				
100WP	00751	40SC	S7206060	226	C			
FILMS: POLYPROPYLENES (METALIZED)								

1.85 MIL SILVER METALIZED BOPP

1.85 mil clear BOPP metalized on the back for durability. Top coated for print compatibility with water-based and UV flexo, and UV inkjet. Great stiffness for automatic application. Ideal for bright label graphics that will catch the eye of the consumer.

018MT	00720	40SC	S9036760	181	I			
018MT	00751	40SC	S9137460	182				
018MT	00960	12NB	S9210460	144				I
018MT	00960	40SC	S9221660	181		I		I.
018MT	0976S	12NB	S9210860	143				
018MT	0976S	40SC	S9240660	178				



All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	MIN	KC	MIN	ATL	LA
FILMS: POLYPROPYLENES	(METALIZE	-				Ť.				
2.0 MIL SILVER METALIZED BOPP										
A 2.0 mil BOPP metalized on the bac	k side for a shiny	v silver appe	earance. Top co	ated for printability with	a wide ran	ge of i	ink sys	stems	ò.	
021MU	00720	40SC	S8031460	186	1	I				
021MU	00751	40SC	S7345060	191	С					
021MU	00960	40SC	S9221860	187	С					
FILMS: POLYSTYRENES										
1.5 MIL CLEAR POLYSTYRENE										
A 1.5 mil corona treated clear polysty	rene. Perfect for	use as a ba	ase for peel-off of	coupons and booklets.						
015PN	00720	40SC	S8175860	177	С					
2.0 MIL CLEAR POLYSTYRENE										
A 2.0 mil corona treated clear polysty	rene. Stiffness a	llows easy	converting and	dispensing.						
020PN	00103	50SC	S6679060	217	С					
2.5 MIL CLEAR POLYSTYRENE	rono Ctiffnoon c		converting and	dianonaina Croat far u		iling t	ab			
A 2.5 mil corona treated clear polysty 025PN	00515	50SC	S8131852	235	ise as a ma	unng ta	ap.			
									_	_
2.5 MIL WHITE POLYSTYRENE A 2.5 mil matte white polystyrene. Co primary labels, or as a base for coupo			k adhesion. Sti	ffness allows easy conv	verting and	dispe	nsing.	Use	for	
25PSW	00506	40SC	S8263960	231	C					
•	Kansas City, MO - Minneapolis, MN		Atlanta, GA os Angeles, CA			C - (nventor Custom TIP Iter	-		

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	MIM	KC	MIN	AIL	LA
FILMS: POLYESTERS										
2 MIL CLEAR TOP COATED POLYES	STER									
A very clear, top coated polyester film.	Top coating allo	ows for prin	ting with most st	andard flexo and UV lett	erpress ir	nks.				
020MY	00103	50SC	S7855152	242	C					
2.0 MIL VALUE WHITE POLYESTER										
A matte, white polyester film, top-coate durable applications – resistant to heat				k adhesion, and thermal	transfer p	orinting	g. Desi	igned f	or	
2VWPT	00406	50SC	S8089560	233	1					
FILMS: CLEAR SPECIALTY										
2 MIL CLEAR ACETATE										
A 2.0 mil clear acetate film with good c applications. Meets the ASTM D6400 of			ompostable. Ha	s relatively low tear resis	tance and	d is go	ood for	tampe	rproc	of
020AC	00506	50SC	S1106052	234	1					
FILMS: WHITE SPECIALTY										
TYVEK® DuPont [™] Tyvek® (1073D) is a 7.5 mil DuPont [™] and Tyvek® are trademarks trademarks of E.I. du Pont de Nemours	or registered		lefin with except	ional strength and moist	ure resista	ance.				
046TV	00103	40SC	S6881052	230	I.					
046TV			S4354052	106	C					
-	ansas City, MO Minneapolis, MN		Atlanta, GA .os Angeles, CA			C - 0	nventory Custom TIP Item			

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



Facer	Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	NIM	KC	MIN	ATL	P	
HOT MELT PRODUCTS											

054SG/767HM/12PE-DES

54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper. 767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Clear 1.2 mil polyester liner with an excellent surface for die-cutting. Great strength for high-speed converting and application.

---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

St	9230452	199	I		

054SG/767HM/40SC-DES

54# C1S bright blue-white semi-gloss. High strength property makes it ideal for wide web high-speed stripping and die-cutting. FSC®-certified paper.767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control.

---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

S9230352	233	Т			

24WCT/767HM/40SC-DES

2.4 mil white top-coated BOPP compatible with water-based, UV flexo, and UV inkjet presses. Thinner for resource and shipping savings.767HM is a versatile hot melt adhesive with quick tack. It stands up to moisture and adheres securely to low-energy and textured surfaces. Liner is a white densified kraft sheet 41# (67 g/m2) with excellent point-to-point caliper control.

---Dry Edge Solutions---stocked in 13" standard width. Features 1/8" dry (adhesive-free) outer edge specifically designed to minimize ooze and maximize productivity on press. Rolls are offered in 5,000 ft lengths at quantities of 780 MSI per roll.

		S9230552	180	
26WCT / 767HM / 12PE				
0,	1		1	uick tack and stands up to moisture. eed converting and application.
		S9167360	154	
	1/0_1/(I - Inventory
Locations: GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN	ATL - Atlanta, GA LA - Los Angeles, CA		C - Custom

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



acer		Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB	WIN KC MIN ATL	Γ
	IELT PRODUCTS							
WPET	/ 254HM / 40SC							
hard-	to-stick-to substrates suc	our most aggressive hot r ch as rough textures, cont ase of converting and stor	aminated su					This
				SC514600	318	С		
VBOP	P / 254HMHCW / 40S0	 D						
other		ombined with our most age es such as rough textures ting and storage.						
				SC509600	286	С		
NBOP	P / 298HMHCW / 40S0	 C						
for ou	utdoor markings of monito	face stock with an aggres ored crops. Also works we for ease of converting and	ell on rough					
				SC503900	232	С		
WBOP	P / 298HMHCW / 78LF							
outdo	oor markings of monitored	face stock with an aggres d crops. Also works well o ase of converting and stor	on rough sur					
				SC503500	318	С		
)ML / 2	254HMHCW / 40SC							
	to-stick-to substrates suc	bined with our most aggree ch as rough textures, cont						her
	ge				338	C		
hard-	ge			SC514700	000	J		
hard-	ge			SC514700				
hard-	ge			SC514700				
hard-	ge			SC514700				

standard Terms and Conditions as in effect at the time of sale shall control.



Facer		Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC MIN ATL LA
	MELT PRODUCTS		Liner	item	MINISI	
	298HMHCWT / 40SC					
A 60 outdo	# matte litho paper combir					thesive is approved by the USDA for is structure has a dry edge for ease of
				SC512200	284	C
PATT		5				
1MBSC	PP15PET2UPW102					
adhe						ons across the web. The pattern provides nt release provides consumer-friendly peel
				SC510300	162	C
3-up provi		long the long edges, whi				pons across the web. The pattern Consistent release provides
00113				SC501300	162	C
4-up provi		long the long edges, whi				pons across the web. The pattern Consistent release provides
				SC510400	162	C
	PP15PET4UPW102	il PET liner. Adhesive is	natterned tr	o create four c	redit card size coup	ons across the web. The pattern provides
adhe						nt release provides consumer-friendly peel
				SC510200	162	C
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA		I - Inventory C - Custom TIP Item
way bind t	taken subject to final acceptar he company relative thereto. erms and Conditions as in eff		shipment and		-	



Facer		Adhesive	Liner	Item	Approx Wgt/ MMSI	GB	WIN KC	MIN ATL	LA
PATT	ERNED COUPONS	6							
1MBSCI	PP15PET6UPN102								
provid	coupon base with a 1.4 m des adhesive-free areas a umer-friendly peel and no	long the long edges, whi							
				SC510100	162	C			
1MBSC	PP40SC2UPW853								
adhe	coupon base with a 40# S sive-free areas along the no pre-dispensing issues.								
				SC510800	186	C			
1MBSCI	PP40SC3UPN853								
adhe	coupon base with a 40# S sive-free areas along the l no pre-dispensing issues.								
				SC510900	186	C			
1MBSC	PP40SC4UPN853								
adhe	coupon base with a 40# S sive-free areas along the l to pre-dispensing issues.								
				SC511000	186	C			
1MBSCF	PP40SC4UPW853								
adhe	coupon base with a 40# S sive-free areas along the s no pre-dispensing issues.								
				SC502600	186	С			
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA			I - Inventor C - Custom TIP Iter		
	aken subject to final acceptar ne company relative thereto.	-	-		-		-		

standard Terms and Conditions as in effect at the time of sale shall control.



Facer		Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC MIN ATL LA
PATTE	RNED COUPON	S				
1MBSCPF	P40SCUNIV					
						upon sizes across the web. The c. Custom web widths up to 30".
				SC502700	186	C
DURAB	SLE TAGS					
TAMPERI	PROOF ECONOMY					
		er laminated on both sides oses, such as price tags f			n. This durable mate	rial is designed for tags that need to be
				SC501700	378	C
INTEGR		TS				
30LFL						
A 30# I		making integrated labels ade for the width you nee		printer applies	its own adhesive to t	the back of the form. Flexo and laser
				SC503700	69	C
40SC / 75	7 / 41LF					
such as		abels for e-commerce, me		-		he creation of integrated labels in forms ig in warehouses, and labels included in
				SC515600	215	C
40SC / 76	7HM / 40SC					
labels i	n forms such as, shippi		-commerce	e, medical form	-	ack patch in the creation of integrated product tracking in warehouses, and
				SC509200	229	C
	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA os Angeles, CA		I - Inventory C - Custom TIP Item
All orders tak	ten subject to final accepta	nce at Green Bay, Wisconsin	, and no age	ent or representat	ive has authority to acc	ept any order or in any

way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.


BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

Facer		Adhesive	Liner	ltem	Approx Wgt/ MMSI	GB WIN KC MIN ATL LA
INTEGRATED I	PRODUCT	S				
		e with 4 inch patterned in the card is removed			lm / Break Away C	coating / 2.0 mil PET Film / 515 Permanent
				SC504300	340	C
		e with 7.75 inch patter r Liner. When the card				y Coating / 2.0 mil PET Film / 515
				SC511100	340	C
		e with full gum adhesiv r Liner. When the card				Away Coating / 2.0 mil PET Film / 515
				SC504200	340	C
		I inch patterned adhes ent Adhesive / 40# Pa				ear PET Film / Break Away Coating / 2.0 er window remains.
		-				0 mil Clear PET Film / Break Away Coating paper window remains.
				SC506100	401	C
PIGGYBACKS						
PREMIUM TOP CO	ATED TD					
A 54# (79 g/m²) to	p coated direct	thermal coated paper	for more of	demanding appli	cations and higher	imaging speeds.
022TD		0758M 0758M	40SC 40SC	S7657960	361	C
Locations: GB - Green WIN - Winch	-	KC - Kansas City, MO MIN - Minneapolis, MN		- Atlanta, GA Los Angeles, CA		I - Inventory C - Custom TIP Item
All orders taken subject to	-	-	-		-	ccept any order or in any

way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

				Approx Wgt/	Ш	MIN	KC	2 2	LA
Facer	Adhesive	Liner	ltem	MMSI	GB	\geq	X	ATL	L
PIGGYBACKS									
50# EDP SMUDGE RESISTANT									
A 50# (74 g/m²) general purpose une FSC®-certified paper.	coated paper. Brig	ht white wit	h excellent smu	dge resistance. Desigi	ned for high	perforr	mance.		
050ED	0758M 0758M	40SC 40SC	S7725060	356	С				
54# SEMI-GLOSS									
54# (78 g/m ²) C1S bright blue-white Smooth surface provides excellent p				-		ping ai	nd die-c	utting.	
054SG	00515 00515	12NB 40SC	S9075360	319					
054SG	0758M 0758M	40SC 50SC	S7686660	375	С				
054SG	0758M 0758M	40SC 40SC	S8027060	355					
60# (89 g/m²) high quality, dull finish FSC®-certified paper. 061DL	0758M 0758M	40SC 40SC	S8719060	377					
VALUE THERMAL TRANSFER									
A 42# (62 g/m ²) top-coated, thermal conventional thermal transfer facers		-		-		ty are o	compara	able to	
VALUT	0758M 0758M	40SC 40SC	S8138960	338					
	- Kansas City, MO - Minneapolis, MN		Atlanta, GA os Angeles, CA			C - C	iventory ustom TP Item		

All orders taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. Green Bay Packaging's standard Terms and Conditions as in effect at the time of sale shall control.



BIG ENOUGH TO SERVE YOU, SMALL ENOUGH TO KNOW YOU

					Approx Wgt/	GB	WIN KC	MIN	ΓA
Facer		Adhesive	Liner	ltem	MMSI		>		
HOIN	IELT DRY EDGE \$	SOLUTIONS							
54# C paper surfac Edge	67HM/12PE-DES C1S bright blue-white sem r. 767HM is a versatile hot ces. Clear 1.2 mil polyeste Solutionsstocked in 13' mize productivity on press	t melt adhesive with quid er liner with an excellent " standard width. Featur	ck tack. It sta surface for (es 1/8" dry (ands up to mo die-cutting. Gr adhesive-free	isture and adheres sec eat strength for high-sp) outer edge specificall	urely to low-e	energy and ng and ap	l textured plication	
				S9230452	199	1			
054SG/7	67HM/40SC-DES								
paper surfac stand	C1S bright blue-white sem r.767HM is a versatile hot ces. Liner is a white densi lard width. Features 1/8" d ffered in 5,000 ft lengths a	melt adhesive with quic fied kraft sheet 41# (67 Iry (adhesive-free) outer	k tack. It sta g/m2) with e edge specif	nds up to mois excellent point-	sture and adheres secuto-point caliper control	urely to low-e Dry Edge	nergy and Solutions-	textured stocked	in 13"
				S9230352	233	1			
savin surfac stand	il white top-coated BOPP gs.767HM is a versatile ho ces. Liner is a white densi lard width. Features 1/8" d ffered in 5,000 ft lengths a	ot melt adhesive with qu fied kraft sheet 41# (67 Iry (adhesive-free) outer	ick tack. It s g/m2) with e edge specif	tands up to m excellent point	oisture and adheres se to-point caliper control	curely to low	-energy an Solutions-	d textured	in 13"
Locations:	GB - Green Bay, WI WIN - Winchester, VA	KC - Kansas City, MO MIN - Minneapolis, MN		Atlanta, GA Is Angeles, CA			I - Invento C - Custom TIP Ite	1	
way bind th	aken subject to final acceptan ne company relative thereto. erms and Conditions as in effe	These prices are for prompt	shipment and	-		-	-		

CAN'T FIND IT ? CALL 1-800-445-4269

July 12, 2025





WHITE PAPERS - HIGH-GLOSS Splice Description GB WIN MIN Structure Item # KC ATL LA Free 57# CAST COATED HI GLOSS \checkmark \checkmark \checkmark 057HG / 720 / 40SC S7824560 \checkmark No 720 ALL TEMP ADHESIVE 57# CAST COATED HI GLOSS 057HG / 751 / 40SC S8060260 \checkmark No 751 PERMANENT ADHESIVE (HEAVY CT. WT.)

July

	WHITE PA	PERS - SE	MI-GLOS	S					
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA
054SG / 278 / 40SC	54# C1S SEMI GLOSS FSC 278 ULTRA REMOVABLE ADH	S8164560	No	\checkmark					
054SG / 633 / 40SC	54# C1S SEMI GLOSS FSC 633 REMOVABLE ADHESIVE	S9175160	No	\checkmark				\checkmark	
054SG / 700 / 40SC	54# C1S SEMI GLOSS FSC 700 PERMANENT ADHESIVE	S7755860	Yes	\checkmark					
054SG / 720 / 012NB	54# C1S SEMI GLOSS FSC 720 ALL-TEMP ADHESIVE	S8121860	No	\checkmark	\checkmark	\checkmark			\checkmark
054SG / 720 / 40SC	54# C1S SEMI GLOSS FSC 720 ALL-TEMP ADHESIVE	S7724460	Yes, Except: WIN-15-No KC-15-No ATL-15-No LA-15-No	5 /10/15	5/10/15	5 /10/15		5/10/15	5/10/15
054SG / 720M / 40SC	54# C1S SEMI GLOSS FSC 720M ALL TEMP ADHESIVE	S8849360	Yes, Except: GB-1.25/2.5-N o LA-15-No	1.25/ 2.5/ 5/ 10/ 15	5 /10/15			5/10/15	5 /10/15
054SG / 720M / 012NB	54# C1S SEMI GLOSS FSC 720M ALL TEMP ADHESIVE	S8898960	No	√ 5/10/15					\checkmark
054SG / 747 / 40SC	54# C1S SEMI GLOSS FSC 747 PERMANENT ADHESIVE	S7739560	Yes	\checkmark	\checkmark				
054SG / 751 / 012NB	54# C1S SEMI GLOSS FSC 751 PERMANENT ADHESIVE	S8823660	No	\checkmark					
054SG / 751 / 40SC	54# C1S SEMI GLOSS FSC 751 PERMANENT ADHESIVE	S7748960	Yes, Except: ATL-No	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
054SG / 757 / 0PRLF	54# C1S SEMI GLOSS FSC TACKIFIED PERM ADH	S9234260	No	∑ † 10/15					
054SG / 757 / 40SC	54# C1S SEMI GLOSS FSC TACKIFIED PERM ADH	S9022460	No	\checkmark		\checkmark			
054SG / 758M / 41LF	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S9176660	No	∑† 5/10/15					

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.





WHITE PAPERS - SEMI-GLOSS										
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA	
054SG / 758M / 0PRLF	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S8082660	No	[√] [†] 10/ 15 (exact)	10/ 15 (exact)	10/ 15 (exact)				
054SG / 805 / 0PRLF	54# C1S SEMI GLOSS FSC 805 REMOVABLE ADHESIVE	S8941160	No	\checkmark^{\dagger}						
054SG / 80361 / 0PRLF	54# C1S SEMI GLOSS FSC 80361 REMOVABLE ADHESIVE	S8001560	No	5/10/15						
054SA / 720 / 40SC	054SG OPAQUE FSC 720 ALL-TEMP ADHESIVE	S8820660	No	\checkmark						
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE	S8901460	No	2.5/5/10						
060PR / 272 / 40SC	PREFERRED SEMI GLOSS FSC 272 ULTRA REMOVABLE ADH	S7018060	No	\checkmark						
060PR / 275 / 41WK	PREFERRED SEMI GLOSS FSC 275 ULTRA REMOVABLE ADH	S9156360	No	\checkmark						
060PA / 758M / 40SC	060PR OPAQUE FSC 758M PERMANENT ADHESIVE	S7712860	No	\checkmark	\checkmark				\checkmark	
060SG / 720 / 40SC	58# SEMI GLOSS LITHO FSC 720 ALL-TEMP ADHESIVE	S7804560	No	\checkmark	5 /10/15					
060SG / 720 / 012NB	58# SEMI GLOSS LITHO FSC 720 ALL TEMP ADHESIVE	S8210060	No	\checkmark		\checkmark			10	
060SG / 720M / 40SC	58# SEMI GLOSS LITHO FSC 720M ALL TEMP ADHESIVE	S8899160	No	\checkmark	V	\checkmark			\checkmark	
060SG / 758M / 60LF	58# SEMI GLOSS LITHO FSC 758M PERMANENT ADHESIVE	S8003760	No		5/ 10/ 15 (exact)					

WHITE PAPERS - MATTE									
Structure	Description	ltem #	Splice Free	GB	WIN	КС	MIN	ATL	LA
061DL / 720 / 40SC	60# DULL LITHO FSC 720 ALL-TEMP ADHESIVE	S4331060	No						
061DL / 758M / 40SC	60# DULL LITHO FSC 758M PERMANENT ADHESIVE	S8769360	Yes, Except: GB-5/10/20-N o	5/ 10/ 15/ 20					

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.





	Ully				Happy Independence L	yani.				
Structure	Description	TAG STOCK Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA	
			Fiee							
008GB	8 PT TAG C2S FSC	S7670560	No	\checkmark						
008GB / 504 / 40SC	8 PT TAG C2S FSC 504 PERMANENT ADHESIVE	S9941860	No	\checkmark						
008GB / 751 / 40SC	8 PT TAG C2S FSC 751 PERMANENT ADHESIVE	S7666660	No		\checkmark					

July

Structure	Description	EDP Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA
050ED / 720 / 40SC	50# EDP FSC 720 ALL-TEMP ADHESIVE	S6069060	No	\checkmark					
050ED / 720 / 50SC	50# EDP FSC 720 ALL-TEMP ADHESIVE	S6499060	No*	\checkmark	\checkmark				

FLUORESCENT PAPERS									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054GZ / 720 / 40SC	FSC GREEN FLUORESCENT 720 ALL TEMP ADHESIVE	S6231060	No	\checkmark					
054GZ / 720 / 40SC	FSC GREEN FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7656360	No						\checkmark
054GZ / 758M / 0PBLF	FSC GREEN FLUORESCENT 758M PERMANENT ADHESIVE	S8189860	No	\mathbf{V}^{\dagger}					
054OZ / 720 / 40SC	FSC ORANGE FLUORESCENT 720 ALL TEMP ADHESIVE	S6235060	No	\checkmark					
054OZ / 720 / 40SC	FSC ORANGE FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7607960	No						\checkmark
054OZ / 758M / 0PBLF	FSC ORANGE FLUORESCENT 758M PERMANENT ADHESIVE	S8190060	No	\mathbf{V}^{\dagger}					
054PZ / 720 / 40SC	FSC PINK FLUORESCENT 720 ALL TEMP ADHESIVE	S8034360	No	\checkmark					
054PZ / 720 / 40SC	FSC PINK FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7748660	No						\checkmark
054PZ / 758M / 0PBLF	FSC PINK FLUORESCENT 758M PERMANENT ADHESIVE	S8190160	No	\square^{\dagger}					

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT? CALL 1-800-445-4269



					110 1	0							
	FLUORESCENT PAPERS												
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA				
054RZ / 720 / 40SC	FSC RED FLUORESCENT 720 ALL TEMP ADHESIVE	S6066060	No	\checkmark	\checkmark	\checkmark		\checkmark					
054RZ / 720 / 40SC	FSC RED FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7743960	No						\checkmark				
054RZ / 758M / 0PBLF	FSC RED FLUORESCENT 758M PERMANENT ADHESIVE	S8190260	No	\checkmark^{\dagger}									
054YZ / 720 / 40SC	FSC YELLOW FLUORESCENT 720 ALL TEMP ADHESIVE	S6237060	No	\checkmark									
054YZ / 720 / 40SC	FSC YELLOW FLUORESCENT 720 ALL TEMP ADHESIVE (TIGHT RELEASE)	S7748760	No						\checkmark				
054YZ / 758M / 0PBLF	FSC YELLOW FLUORESCENT 758M PERMANENT ADHESIVE	S8189960	No	\checkmark^{\dagger}									

July

	BEER & WINE LABEL										
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA		
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE	S8901460	No	2.5/5/10							
061DL / 720 / 40SC	60# DULL LITHO FSC 720 ALL-TEMP ADHESIVE	S4331060	No	\checkmark							
061DL / 758M / 40SC	60# DULL LITHO FSC 758M PERMANENT ADHESIVE	S8769360	Yes, Except: GB-5/10/20-N o	5/ 10/ 15/ 20							
0WEL4 / 747 / 44PM	ESTATELBL#4 WHI LAID FSC 747 PERMANENT ADHESIVE	S8748260	No	2.5/5/10							
0WEL8 / 747 / 44PM	FSC ESTATE #8 WH VELLUM 747 PERMANENT ADHESIVE	S8266860	No	2.5/5/10					2.5/5/10		
0WEL9 / 747 / 44PM	ESTATELBL#9 CRM LAID FSC 747 PERMANENT ADHESIVE	S8742160	No	2.5/5/10					2.5/5/10		
0WCSW / 747 / 44PM	FSC CLASSICCRESTSOLAR WH 747 PERMANENT ADHESIVE	S8741852	No	2.5/5/10							
70BWF / 747 / 12NB	FSC BRIGHT WHITE FELT WS PERMANENT ADHESIVE	S8903752	No	2.5/5/10							
70BWF / 747 / 44PM	FSC BRIGHT WHITE FELT WS 747 PERMANENT ADHESIVE	S8903652	No	2.5/5/10							
KONAL / 720 / 39NK	FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	S8796760	No	2.5/5/10							

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT? CALL 1-800-445-4269



	U 0.1. J				The Tentering O	-ŋ.				
Structure	BEER Description	& WINE LA	ABEL Splice Free	GB	WIN	кс	MIN	ATL	LA	
PLRNB / 720 / 39NK	FSC ECO WHITE WS 100%PCW 720 ALL TEMP ADHESIVE	S9089960	No	\checkmark						
56MSW / 720 / 012NB	SILVER MET PAPER WS 720 ALL-TEMP ADHESIVE	S9106860	No	$\mathbf{\nabla}^{\dagger}$						
56MSW / 720 / 40SC	SILVER MET PAPER WS 720 ALL TEMP ADHESIVE	S8982560	No	\checkmark						

Julv

	SPEC		PERS						
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
054WS / 747 / 40SC	54# SG WET STRENGTH FSC 747 PERMANENT ADHESIVE	S8901460	No	2.5/5/10					
060GM / 720 / 40SC	60# NATURAL KRAFT PAPER 720 ALL-TEMP ADHESIVE	S8083760	No*			\checkmark			\checkmark
060GM / 758M / 40SC	60# NATURAL KRAFT PAPER 758M PERMANENT ADHESIVE	S7649360	No	\checkmark					
1HEMP / 720 / 39NK	HEMP PAPER 720 ALL-TEMP ADHESIVE	S9111352	No	2.5/5/10					
H2ODP / 611 / 40SC	FSC WATER DISSOLVE PAPER WATER DISSOLVABLE ADH	S8210460	No	2.5/5/10					
KONAL / 720 / 39NK	FSC KONA LIGHT WS 720 ALL TEMP ADHESIVE	S8796760	No	2.5/5/10					

LAMINATED FOILS									
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA
055BG / 720 / 40SC	BRIGHT GOLD LAM FOIL FSC 720 ALL TEMP ADHESIVE	S6301060	No	\checkmark					\checkmark
055BS / 720 / 40SC	BRIGHT SLVR LAM FOIL FSC 720 ALL TEMP ADHESIVE	S6299060	No	\checkmark					\checkmark
055DG / 720 / 40SC	DULL GOLD LAM FOIL FSC 720 ALL TEMP ADHESIVE	S6300060	No	\checkmark					
055DS / 720 / 40SC	DULL SILVER LAM FOIL FSC 720 ALL TEMP ADHESIVE	S6306060	No	\checkmark	\checkmark				\checkmark

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



		J				J.				
	FOIL	SUBSTITU								
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA	
018MT / 720 / 40SC	1.85MIL METALIZED TCBOPP 720 ALL-TEMP ADHESIVE	S9036760	No	\checkmark	\checkmark					
018MT / 751 / 40SC	1.85MIL METALIZED TCBOPP 751 PERMANENT ADHESIVE	S9137460	No	\checkmark						
018MT / 960 / 012NB	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9210460	Yes	\checkmark^{\dagger}					\checkmark	
018MT / 960 / 40SC	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9221660	No	\checkmark		\checkmark			\checkmark	
018MT / 976S / 012NB	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9210860	No	\mathbf{V}^{\dagger}						
018MT / 976S / 40SC	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9240660	No	\checkmark						
021MU / 720 / 40SC	2 MIL METALIZED TC BOPP 720 ALL-TEMP ADHESIVE	S8031460	No	\checkmark	\checkmark					
021MU / 960 / 40SC	2 MIL METALIZED TC BOPP GP FILM ADHESIVE	S9221860	No						\checkmark	
057MS / 720 / 40SC	SILVER METALLIZED PAPER 720 ALL TEMP ADHESIVE	S6203060	No	\checkmark		\checkmark			\checkmark	
56MSW / 720 / 012NB	SILVER MET PAPER WS 720 ALL-TEMP ADHESIVE	S9106860	No	\mathbf{V}^{\dagger}						
56MSW / 720 / 40SC	SILVER MET PAPER WS 720 ALL TEMP ADHESIVE	S8982560	No	\checkmark						

July

THERMAL TRANSFER									
Structure	Description	ltem #	Splice Free	GB	WIN	кс	MIN	ATL	LA
026TT / 747 / 40SC	2.6 MIL WHITE TT BOPP 747 PERMANENT ADHESIVE	S8773660	No*	\checkmark					
050HS / 272 / 40SC	HI SPEED THER TRANS FSC 272 ULTRA REMOVABLE ADH	S7019060	No	\checkmark					
050HS / 275 / 41WK	HI SPEED THER TRANS FSC 275 ULTRA REMOVABLE ADH	S9156260	No	\checkmark					
095TK / 538 / 50SC	107 MICRON TC KIMDURA 538 REMOVABLE ADHESIVE	S3286060	No	V					
095TK / 751 / 50SC	107 MICRON TC KIMDURA 751 PERMANENT ADHESIVE	S5391060	No	\checkmark					
0TTFP / 531 / 40SC	SELECT THERMAL TRANS FSC 531 REMOVABLE ADHESIVE	S7843160	No*	\checkmark					

* Indicates a runnable splice ** Indicates <u>yellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT? CALL 1-800-445-4269



	THER		ISFER						
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA
0TTFP / 720 / 40SC	SELECT THERMAL TRANS FSC 720 ALL-TEMP ADHESIVE	S7833160	Yes	\checkmark		\checkmark			
0TTFP / 757 / 40SC	SELECT THERMAL TRANS FSC TACKIFIED PERM ADH	S9234160	No	\checkmark					
0TTFP / 758M / 40SC	SELECT THERMAL TRANS FSC 758M PERMANENT ADHESIVE	S7664660	Yes	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark
0TTFA / 758M / 40SC	0TTFP OPAQUE FSC 758M PERMANENT ADHESIVE	S7711260	No	\checkmark					
100WP / 747 / 40SC	3.7 ML THERMAL TRAN BOPP 747 PERMANENT ADHESIVE	S7605960	No*	\checkmark					
VALUT / 278 / 40SC	FSC-VALUE THERMAL TRANS 278 ULTRA REMOVABLE ADH	S8175760	No	\checkmark					
VALUT / 531 / 40SC	FSC-VALUE THERMAL TRANS 531 REMOVABLE ADHESIVE	S9109660	No*	\checkmark					
VALUT / 720 / 40SC	FSC-VALUE THERMAL TRANS 720 ALL-TEMP ADHESIVE	S7851360	Yes, Except: GB-5/15-No* WIN-5/15-No* KC-No* ATL-5/15-No* LA-5/15-No*	5/10/15	5/10/15	5/10/15		5/10/15	5/10/15
VALUT / 751 / 40SC	FSC-VALUE THERMAL TRANS 751 PERMANENT ADHESIVE	S7841560	No*				\checkmark		
VALUT / 751 / 40SC	FSC-VALUE THERMAL TRANS 751 PERMANENT ADHESIVE	S8278660	No*		\checkmark				
VALUT / 757 / 40SC	FSC-VALUE THERMAL TRANS TACKIFIED PERM ADH	S9013660	Yes, Except: GB-No* WIN-5/15-No* KC-No* MN-No* ATL-5/15-No* LA-No*	5/10/15	∑Í 5/10/15	5/10/15	5/10/15	5/10/15	5/10/15
VALUT / 758M / 40SC	FSC-VALUE THERMAL TRANS 758M PERMANENT ADHESIVE	S7839660	Yes, Except: GB-5/15-No* WIN-5/15-No* KC-5/15-No* MN-5/15-No* ATL-5/15-No* LA-5/15-No*	5/10/15	√ 5/10/15	5/10/15	5 /10/15	5 /10/15	5 /10/15
VALTE / 720 / 40SC	42# THERMAL TRANSFER FSC 720 ALL TEMP ADHESIVE	S9216160	No	5 /10/15				5 /10/15	5 /10/15
VALTE / 757 / 40SC	42# THERMAL TRANSFER FSC TACKIFIED PERM ADH	S9244860	No	5 /10/15		5 /10/15		5 /10/15	5 /10/15

July

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT? CALL 1-800-445-4269



	DIRI	ECT THER	MAL						
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA
021RX / 508 / 40SC	3.0 MIL PHARMACY DT FSC 508 PERMANENT ADHESIVE	S9174760	No*			\checkmark			
021RX / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9174660	No*	5 /10/15	5 /10/15				
20RXE / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9229660	No	5 /10/15					
022TD / 720 / 40SC	HI SENSITIVITY DT FSC 720 ALL TEMP ADHESIVE	S6290060	No*	5 /10/15					
024DT / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S8814460	Yes, Except: GB-5/10/15-N o* WIN-No* KC-No* ATL-No*	5/ 10/ 15/ 20	√ 10	5/10/15		1 0	
024NT / 720 / 40SC	NTC DIR THERMAL FSC 720 ALL TEMP ADHESIVE	S9195479	No	5/10/15					
025DT / 531 / 40SC	TC RESISTANT DT FSC 531 REMOVABLE ADHESIVE	S8975760	No	\checkmark					
025DT / 720 / 40SC	<i>TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE</i>	S8975560	Yes, Except: GB-2.5/5/10-N o* WIN-No* KC-5/10-No* MN-No* ATL-No* LA-No*	2.5/5/10/ 15	5/10/15	5/10/15	V	5/10/15	5/10/15
025DT / 751 / 40SC	TC RESISTANT DT FSC 751 PERMANENT ADHESIVE	S8976560	No	5/10/15					
025DT / 757 / 40SC	TC RESISTANT DT FSC TACKIFIED PERM ADH	S9018260	No		5 /10/15				
23DTE / 720 / 40SC	TC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9231660	No	5 /10/15	\checkmark				
24DTE / 633 / 40SC	TC RESISTANT DT FSC 633 REMOVABLE ADHESIVE	S9249760	No	\checkmark					
24DTE / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S9250760	No	5/ 10/ 15/ 20					5/10/15
25DTE / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S9247160	No	2.5/ 5/ 10/ 15	5 /10/15	5 /10/15	\checkmark	5/10/15	5/10/15
25DTE / 751 / 40SC	TC RESISTANT DT FSC 751 PERMANENT ADHESIVE	S9254260	No	5/10/15					
25DTE / 757 / 40SC	TC RESISTANT DT FSC TACKIFIED PERM ADH	S9254160	No	5 /10/15	5 /10/15				

July

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT? CALL 1-800-445-4269



	DIRI	ECT THER	MAL						
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA
025NT / 531 / 40SC	NTC DIRECT THERMAL FSC 531 REMOVABLE ADHESIVE	S8274460	No*	5 /10/15					
025NT / 720 / 40SC	NTC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S8153252	Yes, Except: WIN-5/15-No* ATL-No* LA-5/15-No*		5 /10/15			5/10/15	5 /10/15
25NTE / 633 / 40SC	NTC DIRECT THERMAL FSC 633 REMOVABLE ADHESIVE	S9252560	No	5 /10/15					
25NTE / 720 / 40SC	NTC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9239960	No	5 /10/15	5 /10/15	5 /10/15	5 /10/15	5 /10/15	5/10/15
25NTE / 757 / 40SC	NTC DIRECT THERMAL FSC TACKIFIED PERM ADH	S9247560	No	5 /10/15	5/10/15				
24VTB / 720 / 40SC	VALUE TC DIRECT THER FSC 720 ALL TEMP ADHESIVE	S9030960	No*	√ 5/10/15	5/10/15	5 /10/15		5 /10/15	5 /10/15
24VTB / 853 / 40SC	VALUE TC DIRECT THER FSC 853 ALL TEMP ADHESIVE	S9169560	No*	\checkmark					
24VTB / 853 / 40SC	VALUE TC DIRECT THER FSC 853 ALL TEMP ADHESIVE (TIGHT RELEASE)	S9170460	No*	√ 10					
070MK / 720 / 40SC	76 MICRON SYN DT 720 ALL-TEMP ADHESIVE	S4335060	No	\checkmark		\checkmark			\checkmark
070MK / 751 / 40SC	76 MICRON SYN DT 751 PERMANENT ADHESIVE	S5503060	No	√ 5/10/15					
095RK / 720 / 012NB	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S8980560	No	\checkmark^{\dagger}					
095RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S4101060	No*	\checkmark	\checkmark	\checkmark		\checkmark	
096RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S9177360	No	\checkmark	\checkmark				
015DT / 720 / 40SC	2.3 MIL TC DT FSC 720 ALL TEMP ADHESIVE	S9192179	No	5 /10/15					

July

DIRECT THERMAL (NO PHENOLS ADDED)									
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA
021RX / 508 / 40SC	3.0 MIL PHARMACY DT FSC 508 PERMANENT ADHESIVE	S9174760	No*			\checkmark			\checkmark
021RX / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9174660	No*	5 /10/15	5/10/15				

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT? CALL 1-800-445-4269





DIRECT THERMAL (NO PHENOLS ADDED)									
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
20RXE / 751 / 40SC	3.0 MIL PHARMACY DT FSC 751 PERMANENT ADHESIVE	S9229660	No	5/10/15					
23DTE / 720 / 40SC	TC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9231660	No	5 /10/15	\checkmark				
24DTE / 633 / 40SC	TC RESISTANT DT FSC 633 REMOVABLE ADHESIVE	S9249760	No	\checkmark					
24DTE / 720 / 40SC	<i>TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE</i>	S9250760	No	5/ 10/ 15/ 20					5/10/15
25DTE / 720 / 40SC	TC RESISTANT DT FSC 720 ALL TEMP ADHESIVE	S9247160	No	2.5/ 5/ 10/ 15	5 /10/15	√ 5/10/15	\checkmark	5 /10/15	5/10/15
25DTE / 751 / 40SC	TC RESISTANT DT FSC 751 PERMANENT ADHESIVE	S9254260	No	5/10/15					
25DTE / 757 / 40SC	TC RESISTANT DT FSC TACKIFIED PERM ADH	S9254160	No	5/10/15	5/10/15				
25NTE / 633 / 40SC	NTC DIRECT THERMAL FSC 633 REMOVABLE ADHESIVE	S9252560	No	5/10/15					
25NTE / 720 / 40SC	NTC DIRECT THERMAL FSC 720 ALL TEMP ADHESIVE	S9239960	No	5/10/15	5/10/15	5 /10/15	5/10/15	5 /10/15	5/10/15
25NTE / 757 / 40SC	NTC DIRECT THERMAL FSC TACKIFIED PERM ADH	S9247560	No	5/10/15	5 /10/15				

INK JET / LASER									
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
050LJ / 720 / 0PBLF	SUPER BRIGHT LJ FSC 720 ALL-TEMP ADHESIVE	S8214960	Yes	à					
050LJ / 751 / 0PBLF	SUPER BRIGHT LJ FSC 751 PERMANENT ADHESIVE	S8218060	Yes	☑ [†] 10		∑ [†] 10			√ [†] 10
050LJ / 757 / 0PBLF	SUPER BRIGHT LJ FSC TACKIFIED PERM ADH	S9207460	No	✓ 10					
050LJ / 758M / 0PBLF	SUPER BRIGHT LJ FSC 758M PERMANENT ADHESIVE	S8165060	Yes	☑ [†] 10					
F47LJ / 757 / 41LF	FSC SUPER BRIGHT LJ TACKIFIED PERM ADH	S9077660	No		⊘ † 10/15				
F47LJ / 758M / 41LF	FSC SUPER BRIGHT LJ 758M PERMANENT ADHESIVE	S9171560	No	√ [†] 10/15					
F47LJ / 758M / 0PBLF	FSC SUPER BRIGHT LJ 758M PERMANENT ADHESIVE	S9172060	No						

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



				14.00						
	INK	JET/LAS								
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA	
054GZ / 758M / 0PBLF	FSC GREEN FLUORESCENT 758M PERMANENT ADHESIVE	S8189860	No	\checkmark^{\dagger}						
054OZ / 758M / 0PBLF	FSC ORANGE FLUORESCENT 758M PERMANENT ADHESIVE	S8190060	No	\checkmark^{\dagger}						
054PZ / 758M / 0PBLF	FSC PINK FLUORESCENT 758M PERMANENT ADHESIVE	S8190160	No	\checkmark^{\dagger}						
054RZ / 758M / 0PBLF	FSC RED FLUORESCENT 758M PERMANENT ADHESIVE	S8190260	No	\checkmark^{\dagger}						
054YZ / 758M / 0PBLF	FSC YELLOW FLUORESCENT 758M PERMANENT ADHESIVE	S8189960	No	\checkmark^{\dagger}						
1GINK / 720 / 40SC	FSC HIGH GLOSS INKJET 720 ALL TEMP ADHESIVE	S8721460	No	1.25/ 2.5/ 5/ 10						
SG2NK / 720M / 40SC	SEMI-GLOSS WB INKJET FSC 720M ALL TEMP ADHESIVE	S9189560	No	1.25/ 2.5/ 5/ 10						
07INK / 720 / 40SC	60# MATTE CTD INKJET FSC 720 ALL TEMP ADHESIVE	S9206460	No	1.25/ 2.5/ 5/ 10						
34WIJ / 720 / 40SC	3.4 MIL MATTE WH IJ BOPP 720 ALL TEMP ADHESIVE	S9177960	No	2.5/5/10						
SGINK / 720 / 40SC	SEMI-GLOSS WB INKJET 720 ALL TEMP ADHESIVE	S9117479	No	\checkmark						

July

	FILMS: POLY	PROPYLE	NES (CLI	EAR)					
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
018CT / 720 / 40SC	1.85 MIL TC CLEAR BOPP 720 ALL-TEMP ADHESIVE	S9064560	No	\checkmark	V				
018CT / 720M / 40SC	1.85 MIL TC CLEAR BOPP 720M ALL TEMP ADHESIVE	S9090660	No	\checkmark					
018CT / 751 / 40SC	1.85 MIL TC CLEAR BOPP 751 PERMANENT ADHESIVE	S9092760	No	\checkmark	\checkmark				
018CT / 776S / 40SC	1.85 MIL TC CLEAR BOPP PET RECYCLABLE ADHESIVE	S9095260	No	\checkmark					
018CT / 960 / 012NB	1.85 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9202560	No	\checkmark^{\dagger}					\checkmark^{\dagger}
018CT / 960 / 39NK	1.85 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9221960	No	\checkmark					\checkmark

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

CAN'T FIND IT? CALL 1-800-445-4269





FILMS: POLYPROPYLENES (CLEAR)										
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA	
018CT / 960 / 40SC	1.85 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9213560	No	\checkmark					\checkmark	
018CT / 976S / 012NB	1.85 MIL TC CLEAR BOPP APR WASHAWAY ALLTEMP ADH	S9226660	No	\checkmark^{\dagger}						
018CT / 976S / 40SC	1.85 MIL TC CLEAR BOPP APR WASHAWAY ALLTEMP ADH	S9213860	No	\checkmark						
020CL / 751 / 40SC	2.0 MIL TC CLEAR BOPP 751 PERMANENT ADHESIVE	S8782260	No				\checkmark			
020CL / 960 / 012NB	2.0 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9222060	No	\checkmark^{\dagger}						
020CL / 960 / 40SC	2.0 MIL TC CLEAR BOPP GP FILM ADHESIVE	S9221160	No	\checkmark	\checkmark		\checkmark		\checkmark	
036CG / 347 / 50SC	3.6 ML CLEAR TC BOPP GLASS REMOVABLE ADHESIVE	S6883060	No	2.5/5/10						
036CG / 347 / 74LF	3.6 ML CLEAR TC BOPP GLASS REMOVABLE ADHESIVE	S9127360	No	\checkmark^{\dagger}						

FILMS: POLYPROPYLENES (WHITE)											
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA		
023WP / 720 / 40SC	2.3 MIL TC WHITE BOPP 720 ALL-TEMP ADHESIVE	S7630960	Yes	\checkmark	\checkmark						
023WP / 950 / 40SC	2.3 MIL TC WHITE BOPP GP FILM ADHESIVE	S9221260	No	\checkmark	\checkmark				\checkmark		
023WT / 720M / 40SC	2.3 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9133560	No						\checkmark		
023WT / 950 / 40SC	2.3 MIL TC WHITE BOPP GP FILM ADHESIVE	S9221560	No			\checkmark					
024TL / 720 / 40SC	2.4 MIL WHITE BOPP 720 ALL TEMP ADHESIVE	S8773560	No	\checkmark					\checkmark		
024TL / 751 / 40SC	2.4 MIL WHITE BOPP 751 PERMANENT ADHESIVE	S8787060	No	\checkmark							
024TL / 751 / 012NB	2.4 MIL WHITE BOPP 751 PERMANENT ADHESIVE	S8832660	No	\checkmark							
024TL / 950 / 40SC	2.4 MIL WHITE BOPP GP FILM ADHESIVE	S9221060	No	\checkmark					\checkmark		
24WCB / 720M / 40SC	2.4 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9256960	No	\checkmark					\checkmark		

* Indicates a runnable splice ** Indicates <u>yellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Structure

Description



WIN

KC

MIN

LA

ATL

\square^{\dagger} \square^{\dagger} 24WCB / 720M / 12NB 2.4 MIL TC WHITE BOPP \square \square S9257060 No 720M ALL TEMP ADHESIVE 2.4 MIL TC WHITE BOPP \square^{\dagger} \square \square 24WCB / 751 / 012NB S9259060 No 751 PERMANENT ADHESIVE 2.4 MIL TC WHITE BOPP $\overline{\mathbf{A}}$ 24WCB / 751 / 40SC \square \square \square \square \square S9258860 No 751 PERMANENT ADHESIVE 2.4 MIL TC WHITE BOPP 24WCB / 950 / 40SC \checkmark \checkmark S9242960 No **GP FILM ADHESIVE** \square^{\dagger} 2.4 MIL TC WHITE BOPP \square^{\dagger} 24WCB / 950 / 012NB S9242860 No \square **GP FILM ADHESIVE** \square^{\dagger} 2.4 MIL TC WHITE BOPP \square 24WCB / 950 / 92NB S9250460 \square No **GP FILM ADHESIVE** 2.4 MIL TC WHITE BOPP \square^{\dagger} 24WCB / 976S / 012NB \square \square S9273360 No APR WASHAWAY ALLTEMP ADH 2.4 MIL TC WHITE BOPP 24WCB / 976S / 40SC S9273260 \checkmark \square No APR WASHAWAY ALLTEMP ADH \square^{\dagger} 2.4 MIL TC WHI BOPP 24WCT / 720M / 012NB S9182460 No 720M ALL TEMP ADHESIVE 10/15 2.4 MIL TC WHI BOPP \checkmark \square \checkmark 24WCT / 720 / 40SC S9134360 No 720 ALL-TEMP ADHESIVE 2.4 MIL TC WHI BOPP \checkmark \square \square \square \square 24WCT / 720M / 40SC S9119160 No 720M ALL TEMP ADHESIVE 2.4 MIL TC WHI BOPP \square 24WCT / 751 / 40SC S9123660 No \square \square 751 PERMANENT ADHESIVE 2 4 MIL TC WHI BOPP \square 24WCT / 751 / 012NB S9121060 \square \square \square \square \square No 751 PERMANENT ADHESIVE 2.4 MIL TC WHI BOPP \checkmark 24WCT / 776S / 40SC S9120460 No \checkmark PET RECYCLABLE ADHESIVE 2.4 MIL TC WHI BOPP \square^{\dagger} \square^{\dagger} 24WCT / 950 / 012NB S9221460 No **GP FILM ADHESIVE** 24WCT / 950 / 40SC 2.4 MIL TC WHI BOPP S9215260 \checkmark $\overline{\mathbf{V}}$ \checkmark $\mathbf{\Lambda}$ $\overline{\mathbf{A}}$ No **GP FILM ADHESIVE** \square^{\dagger} 2.4 MIL TC WHI BOPP \square \square \square \square 24WCT / 950 / 92NB \square S9209960 No **GP FILM ADHESIVE** 5/10/15 2.6 MIL WHITE TC BOPP 026TL \checkmark S6397560 No 5/10/20 2.6 MIL WHITE TC BOPP 026TL / 720 / 40SC S6173060 \checkmark \square

July

FILMS: POLYPROPYLENES (WHITE)

Item #

Splice

Free

GB

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

720 ALL-TEMP ADHESIVE

CAN'T FIND IT? CALL 1-800-445-4269

No





	FILMS: POLY	PROPYLE	-	IITE)					
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
026TL / 747 / 40SC	2.6 MIL WHITE TC BOPP 747 PERMANENT ADHESIVE	S7600560	No	\checkmark					
026TL / 751 / 40SC	2.6 MIL WHITE TC BOPP 751 PERMANENT ADHESIVE	S5384060	No	\checkmark	\checkmark				
026TL / 950 / 40SC	2.6 MIL WHITE TC BOPP GP FILM ADHESIVE	S9215460	No			\checkmark			V
26WCT / 720 / 012NB	2.6M WHI CAVITATED BOPP 720 ALL TEMP ADHESIVE	S9125460	No	$\mathbf{V}_{10}^{\dagger}$					
26WCT / 720 / 40SC	2.6M WHI CAVITATED BOPP 720 ALL-TEMP ADHESIVE	S9121160	No	\checkmark					
26WCT / 720M / 40SC	2.6M WHI CAVITATED BOPP 720M ALL TEMP ADHESIVE	S9168060	No	\checkmark					
26WCT / 751 / 40SC	2.6M WHI CAVITATED BOPP 751 PERMANENT ADHESIVE	S9021560	No	\checkmark					
26WCT / 767HM / 12PET	2.6TCWBOPP76712PET	S9167360	No*	\checkmark^{\dagger}					
26WCT / 950 / 012NB	2.6M WHI CAVITATED BOPP GP FILM ADHESIVE	S9222360	No	\checkmark^{\dagger}					
26WCT / 950 / 40SC	2.6M WHI CAVITATED BOPP GP FILM ADHESIVE	S9215360	No	\checkmark	\checkmark				V
34WIJ / 720 / 40SC	3.4 MIL MATTE WH IJ BOPP 720 ALL TEMP ADHESIVE	S9177960	No	2.5/5/10					
036WG / 347 / 50SC	3.6 ML WHITE TC BOPP GLASS REMOVABLE ADHESIVE	S6888060	No	2.5/5/10					
036WG / 347 / 74LF	3.6 ML WHITE TC BOPP GLASS REMOVABLE ADHESIVE	S9157660	No	\checkmark^{\dagger}					
26WCB / 103 / 40SC	2.6 MIL TC WHITE BOPP 103 PERMANENT ADHESIVE	S9263460	No	\checkmark					
26WCB / 720M / 012NB	2.6 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9259760	No	\checkmark^{\dagger}					
26WCB / 720M / 40SC	2.6 MIL TC WHITE BOPP 720M ALL TEMP ADHESIVE	S9259160	No	\checkmark					\checkmark
26WCB / 747 / 40SC	2.6 MIL TC WHITE BOPP 747 PERMANENT ADHESIVE	S9259360	No	\checkmark					\checkmark
26WCB / 751 / 40SC	2.6 MIL TC WHITE BOPP 751 PERMANENT ADHESIVE	S9258760	No	\checkmark					
26WCB / 950 / 012NB	2.6 MIL TC WHITE BOPP GP FILM ADHESIVE	S9243060	No	\checkmark^{\dagger}					

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.





FILMS: POLYPROPYLENES (WHITE)											
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA		
26WCB / 950 / 40SC	2.6 MIL TC WHITE BOPP GP FILM ADHESIVE	S9243160	No						\checkmark		

FILMS: POLYPROPYLENES (VARIABLE IMAGING)										
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA	
026TT / 747 / 40SC	2.6 MIL WHITE TT BOPP 747 PERMANENT ADHESIVE	S8773660	No*	\checkmark						
070MK / 720 / 40SC	76 MICRON SYN DT 720 ALL-TEMP ADHESIVE	S4335060	No	\checkmark		\checkmark			\checkmark	
070MK / 751 / 40SC	76 MICRON SYN DT 751 PERMANENT ADHESIVE	S5503060	No	5 /10/15						
095RK / 720 / 012NB	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S8980560	No	\checkmark^{\dagger}						
095RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S4101060	No*	\checkmark	\checkmark	\checkmark		\checkmark		
100WP / 747 / 40SC	3.7 ML THERMAL TRAN BOPP 747 PERMANENT ADHESIVE	S7605960	No*	\checkmark						
096RK / 720 / 40SC	4.1 ML DIRECT THERM BOPP 720 ALL-TEMP ADHESIVE	S9177360	No	\checkmark	\checkmark					
095TK / 538 / 50SC	107 MICRON TC KIMDURA 538 REMOVABLE ADHESIVE	S3286060	No	\checkmark						
095TK / 751 / 50SC	107 MICRON TC KIMDURA 751 PERMANENT ADHESIVE	S5391060	No	\checkmark						

FILMS: POLYPROPYLENES (METALIZED)										
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA	
018MT / 720 / 40SC	1.85MIL METALIZED TCBOPP 720 ALL-TEMP ADHESIVE	S9036760	No	\checkmark	\checkmark					
018MT / 751 / 40SC	1.85MIL METALIZED TCBOPP 751 PERMANENT ADHESIVE	S9137460	No	\checkmark						
018MT / 960 / 012NB	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9210460	Yes	\square^{\dagger}					\checkmark	
018MT / 960 / 40SC	1.85MIL METALIZED TCBOPP GP FILM ADHESIVE	S9221660	No	\checkmark		\checkmark			\checkmark	

* Indicates a runnable splice ** Indicates <u>vellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.





FILMS: POLYPROPYLENES (METALIZED)												
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA			
018MT / 976S / 012NB	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9210860	No	\checkmark^{\dagger}								
018MT / 976S / 40SC	1.85MIL METALIZED TCBOPP APR WASHAWAY ALLTEMP ADH	S9240660	No	\checkmark								
021MU / 720 / 40SC	2 MIL METALIZED TC BOPP 720 ALL-TEMP ADHESIVE	S8031460	No	\checkmark	\checkmark							
021MU / 960 / 40SC	2 MIL METALIZED TC BOPP GP FILM ADHESIVE	S9221860	No						\checkmark			

FILMS: POLYSTYRENES									
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
015PN / 720 / 40SC	1.5MIL CLEAR POLYSTYRENE 720 ALL TEMP ADHESIVE	S8175860	No				\checkmark		

Structure	FILMS Description	: POLYES Item #	TERS Splice Free	GB	WIN	кс	MIN	ATL	LA
2VWPT / 406 / 50SC	2 MIL VALUE WHITE PET TACKIFIED PERM ADHESIVE	S8089560	No	2.5/5/10					

PIGGYBACKS									
Structure	Description	Item #	Splice Free	GB	WIN	КС	MIN	ATL	LA
054SG / 515 / 012NB / 515 / 40SC	54# C1S SEMI GLOSS FSC PERMANENT ADHESIVE	S9075360	No	\checkmark					
054SG / 758M / 40SC / 758M / 40SC	54# C1S SEMI GLOSS FSC 758M PERMANENT ADHESIVE	S8027060	No	\checkmark					
VALUT / 757 / 40SC / 757 / 40SC	FSC-VALUE THERMAL TRANS TACKIFIED PERM ADH	S9137960	No	\checkmark					

* Indicates a runnable splice ** Indicates <u>yellow</u> splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.





	j					.0.					
PIGGYBACKS											
Structure	Description	Item #	Splice Free	GB	WIN	кс	MIN	ATL	LA		
VALUT / 758M / 40SC / 758M / 40SC	FSC-VALUE THERMAL TRANS 758M PERMANENT ADHESIVE	S8138960	No	\checkmark							

Julv

* Indicates a runnable splice **Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - + 6" Cores

Minimum one slit roll at 3", minimum length varies by product.
Rolls 5,000' or less are palletized poker chip (stacked on slit edge) with 45 inch maximum height including pallet.
Rolls 10,000' or greater are palletized on the round (cradle packed).
All pallets will be stretch wrapped.
Orders placed by 3:00 PM (time zone applicable to location from which shipment originates) will be shipped next business day.
Orders placed before cutoff time cannot be changed or cancelled after cutoff time.
No early pickup arrangements, please.

- All rolls on 3 inch cores, except as noted.

GB=Green Bay, WI WIN=Winchester, VA KC=Kansas City, MO MIN=Minneapolis, MN ATL=Atlanta, GA LA=Los Angeles, CA

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

July 12, 2025