



White Paper										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
008GB (facers only)	8 Point Gloss White Tag (C2S)	S7670560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A54SG / 720 / 40SC	54# Semi-Gloss All-temp permanent	S8268760	Yes	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A54SG / 720 / 40SC	54# Semi-Gloss All-temp permanent	S8221660	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A54SG / 758M / 41LF	54# Semi-Gloss General Purpose Permanent	S8836960	No	<input checked="" type="checkbox"/> [†] 5/10/15	<input checked="" type="checkbox"/> [†] 10/ 15 only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F54SG / 720 / 40SC	53# Semi-Gloss (FSC Certified) All-temp permanent	S8792860	Yes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
F54SG / 747 / 40SC	53# Semi-Gloss (FSC Certified) Tackified permanent	S7739560	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
F54SG / 758M / 0PRLF	53# Semi-Gloss (FSC Certified) General purpose permanent	S8941260	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F54SG / 805 / 0PRLF	53# Semi-Gloss (FSC Certified) Removable Adhesive	S8941160	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P54SG / 720 / 40SC	54# Pharma Semi-Gloss All-temp permanent	S8996260	Yes	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
008GB / 504 / 40SC	8 Point Gloss White Tag (C2S) General purpose permanent	S9941860	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
008GB / 751 / 40SC	8 Point Gloss White Tag (C2S) Tackified permanent	S7666660	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050ED / 720 / 40SC	50# EDP Smudge Resistant All-temp permanent	S6069060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050ED / 720 / 50SC	50# EDP Smudge Resistant All-temp permanent	S6499060	No GB, KC No* WN	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SA / 720 / 40SC	54# Semi-Gloss Opaque All-temp permanent	S8820660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 278 / 40SC	54# Semi-Gloss Ultra removable microsphere	S8164560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F54SG / 531 / 40SC	53# Semi-Gloss (FSC Certified) General purpose removable	S7633960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 700 / 40SC	54# Semi-Gloss General purpose permanent	S7755860	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054SG / 720 / 12NB	54# Semi-Gloss All-temp permanent	S8121860	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054SG / 720 / 40SC	54# Semi-Gloss All-temp permanent	S7724460	Yes (5/10) 15-GB ONLY	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



October



White Paper

Table with 10 columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 061DL / 720 / 40SC, 061DL / 758M / 40SC, and 061DL / 758M / 0PRLF.

Specialty Papers

Table with 10 columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 060GM / 720 / 40SC, PLRNB / 720 / 39NK, 060GM / 758M / 40SC, 1DMEC / 720 / 39NK, 1HEMP / 720 / 39NK, 1HOPS / 747 / 40SC, 70BWF / 747 / 12NB, 70BWF / 747 / 44PM, BKVLM / 747 / 40SC, BKVLM / 747 / 44PM, H2ODP / 611 / 40SC, and KONAL / 720 / 39NK.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto.



Specialty Papers

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include KONAL / 747 / 40SC and KONAL / 751 / 39NK.

Fluorescent Paper

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 054GZ, 054OZ, 054PZ, and 054RZ series.

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores



Fluorescent Paper

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
054YZ / 720 / 40SC	57# Yellow Chartreuse Matte Fluorescent All-temp permanent (TIGHT RELEASE)	S7748760	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
054YZ / 758M / 0PBLF	57# Yellow Chartreuse Matte Fluorescent General purpose permanent	S8189960	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Foil/Foil Substitutes

Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
021MU / 102 / 40SC	2.0 Mil Silver Metalized BOPP General purpose film adhesive	S8056060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
021MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S8031460	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 102 / 12NB	2.0 Mil Silver Metalized BOPP *NEW* General purpose film adhesive	S9016760	No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 102 / 40SC	2.0 Mil Silver Metalized BOPP General purpose film adhesive	S9002160	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S9002060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 720M / 40SC	2.0 Mil Silver Metalized BOPP *NEW* All-temp permanent	S9082360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055BG / 720 / 40SC	Top-Coated 70# Bright Gold Foil All-temp permanent	S6301060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055BS / 720 / 40SC	Top-Coated 70# Bright Silver Foil All-temp permanent	S6299060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
055DG / 720 / 40SC	Top-Coated 70# Dull Gold Foil All-temp permanent	S6300060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
055DS / 720 / 40SC	Top-Coated 70# Dull Silver Foil All-temp permanent	S6306060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057MS / 720 / 40SC	57# Silver Metalized Paper All-temp permanent	S6203060	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
057MS / 751 / 40SC	57# Silver Metalized Paper Tackified permanent	S5841060	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
56MSW / 720 / 40SC	Silver Metalized WS Paper All-temp permanent	S8982560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Thermal Imaging										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
020RX / 508 / 40SC	Direct Thermal Prescription Vial Label General purpose pharmaceutical	S9007560	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
020RX / 751 / 40SC	Direct Thermal Prescription Vial Label Tackified permanent	S8742660	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
022TD / 720 / 40SC	Top-Coated Direct Thermal All-temp permanent	S6290060	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
023VT / 720 / 40SC	Value Top-Coated Direct Thermal All-temp permanent	S7834560	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
023VT / 853 / 40SC	Value Top-Coated Direct Thermal All-temp permanent	S7821060	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
023VT / 853 / 40SC	Value Top-Coated Direct Thermal All-temp permanent (TIGHT RELEASE)	S7884060	No*	<input checked="" type="checkbox"/> 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 10	
23VTB / 720 / 40SC	Top-Coated Direct Thermal All-temp permanent	S8721060	No*	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	
024DT / 720 / 40SC	Economy Top-Coated Direct Thermal All-temp permanent	S8814460	No* Yes (20 only)	<input checked="" type="checkbox"/> 5/ 10/ 15/ 20	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	
025DT / 278 / 40SC	Economy Top-Coated Direct Thermal *NEW* Ultra removable microsphere	S8976460	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
025DT / 531 / 40SC	Economy Top-Coated Direct Thermal General purpose removable	S8975760	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
025DT / 720 / 40SC	Economy Top-Coated Direct Thermal All-temp permanent	S8975560	GB-5/10-No* 15-Yes WIN-5/10/15- No* 20-Yes KC-5/10-No* 15-Yes ATL/LA-5/10/1 5-No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/ 10/ 15/ 20	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	
025DT / 751 / 40SC	Economy Top-Coated Direct Thermal Tackified permanent	S8976560	No	<input checked="" type="checkbox"/> 10 Only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
025DT / 757 / 40SC	Economy Top-Coated Direct Thermal General purpose permanent	S9018260	No	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
F25DT / 720 / 40SC	FSC-Certified Economy Top-Coated Direct Thermal *NEW* All-temp permanent	S9057360	No*	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
025NT / 531 / 40SC	Non Top-Coated Direct Thermal *NEW* General purpose removable	S8274460	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

All new structures have a trial period of 6 months. Structures are subject to change without notice.



Thermal Imaging										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
025NT / 720 / 40SC	Non Top-Coated Direct Thermal All-temp permanent	S8153252	No* Yes (10 Only)	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	
025NT / 758M / 40SC	Non Top-Coated Direct Thermal General purpose permanent	S8155352	No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
026TT / 747 / 40SC	Thermal Transfer White Label-Lyte™ Tackified permanent	S8773660	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
030TT / 747 / 40SC	Thermal Transfer White Label-Lyte™ Tackified permanent	S5213060	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
050HS / 275 / 40SC	High Speed Coated Thermal Transfer Ultra removable microsphere	S7702060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
050HS / 272 / 40SC	High Speed Coated Thermal Transfer Ultra removable microsphere	S7019060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
070MK / 720 / 40SC	3.0 Mil Direct Thermal BOPP Film All-temp permanent	S4335060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
075WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent	S8149152	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
095RK / 720 / 40SC	Synthetic Med Sensitivity Direct Thermal All-temp permanent	S4101060	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
095TK / 538 / 50SC	Thermal Transfer Top-Coated Kimdura® Tight acrylic removable	S3286060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
095TK / 751 / 50SC	Thermal Transfer Top-Coated Kimdura® Tackified permanent	S5391060	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
100WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent	S7605960	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
0TTFA / 758M / 40SC	Select Thermal Transfer Opaque General purpose permanent	S7711260	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
0TTFP / 531 / 40SC	Multi-Purpose Thermal Transfer Select General purpose removable	S7843160	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
0TTFP / 720 / 40SC	Multi-Purpose Thermal Transfer Select All-temp permanent	S7833160	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
0TTFP / 758M / 40SC	Multi-Purpose Thermal Transfer Select General purpose permanent	S7664660	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Thermal Imaging									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
FVALT / 758M / 40SC	FSC-Certified Value Thermal Transfer General purpose permanent	S8828660	No*	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 278 / 40SC	Value Thermal Transfer Ultra removable microsphere	S8175760	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 531 / 40SC	Value Thermal Transfer *NEW* General purpose removable	S9109660	No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 720 / 40SC	Value Thermal Transfer All-temp permanent	S7851360	No* Yes (10 Only)	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
VALUT / 751 / 40SC	Value Thermal Transfer Tackified permanent	S7841560	No*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
VALUT / 751 / 40SC	Value Thermal Transfer Tackified permanent	S8278660	No*	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VALUT / 757 / 40SC	Value Thermal Transfer General purpose permanent	S9013660	Yes (10 Only) No*	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input type="checkbox"/>	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15
VALUT / 758M / 40SC	Value Thermal Transfer General purpose permanent	S7839660	No* Yes (10 Only)	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15	<input checked="" type="checkbox"/> 5/10/15

Film									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
015PN / 720 / 40SC	1.5 Mil Clear Polystyrene All-temp permanent	S8175860	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
018CT / 102 / 12NB	1.85 Mil Clear Top-Coated BOPP *NEW* General purpose film adhesive	S9092460	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†]
018CT / 102 / 39NK	1.85 mil Clear Top-Coated BOPP *NEW* General purpose film adhesive	S9064660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
018CT / 102 / 40SC	1.85 mil Clear Top-Coated BOPP *NEW* General purpose film adhesive	S9091760	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
018CT / 720 / 40SC	1.85 mil Clear Top-Coated BOPP *NEW* All-temp permanent	S9064560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
018CT / 720M / 40SC	1.85 mil Clear Top-Coated BOPP *NEW* All-temp permanent	S9090660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Tailored Inventory Products (T.I.P.)

October



Structure	Description	Film		Splice Free	GB	WIN	KC	MIN	ATL	LA
		Item #								
018CT / 776S / 12NB	1.85 Mil Clear Top-Coated BOPP *NEW* General purpose PET recycling	S9106460		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
018CT / 776S / 40SC	1.85 mil Clear Top-Coated BOPP *NEW* General purpose PET recycling	S9095260		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
018MT / 102 / 40SC	1.85 mil Silver Metalized BOPP *NEW* General purpose film adhesive	S9129360		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
018MT / 720 / 40SC	1.85 mil Silver Metalized BOPP *NEW* All-temp permanent	S9036760		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
020CL / 102 / 12NB	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8766160		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 102 / 39NK	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8777060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 102 / 40SC	2.0 mil Clear Top-Coated BOPP General purpose film adhesive	S8017560		Yes-GB No-WN No-KC Yes-MN Yes-LA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 720 / 40SC	2.0 mil Clear Top-Coated BOPP All-temp permanent	S8766360		No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
020CL / 720M / 40SC	2.0 mil Clear Top-Coated BOPP All-temp permanent	S8997360		No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
020CL / 751 / 40SC	2.0 mil Clear Top-Coated BOPP Tackified permanent	S8782260		No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
021MU / 102 / 40SC	2.0 mil Silver Metalized BOPP General purpose film adhesive	S8056060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
021MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S8031460		No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 102 / 12NB	2.0 Mil Silver Metalized BOPP *NEW* General purpose film adhesive	S9016760		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 102 / 40SC	2.0 Mil Silver Metalized BOPP General purpose film adhesive	S9002160		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023MU / 720 / 40SC	2.0 Mil Silver Metalized BOPP All-temp permanent	S9002060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023MU / 720M / 40SC	2.0 Mil Silver Metalized BOPP *NEW* All-temp permanent	S9082360		No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

*** Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores**
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

October 14, 2020

All new structures have a trial period of 6 months. Structures are subject to change without notice.



Tailored Inventory Products (T.I.P.)

October



Structure	Description	Film		Splice Free	GB	WIN	KC	MIN	ATL	LA
			Item #							
023WP / 102 / 40SC	2.3 mil White Top-Coated BOPP General purpose film adhesive		S7731160	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
023WP / 103 / 12NB	2.3 mil White Top-Coated BOPP General purpose film adhesive		S7895760	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023WP / 103 / 40SC	2.3 mil White Top-Coated BOPP General purpose film adhesive		S7000060	Yes	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023WP / 720 / 40SC	2.3 mil White Top-Coated BOPP All-temp permanent		S7630960	Yes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023WT / 102 / 40SC	2.3 mil White Top-Coated BOPP *NEW* General purpose film adhesive		S9126860	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023WT / 720 / 40SC	2.3 mil White Top-Coated BOPP *NEW* All-temp permanent		S9065960	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
023WT / 720M / 40SC	2.3 mil White Top-Coated BOPP *NEW* All-temp permanent		S9133560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
024TL / 102 / 12NB	2.4 Mil White Top-Coated Label Lyte™ BOPP General purpose film adhesive		S8724760	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 102 / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP General purpose film adhesive		S8775660	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
024TL / 102 / 92NB	2.4 Mil White Top-Coated Label Lyte™ BOPP General purpose film adhesive		S8276460	No**	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 720 / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP All-temp permanent		S8773560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
024TL / 720M / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP All-temp permanent		S9042760	No	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 747 / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP Tackified permanent		S8779660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 751 / 12NB	2.4 Mil White Top-Coated Label-Lyte™ BOPP Tackified permanent		S8832660	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 751 / 40SC	2.4 Mil White Top-Coated Label-Lyte™ BOPP Tackified permanent		S8787060	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

*** Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores**
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

October 14, 2020

All new structures have a trial period of 6 months. Structures are subject to change without notice.



Tailored Inventory Products (T.I.P.)

October



Structure	Description	Film		Splice Free	GB	WIN	KC	MIN	ATL	LA
		Item #								
024TL / 776S / 12NB	2.4 Mil White Top-Ctd Label-Lyte™ BOPP *NEW* General purpose PET recycling	S9070260		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
024TL / 776S / 40SC	2.4 Mil White Top-Coated Label Lyte™ BOPP *NEW* General purpose PET recycling	S9070160		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
24WCT / 102 / 12NB	2.4 mil White Top-Coated BOPP *NEW* General purpose film adhesive	S9113660		No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> †
24WCT / 102 / 40SC	2.4 mil White Top-Coated BOPP *NEW* General purpose film adhesive	S9110760		No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
24WCT / 751 / 40SC	2.4 Mil White Top-Coated BOPP *NEW* Tackified permanent	S9123660		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24WCT / 776S / 40SC	2.4 mil White Top-Coated BOPP *NEW* General purpose PET recycling	S9120460		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL (facer only)	2.6 mil White Top-Coated Label-Lyte™ BOPP	S6397560		Yes	<input checked="" type="checkbox"/> 5/10/20	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 102 / 12NB	2.6 mil White Top-Coated Label-Lyte™ BOPP General purpose film adhesive	S8010760		No	<input checked="" type="checkbox"/> †	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 102 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP General purpose film adhesive	S7802360	Yes-GB/WW No-KC No-MN No-ATL No-LA		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
026TL / 103 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP General purpose film adhesive	S6174060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 720 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP All-temp permanent	S6173060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TL / 747 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP Tackified permanent	S7600560		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
026TL / 751 / 40SC	2.6 mil White Top-Coated Label-Lyte™ BOPP Tackified permanent	S5384060		No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
26WCT (Facer Only)	2.6 mil White Top-Coated BOPP *NEW*	S9120660		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

FAX ORDERS 1-800-705-0111

CAN'T FIND IT? CALL 1-800-445-4269

October 14, 2020

All new structures have a trial period of 6 months. Structures are subject to change without notice.



Structure	Description	Film		Splice Free	GB	WIN	KC	MIN	ATL	LA
		Item #								
26WCT / 102 / 12NB	2.6 mil White Top-Coated BOPP *NEW* General purpose film adhesive	S9121260		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26WCT / 102 / 40SC	2.6 mil White Top-Coated BOPP *NEW* General purpose film adhesive	S9021460		No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
26WCT / 720 / 40SC	2.6 mil White Top-Coated BOPP *NEW* All-temp permanent	S9121160		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26WCT / 747 / 40SC	2.6 mil White Top-Coated BOPP *NEW* Tackified Permanent	S9123260		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26WCT / 751 / 40SC	2.6 mil White Top-Coated BOPP *NEW* Tackified permanent	S9021560		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
026TT / 747 / 40SC	Thermal Transfer White Label-Lyte™ Tackified permanent	S8773660		No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
030TT / 747 / 40SC	Thermal Transfer White Label-Lyte™ Tackified permanent	S5213060		No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
036CG / 347 / 50SC	3.6 mil Clear TC BOPP Removable adhesive	S6883060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
036CG / 347 / 78LF	3.6 mil Clear TC BOPP Removable adhesive	S7149060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
036WG / 347 / 50SC	3.6 mil White TC BOPP Removable adhesive	S6888060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
036WG / 347 / 78LF	3.6 mil White TC BOPP Removable adhesive	S7227060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
070MK / 720 / 40SC	3.0 Mil Direct Thermal BOPP Film All-temp permanent	S4335060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
075WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent	S8149152		No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095RK / 720 / 40SC	Synthetic Med Sensitivity Direct Thermal All-temp permanent	S4101060		No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
095TK / 538 / 50SC	Thermal Transfer Top-Coated Kimdura® Tight Acrylic Removable	S3286060		No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
095TK / 751 / 50SC	Thermal Transfer Top-Coated Kimdura® Tackified permanent	S5391060		No*	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



Film										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
100WP / 747 / 40SC	Thermal Transfer Matte White BOPP Tackified permanent	S7605960	No*	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1CLPT / 111 / 12NB	1.0 Mil Clear Polyester Water resistant film adhesive	S8166060	No	<input checked="" type="checkbox"/> [†] 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2VWPT / 406 / 50SC	2.0 Mil Value White Polyester Durable permanent	S8089560	No	<input checked="" type="checkbox"/> 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2WLJP / 720 / 40SC	3.5 Mil White Polyester All-temp permanent	S8764960	No	<input checked="" type="checkbox"/> 1,250/ 2,500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Indigo Coated										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
D23WP / 102 / 40SC	Indigo Top-Coated 2.3 mil White BOPP General purpose film adhesive	S8188460	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D55SG / 720 / 40SC	Indigo Top-Coated 55# Semi-Gloss All-temp permanent	S8142460	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
D55SG / 751 / 40SC	Indigo Top-Coated 55# Semi-Gloss Tackified permanent	S8126960	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Durable Materials										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
1CLPT / 111 / 12NB	1.0 Mil Clear Polyester Water resistant film adhesive	S8166060	No	<input checked="" type="checkbox"/> [†] 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2VWPT / 406 / 50SC	2.0 Mil Value White Polyester Durable permanent	S8089560	No	<input checked="" type="checkbox"/> 2,500,5,10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Beer & Wine										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
054WS / 747 / 40SC	54# Wet Strength Semi-Gloss Tackified permanent	S8901460	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLRNB / 720 / 39NK	60# 100% PCW Wet Strength Paper *NEW* All-temp permanent	S9089960	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



October



Beer & Wine									
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA
0WCSW / 747 / 44PM	60# Classic Crest® Solar White Smooth Tackified permanent	S8741852	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WEL4 / 747 / 44PM	60# Estate Label® #4 White Laid *NEW* Tackified permanent	S8748252	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0WEL8 / 747 / 44PM	60# Estate Label® #8 White Smooth Tackified permanent	S8266852	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input checked="" type="checkbox"/> 2,500/5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
0WEL9 / 747 / 44PM	60# Estate Label® #9 Cream Laid Tackified permanent	S8742152	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input checked="" type="checkbox"/> 2,500/5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/5
1DMEC / 720 / 39NK	60# 100% PCW Wet Strength Paper All-temp permanent	S8809752	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1HOPS / 747 / 40SC	60# Hops Wet Strength Paper *NEW* Tackified permanent	S9027152	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
56MSW / 720 / 40SC	Silver Metalized WS Paper All-temp permanent	S8982560	No	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
70BWF / 747 / 12NB	70# Bright White Felt Tackified permanent	S8903752	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
70BWF / 747 / 44PM	70# Bright White Felt Tackified permanent	S8903652	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10
BKVLM / 747 / 40SC	60# Black Vellum Tackified permanent	S8909252	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
BKVLM / 747 / 44PM	60# Black Vellum Tackified permanent	S8936852	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10
KONAL / 720 / 39NK	50# Kona Light Roast All-temp permanent	S8796760	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
KONAL / 747 / 40SC	50# Kona Light Roast Tackified permanent	S8939760	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLRWS / 747 / 12NB	Polar White Wet Strength Barrier Paper Tackified permanent	S8888860	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
PLRWS / 747 / 40SC	Polar White Wet Strength Barrier Paper Tackified permanent	S8902360	No	<input checked="" type="checkbox"/> 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
PLRWS / 747 / 44PM	Polar White Wet Strength Barrier Paper Tackified permanent	S8873860	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 2,500/ 5/ 10

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.

All new structures have a trial period of 6 months. Structures are subject to change without notice.



Ink Jet / Laser										
Structure	Description	Item #	Splice Free	GB	WIN	KC	MIN	ATL	LA	
047LJ / 757 / 0PBLF	47# Super Bright Laser Jet General purpose permanent	S9018560	Yes	<input checked="" type="checkbox"/> [†] 10 Only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F47LJ / 757 / 41LF	FSC Super Bright Laser Jet *NEW* General purpose permanent	S9077660	No	<input checked="" type="checkbox"/> [†] 10/15	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 720 / 0PBLF	50# Super Bright Laser Jet All-temp permanent	S8214960	Yes	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 751 / 0PBLF	50# Super Bright Laser Jet Tackified permanent adhesive for pharmacy applications	S8218060	Yes	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
050LJ / 758M / 0PBLF	50# Super Bright Laser Jet General purpose permanent	S8165060	Yes-GB Yes-WIN No-LA	<input checked="" type="checkbox"/> [†] 10	<input checked="" type="checkbox"/> [†] 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> [†]
050LJ / 758M / 41LF	50# Super Bright Laser Jet General purpose permanent	S8238360	No	<input checked="" type="checkbox"/> [†] 10/15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054GZ / 758M / 0PBLF	57# Green Matte Fluorescent General purpose permanent	S8189860	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054OZ / 758M / 0PBLF	57# Orange Matte Fluorescent General purpose permanent	S8190060	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054PZ / 758M / 0PBLF	57# Pink Matte Fluorescent General purpose permanent	S8190160	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054RZ / 758M / 0PBLF	57# Red Matte Fluorescent General purpose permanent	S8190260	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
054YZ / 758M / 0PBLF	57# Yellow Chartreuse Matte Fluorescent General purpose permanent	S8189960	No	<input checked="" type="checkbox"/> [†]	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06INK / 720 / 40SC	60# Matte-Coated Ink Jet All-temp permanent	S8764760	No	<input checked="" type="checkbox"/> 1,250 2,500 5,000 10,000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1GINK / 720 / 40SC	59# Gloss Ink Jet Paper All-temp permanent	S8721460	No	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5/ 10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5	
1GINK / 751 / 40SC	59# Gloss Ink Jet Paper Tackified permanent	S8714360	No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> 1,250/ 2,500/ 5
SGINK / 720 / 40SC	Semi-Gloss WB InkJet *NEW* All-temp permanent	S9117479	No	<input checked="" type="checkbox"/> 2.5 / 5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2WLJP / 720 / 40SC	3.5 Mil White Polyester All-temp permanent	S8764960	No	<input checked="" type="checkbox"/> 1,250 2,500 only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

* Indicates a runnable splice ** Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores
 All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto. These prices are for prompt shipment and are subject to change without notice. The company's standard Terms and Conditions as in effect at the time of sale shall control.



October



Piggybacks

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Rows include 050ED, 054SG, and VALUT products.

Water Based Ink Jet

Table with columns: Structure, Description, Item #, Splice Free, GB, WIN, KC, MIN, ATL, LA. Row includes SGINK product.

* Indicates a runnable splice **Indicates yellow splice tape - 5,000' and 10,000' rolls standard unless otherwise noted - † 6" Cores

- Minimum one slit roll at 3", minimum length varies by product.
- Orders placed by 3:00 PM (time zone applicable to location from which shipment originates) will be shipped next business day.

GB=Green Bay, WI WIN=Winchester, VA KC=Kansas City, MO MIN=Minneapolis, MN ATL=Atlanta, GA LA=Los Angeles, CA

All orders are taken subject to final acceptance at Green Bay, Wisconsin, and no agent or representative has authority to accept any order or in any way bind the company relative thereto.